



# Order # 9481

Date: **13/06/2019**  
 Attention: **Eric Tang**  
**Auslite Solution**  
 Project: **Macquarie Park, Stage 1, Building C (61 Waterloo Rd)**

Deliver To:

**LiTEsource and Controls**  
**Unit 8, 69-73 O'Riordan Street**  
**Alexandria NSW 2015**  
**Australia**

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
5	1617-15-3K-SIDEB-4900mm	L1 - 4930mm	1617-15-3K-SIDEB-4900mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEB = Side feed cable SIDEB 2000mm cable.	4900'mm'	24500mm	\$269.50	\$1,347.50
5	1617-15-3K-SIDEB-4950mm	L1 - 4970mm	1617-15-3K-SIDEB-4950mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEB = Side feed cable SIDEB 2000mm cable.	4950'mm'	24750mm	\$272.25	\$1,361.25
5	1617-15-3K-SIDEB-4950mm	L1 - 4990mm	1617-15-3K-SIDEB-4950mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEB = Side feed cable SIDEB 2000mm cable.	4950'mm'	24750mm	\$272.25	\$1,361.25
5	1617-15-3K-SIDEB-6500mm	L1 - 6500mm	1617-15-3K-SIDEB-6500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEB = Side feed cable SIDEB 2000mm cable.	6500'mm'	32500mm	\$357.50	\$1,787.50
1	1617-15-3K-SIDEB-7350mm	L1 - 7350mm	1617-15-3K-SIDEB-7350mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEB = Side feed cable SIDEB 2000mm cable.	7350'mm'	7350mm	\$404.25	\$404.25
600	1614-CLIP-CLEAR	L1	1614-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$210.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1614A-110-12-3K-BTM-23900mm	L2 - 23930mm	1614A-110-12-3K-BTM-23900mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	23900'mm'	23900mm	\$1,314.50	\$1,314.50
1	1614A-110-12-3K-BTM-28100mm	L2 - 28100mm	1614A-110-12-3K-BTM-28100mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	28100'mm'	28100mm	\$1,545.50	\$1,545.50
300	1614-CLIP-CLEAR	L2	1614-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$105.00
1	1617-15-3K-BTM-34500mm	L2A - 34500mm	1617-15-3K-BTM-34500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	34500'mm'	34500mm	\$1,897.50	\$1,897.50
1	1617-15-3K-BTM-43450mm	L2A - 43450mm	1617-15-3K-BTM-43450mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	43450'mm'	43450mm	\$2,389.75	\$2,389.75
500	1614-CLIP-CLEAR	L2A	1614-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$175.00
4	1617-15-3K-BTM-1 650mm	L3 - 1650mm	1617-15-3K-BTM-1650mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	1650'mm'	6600mm	\$90.75	\$363.00
4	1617-15-3K-BTM-1 800mm	L3 - 1840mm	1617-15-3K-BTM-1800mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	1800'mm'	7200mm	\$99.00	\$396.00
1	1617-15-3K-BTM-1 950mm	L3 - 1950mm	1617-15-3K-BTM-1950mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	1950'mm'	1950mm	\$107.25	\$107.25

**Contact: Dave Lewis** [dave@litesource.com.au](mailto:dave@litesource.com.au) | +61 407 875 607

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617-15-3K-BTM-2 750mm	L3 - 2750mm	1617-15-3K-BTM-2750mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	2750'mm'	2750mm	\$151.25	\$151.25
1	1617-15-3K-BTM-3 600mm	L3 - 3600mm	1617-15-3K-BTM-3600mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	3600'mm'	3600mm	\$198.00	\$198.00
34	1617-15-3K-BTM-3 800mm	L3 - 3820mm	1617-15-3K-BTM-3800mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	3800'mm'	129200mm	\$209.00	\$7,106.00
2	1617-15-3K-BTM-4 250mm	L3 - 4270mm	1617-15-3K-BTM-4250mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	4250'mm'	8500mm	\$233.75	\$467.50
6	1617-15-3K-BTM-4 250mm	L3 - 4280mm	1617-15-3K-BTM-4250mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	4250'mm'	25500mm	\$233.75	\$1,402.50
11	1617-15-3K-BTM-4 350mm	L3 - 4380mm	1617-15-3K-BTM-4350mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	4350'mm'	47850mm	\$239.25	\$2,631.75
2	1617-15-3K-BTM-4 400mm	L3 - 4440mm	1617-15-3K-BTM-4400mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	4400'mm'	8800mm	\$242.00	\$484.00
6	1617-15-3K-BTM-4 450mm	L3 - 4450mm	1617-15-3K-BTM-4450mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	4450'mm'	26700mm	\$244.75	\$1,468.50

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
10	1617-15-3K-BTM-4 500mm	L3 - 4540mm	1617-15-3K-BTM-4500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	4500'mm'	45000mm	\$247.50	\$2,475.00
5	1617-15-3K-BTM-5 000mm	L3 - 5010mm	1617-15-3K-BTM-5000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	5000'mm'	25000mm	\$275.00	\$1,375.00
34	1617-15-3K-BTM-5 700mm	L3 - 5740mm	1617-15-3K-BTM-5700mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	5700'mm'	193800mm	\$313.50	\$10,659.00
17	1617-15-3K-BTM-5 750mm	L3 - 5770mm	1617-15-3K-BTM-5750mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	5750'mm'	97750mm	\$316.25	\$5,376.25
1	1617-15-3K-BTM-5 850mm	L3 - 5880mm	1617-15-3K-BTM-5850mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	5850'mm'	5850mm	\$321.75	\$321.75
2	1617-15-3K-BTM-6 000mm	L3 - 6030mm	1617-15-3K-BTM-6000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	6000'mm'	12000mm	\$330.00	\$660.00
5	1617-15-3K-BTM-6 350mm	L3 - 6350mm	1617-15-3K-BTM-6350mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	6350'mm'	31750mm	\$349.25	\$1,746.25
1	1617-15-3K-BTM-7 600mm	L3 - 7600mm	1617-15-3K-BTM-7600mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	7600'mm'	7600mm	\$418.00	\$418.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
4	1617-15-3K-BTM-7 700mm	L3 - 7740mm	1617-15-3K-BTM-7700mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	7700'mm'	30800mm	\$423.50	\$1,694.00
2	1617-15-3K-BTM-8 750mm	L3 - 8750mm	1617-15-3K-BTM-8750mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	8750'mm'	17500mm	\$481.25	\$962.50
2	1617-15-3K-BTM-1 0150mm	L3 - 10170mm	1617-15-3K-BTM-10150mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	10150'mm'	20300mm	\$558.25	\$1,116.50
1	1617-15-3K-BTM-1 4250mm	L3 - 14290mm	1617-15-3K-BTM-14250mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	14250'mm'	14250mm	\$783.75	\$783.75
1	1617-15-3K-BTM-2 5600mm	L3 - 25640mm	1617-15-3K-BTM-25600mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	25600'mm'	25600mm	\$1,408.00	\$1,408.00
4,200	1614-CLIP-CLEAR	L3	1614-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$1,470.00
1	1614A-110-12-3K-BTM-1450mm	L4 - 1470mm	1614A-110-12-3K-BTM-1450mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	1450'mm'	1450mm	\$79.75	\$79.75
1	1614A-110-12-3K-BTM-2050mm	L4 - 2070mm	1614A-110-12-3K-BTM-2050mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	2050'mm'	2050mm	\$112.75	\$112.75

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1614A-110-12-3K-BTM-2300mm	L4 - 2340mm	1614A-110-12-3K-BTM-2300mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	2300'mm'	2300mm	\$126.50	\$126.50
1	1614A-110-12-3K-BTM-2800mm	L4 - 2840mm	1614A-110-12-3K-BTM-2800mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	2800'mm'	2800mm	\$154.00	\$154.00
1	1614A-110-12-3K-BTM-3050mm	L4 - 3090mm	1614A-110-12-3K-BTM-3050mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	3050'mm'	3050mm	\$167.75	\$167.75
11	1614A-110-12-3K-BTM-3250mm	L4 - 3260mm	1614A-110-12-3K-BTM-3250mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	3250'mm'	35750mm	\$178.75	\$1,966.25
1	1614A-110-12-3K-BTM-3350mm	L4 - 3350mm	1614A-110-12-3K-BTM-3350mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	3350'mm'	3350mm	\$184.25	\$184.25
1	1614A-110-12-3K-BTM-3650mm	L4 - 3660mm	1614A-110-12-3K-BTM-3650mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	3650'mm'	3650mm	\$200.75	\$200.75
5	1614A-110-12-3K-BTM-3900mm	L4 - 3910mm	1614A-110-12-3K-BTM-3900mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	3900'mm'	19500mm	\$214.50	\$1,072.50
10	1614A-110-12-3K-BTM-4200mm	L4 - 4230mm	1614A-110-12-3K-BTM-4200mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	4200'mm'	42000mm	\$231.00	\$2,310.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1614A-110-12-3K-BTM-4750mm	L4 - 4770mm	1614A-110-12-3K-BTM-4750mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	4750'mm'	4750mm	\$261.25	\$261.25
4	1614A-110-12-3K-BTM-4900mm	L4 - 4910mm	1614A-110-12-3K-BTM-4900mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	4900'mm'	19600mm	\$269.50	\$1,078.00
7	1614A-110-12-3K-BTM-4950mm	L4 - 4960mm	1614A-110-12-3K-BTM-4950mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	4950'mm'	34650mm	\$272.25	\$1,905.75
1	1614A-110-12-3K-BTM-4950mm	L4 - 4980mm	1614A-110-12-3K-BTM-4950mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	4950'mm'	4950mm	\$272.25	\$272.25
1	1614A-110-12-3K-BTM-5150mm	L4 - 5150mm	1614A-110-12-3K-BTM-5150mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	5150'mm'	5150mm	\$283.25	\$283.25
1	1614A-110-12-3K-BTM-5350mm	L4 - 5360mm	1614A-110-12-3K-BTM-5350mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	5350'mm'	5350mm	\$294.25	\$294.25
1	1614A-110-12-3K-BTM-8550mm	L4 - 8590mm	1614A-110-12-3K-BTM-8550mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	8550'mm'	8550mm	\$470.25	\$470.25
1	1614A-110-12-3K-BTM-9900mm	L4 - 9900mm	1614A-110-12-3K-BTM-9900mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	9900'mm'	9900mm	\$544.50	\$544.50



Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1614A-110-12-3K-BTM-14850mm	L4 - 14860mm	1614A-110-12-3K-BTM-14850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	14850'mm'	14850mm	\$816.75	\$816.75
1	1614A-110-12-3K-BTM-15450mm	L4 - 15490mm	1614A-110-12-3K-BTM-15450mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	15450'mm'	15450mm	\$849.75	\$849.75
1,500	1614-CLIP-CLEAR	L4	1614-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$525.00
1	1617-15-3K-SIDEA-8650mm	L5A - 8650mm	1617-15-3K-SIDEA-8650mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	8650'mm'	8650mm	\$475.75	\$475.75
1	1617-15-3K-SIDEA-15300mm	L5A - 15340mm	1617-15-3K-SIDEA-15300mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	15300'mm'	15300mm	\$841.50	\$841.50
1	1617-15-3K-SIDEA-15650mm	L5A - 15690mm	1617-15-3K-SIDEA-15650mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	15650'mm'	15650mm	\$860.75	\$860.75
1	1617-15-3K-SIDEA-18450mm	L5A - 18480mm	1617-15-3K-SIDEA-18450mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	18450'mm'	18450mm	\$1,014.75	\$1,014.75
1	1617-15-3K-SIDEA-20500mm	L5A - 20510mm	1617-15-3K-SIDEA-20500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	20500'mm'	20500mm	\$1,127.50	\$1,127.50



Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
4	1617-15-3K-SIDEA-23400mm	L5A - 23440mm	1617-15-3K-SIDEA-23400mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	23400'mm'	93600mm	\$1,287.00	\$5,148.00
1	1617-15-3K-SIDEA-52600mm	L5A - 52600mm	1617-15-3K-SIDEA-52600mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	52600'mm'	52600mm	\$2,893.00	\$2,893.00
1	1617-15-3K-SIDEA-54700mm	L5A - 54700mm	1617-15-3K-SIDEA-54700mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	54700'mm'	54700mm	\$3,008.50	\$3,008.50
1	1617-15-3K-SIDEA-67300mm	L5A - 67320mm	1617-15-3K-SIDEA-67300mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	67300'mm'	67300mm	\$3,701.50	\$3,701.50
1	1617-15-3K-SIDEA-136650mm	L5A - 136690mm	1617-15-3K-SIDEA-136650mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	136650'mm'	136650mm	\$7,515.75	\$7,515.75
1	1617-15-3K-SIDEA-137550mm	L5A - 137550mm	1617-15-3K-SIDEA-137550mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	137550'mm'	137550mm	\$7,565.25	\$7,565.25
2	1617-15-3K-SIDEA-138400mm	L5A - 138400mm	1617-15-3K-SIDEA-138400mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	138400'mm'	276800mm	\$7,612.00	\$15,224.00
1	1617-15-3K-SIDEA-139600mm	L5A - 139610mm	1617-15-3K-SIDEA-139600mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	139600'mm'	139600mm	\$7,678.00	\$7,678.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617-15-3K-SIDEA-141000mm	L5A - 141030mm	1617-15-3K-SIDEA-141000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K SIDEA = Side feed cable entry A 2000mm cable.	141000'mm'	141000mm	\$7,755.00	\$7,755.00
6,000	1614-CLIP-CLEAR	L5A	1614-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$2,100.00
2	1616-15-3K-BTM-9 450mm	L9 - 9490mm	1616-15-3K-BTM-9450mm exterior rated (IP67) Horizontal & Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	9450'mm'	18900mm	\$614.25	\$1,228.50
1	1616-15-3K-BTM-9 600mm	L9 - 9640mm	1616-15-3K-BTM-9600mm exterior rated (IP67) Horizontal & Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	9600'mm'	9600mm	\$624.00	\$624.00
3	1616-15-3K-BTM-1 0050mm	L9 - 10070mm	1616-15-3K-BTM-10050mm exterior rated (IP67) Horizontal & Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	10050'mm'	30150mm	\$653.25	\$1,959.75
1	1616-15-3K-BTM-1 1750mm	L9 - 11750mm	1616-15-3K-BTM-11750mm exterior rated (IP67) Horizontal & Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	11750'mm'	11750mm	\$763.75	\$763.75
1	1616-15-3K-BTM-1 2200mm	L9 - 12200mm	1616-15-3K-BTM-12200mm exterior rated (IP67) Horizontal & Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	12200'mm'	12200mm	\$793.00	\$793.00
3	1616-15-3K-BTM-1 3950mm	L9 - 13950mm	1616-15-3K-BTM-13950mm exterior rated (IP67) Horizontal & Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	13950'mm'	41850mm	\$906.75	\$2,720.25

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
3	1616-15-3K-BTM-1 3950mm	L9 - 13990mm	1616-15-3K-BTM-13950mm exterior rated (IP67) Horizontal & Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	13950'mm'	41850mm	\$906.75	\$2,720.25
1	1616-15-3K-BTM-1 7300mm	L9 - 17310mm	1616-15-3K-BTM-17300mm exterior rated (IP67) Horizontal & Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	17300'mm'	17300mm	\$1,124.50	\$1,124.50
1	1616-15-3K-BTM-1 8350mm	L9 - 18390mm	1616-15-3K-BTM-18350mm exterior rated (IP67) Horizontal & Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	18350'mm'	18350mm	\$1,192.75	\$1,192.75
1,000	1614-CLIP-CLEAR	L9	1614-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$350.00
1	1010-5-3K-BTM-22 000mm	L15 - 22000mm	1010-5-3K-BTM-22000mm exterior rated (IP67) LED MINI (24VDC) Flex (10 X 10mm) 5W/Meter (300 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)	22000'mm'	22000mm	\$1,210.00	\$1,210.00
120	1010-ALM-30mm	L15	1010-ALM-30mm Mounting "U" Channel Clip 12.2mmW x 12.7mmH x 30mmL. Colour: Aluminium.			\$0.35	\$42.00
						<b>Exclusive of GST</b>	<b>\$154,454.25</b>
						<b>10% GST</b>	<b>\$15,445.43</b>
						<b>Total (AUD)</b>	<b>\$169,899.68</b>