



# Order # 10765

Date: **31/03/2020**  
 Attention: **Eric Tang**  
**Auslite Solution**  
 Project: **Future Fund Fit Out**

Deliver To:

**LiTEsource and Controls**  
**Unit 8, 69-73 O'Riordan Street**  
**Alexandria NSW 2015**  
**Australia**

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
10	1617S-12-3K-BTM-2000mm	LN5 - 2000mm	1617S-12-3K-BTM-2000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	2000'mm'	20000mm	\$110.00	\$1,100.00
2	1617S-12-3K-BTM-2000mm	LN20 - 2000mm	1617S-12-3K-BTM-2000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	2000'mm'	4000mm	\$110.00	\$220.00
1	1617S-12-3K-BTM-7000mm	LN5 - 7000mm	1617S-12-3K-BTM-7000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	7000'mm'	7000mm	\$385.00	\$385.00
1	1617S-12-3K-BTM-10000mm	LN29 - 10000mm	1617S-12-3K-BTM-10000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	10000'mm'	10000mm	\$550.00	\$550.00
1	1617S-15-3K-BTM-8000mm	1LN2 - 8000mm	1617S-15-3K-BTM-8000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	8000'mm'	8000mm	\$440.00	\$440.00
2	1617S-12-3K-BTM-4700mm	LN5 - 4700mm	1617S-12-3K-BTM-4700mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	4700'mm'	9400mm	\$258.50	\$517.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-12-3K-BTM-13000mm	LN29 - 13000mm	1617S-12-3K-BTM-13000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	13000'mm'	13000mm	\$715.00	\$715.00
4	1617S-12-3K-BTM-5000mm	LN5 - 5000mm	1617S-12-3K-BTM-5000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	5000'mm'	20000mm	\$275.00	\$1,100.00
4	1617S-12-3K-BTM-4200mm	LN5 - 4200mm	1617S-12-3K-BTM-4200mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	4200'mm'	16800mm	\$231.00	\$924.00
1	1617S-12-3K-BTM-2400mm	1LN15 - 2400mm	1617S-12-3K-BTM-2400mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	2400'mm'	2400mm	\$132.00	\$132.00
2	1617TW-12-3K-BTM-9000mm	LN8 - 9000mm	1617TW-12-3K-BTM-9000mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	9000'mm'	18000mm	\$630.00	\$1,260.00
7	1617S-12-3K-BTM-5500mm	LN5 - 5500mm	1617S-12-3K-BTM-5500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	5500'mm'	38500mm	\$302.50	\$2,117.50
1	1617S-15-3K-BTM-12000mm	LN4 - 12000mm	1617S-15-3K-BTM-12000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	12000'mm'	12000mm	\$660.00	\$660.00
2	1617S-12-3K-BTM-5500mm	1LN15 - 5500mm	1617S-12-3K-BTM-5500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	5500'mm'	11000mm	\$302.50	\$605.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
2	1617S-12-3K-BTM-6000mm	LN5 - 6000mm	1617S-12-3K-BTM-6000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	6000'mm'	12000mm	\$330.00	\$660.00
1	1617S-15-3K-BTM-16000mm	1LN2 - 16000mm	1617S-15-3K-BTM-16000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	16000'mm'	16000mm	\$880.00	\$880.00
6	1617S-12-3K-BTM-4000mm	LN5 - 4000mm	1617S-12-3K-BTM-4000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	4000'mm'	24000mm	\$220.00	\$1,320.00
1	1617S-12-3K-BTM-7000mm	LN29 - 7000mm	1617S-12-3K-BTM-7000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	7000'mm'	7000mm	\$385.00	\$385.00
1	1617S-15-3K-BTM-14000mm	LN4 - 14000mm	1617S-15-3K-BTM-14000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	14000'mm'	14000mm	\$770.00	\$770.00
1	1617S-15-3K-BTM-11000mm	LN4 - 11000mm	1617S-15-3K-BTM-11000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	11000'mm'	11000mm	\$605.00	\$605.00
1	1617S-15-3K-BTM-13000mm	LN4 - 13000mm	1617S-15-3K-BTM-13000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	13000'mm'	13000mm	\$715.00	\$715.00
1	1617S-15-3K-BTM-16500mm	LN4 - 16500mm	1617S-15-3K-BTM-16500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	16500'mm'	16500mm	\$907.50	\$907.50

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-15-3K-BTM-16000mm	LN4 - 16000mm	1617S-15-3K-BTM-16000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	16000'mm'	16000mm	\$880.00	\$880.00
1	1617S-12-3K-BTM-6500mm	LN5 - 6500mm	1617S-12-3K-BTM-6500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	6500'mm'	6500mm	\$357.50	\$357.50
1	1617S-12-3K-BTM-4500mm	1LN15 - 4500mm	1617S-12-3K-BTM-4500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	4500'mm'	4500mm	\$247.50	\$247.50
4	1617S-12-3K-BTM-3000mm	LN5 - 3000mm	1617S-12-3K-BTM-3000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	3000'mm'	12000mm	\$165.00	\$660.00
11	1617S-12-3K-BTM-3500mm	LN5 - 3500mm	1617S-12-3K-BTM-3500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	3500'mm'	38500mm	\$192.50	\$2,117.50
1	1617S-12-3K-BTM-3300mm	LN20 - 3300mm	1617S-12-3K-BTM-3300mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	3300'mm'	3300mm	\$181.50	\$181.50
1	1617S-12-3K-BTM-4500mm	LN5 - 4500mm	1617S-12-3K-BTM-4500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	4500'mm'	4500mm	\$247.50	\$247.50
1	1617S-12-3K-BTM-3200mm	LN5 - 3200mm (!)	1617S-12-3K-BTM-3200mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	3200'mm'	3200mm	\$176.00	\$176.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-15-3K-BTM-13550mm	LN4 - 13550mm	1617S-15-3K-BTM-13550mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	13550'mm'	13550mm	\$745.25	\$745.25
1	1617S-15-3K-BTM-6500mm	1LN2 - 6500mm	1617S-15-3K-BTM-6500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	6500'mm'	6500mm	\$357.50	\$357.50
1	1617S-15-3K-BTM-19100mm	1LN1 - 19100mm	1617S-15-3K-BTM-19100mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	19100'mm'	19100mm	\$1,050.50	\$1,050.50
1	1617S-15-3K-BTM-10000mm	1LN1 - 10000mm	1617S-15-3K-BTM-10000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	10000'mm'	10000mm	\$550.00	\$550.00
1	1617S-15-3K-BTM-45500mm	1LN1 - 45500mm	1617S-15-3K-BTM-45500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	45500'mm'	45500mm	\$2,502.50	\$2,502.50
1	1617S-15-3K-BTM-51100mm	1LN1 - 51100mm	1617S-15-3K-BTM-51100mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	51100'mm'	51100mm	\$2,810.50	\$2,810.50
1	1617S-12-3K-BTM-4500mm	1LN21 - 4500mm	1617S-12-3K-BTM-4500mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 3000K BTM = Bottom feed 2000mm cable.	4500'mm'	4500mm	\$247.50	\$247.50
1	1617S-15-3K-BTM-6000mm	1LN2 - 6000mm	1617S-15-3K-BTM-6000mm exterior rated (IP67) Horizontal Bend LED NEON SIDE (24VDC) Flex (16 x 17mm) 15W/Metre (800 lumens) 3000K BTM = Bottom feed 2000mm cable.	6000'mm'	6000mm	\$330.00	\$330.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
2,572	1617-CLIP-CLEAR		1617-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$900.20
90	1010-ALM-30mm		1010-ALM-30mm Mounting "U"; Channel Clip 12.2mmW x 12.7mmH x 30mmL. Colour: Aluminium.			\$0.35	\$31.50
						<b>Exclusive of GST</b>	<b>\$31,360.95</b>
						<b>10% GST</b>	<b>\$3,136.10</b>
						<b>Total (AUD)</b>	<b>\$34,497.05</b>