



Order # 15298

Date: **06/10/2022**
 Attention: **Orders
Aus Neon**
 Project: **Cairns Convention Centre**

Deliver To:

LiTSource and Controls
Unit 8, 69-73 O'Riordan Street
Alexandria NSW 2015
Australia

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-14-RGBW-BT M-7936mm	L15 - A - 18.012m	VueLite -7936mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	7936'mm'	7936mm	\$555.52	\$555.52
1	1617S-14-RGBW-BT M-10007mm	L15 - A - 18.012m	VueLite -10007mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	10007'mm'	10007mm	\$700.49	\$700.49
2	Flex-5CORE-CABLE -8000mm	L15 - A - 18.012m	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	16000mm	\$32.00	\$64.00
2	1617S-14-RGBW-BT M-10007mm	L15 - B - 24.803m	VueLite -10007mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	10007'mm'	20014mm	\$700.49	\$1,400.98
1	1617S-14-RGBW-BT M-4436mm	L15 - B - 24.803m	VueLite -4436mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	4436'mm'	4436mm	\$310.52	\$310.52
3	Flex-5CORE-CABLE -8000mm	L15 - B - 24.803m	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	24000mm	\$32.00	\$96.00
3	1617S-14-RGBW-BT M-10007mm	L15 - C - 35.239m	VueLite -10007mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	10007'mm'	30021mm	\$700.49	\$2,101.47
1	1617S-14-RGBW-BT M-5150mm	L15 - C - 35.239m	VueLite -5150mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	5150'mm'	5150mm	\$360.50	\$360.50
4	Flex-5CORE-CABLE -8000mm	L15 - C - 35.239m	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	32000mm	\$32.00	\$128.00

Contact: Matt Roworth matt@litesource.com.au | +61 423 486 309

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
2	1617S-14-RGBW-BT M-10007mm	L15 - D - 25.090m	VueLite -10007mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	10007'mm'	20014mm	\$700.49	\$1,400.98
1	1617S-14-RGBW-BT M-4936mm	L15 - D - 25.090m	VueLite -4936mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	4936'mm'	4936mm	\$345.52	\$345.52
3	Flex-5CORE-CABLE -8000mm	L15 - D - 25.090m	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	24000mm	\$32.00	\$96.00
2	1617S-14-RGBW-BT M-10007mm	L15 - E - 30.233m	VueLite -10007mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	10007'mm'	20014mm	\$700.49	\$1,400.98
1	1617S-14-RGBW-BT M-10150mm	L15 - E - 30.233m	VueLite -10150mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	10150'mm'	10150mm	\$710.50	\$710.50
3	Flex-5CORE-CABLE -8000mm	L15 - E - 30.233m	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	24000mm	\$32.00	\$96.00
2	1617S-14-RGBW-BT M-10007mm	L15 - F - 30.233m	VueLite -10007mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	10007'mm'	20014mm	\$700.49	\$1,400.98
1	1617S-14-RGBW-BT M-10150mm	L15 - F - 30.233m	VueLite -10150mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	10150'mm'	10150mm	\$710.50	\$710.50
3	Flex-5CORE-CABLE -8000mm	L15 - F - 30.233m	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	24000mm	\$32.00	\$96.00
2	1617S-14-RGBW-BT M-10007mm	L15 - G - 25.090m	VueLite -10007mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	10007'mm'	20014mm	\$700.49	\$1,400.98
1	1617S-14-RGBW-BT M-5010mm	L15 - G - 25.090m	VueLite -5010mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	5010'mm'	5010mm	\$350.70	\$350.70

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
3	Flex-5CORE-CABLE -8000mm	L15 - G - 25.090m	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	24000mm	\$32.00	\$96.00
941	1617-CLIP-CLEAR	L15	VueLite clear acrylic mounting clip 20.7mmW x 18.54mmH x 20mm (overall installed dimensions 20.7mmW x 18.54mmH)			\$0.35	\$329.35
1	1617S-14-RGBW-BT M-3006mm	L25 - 1 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-1863mm	L25 - 2 - 1863mm	VueLite -1863mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1863'mm'	1863mm	\$130.41	\$130.41
1	1617S-14-RGBW-BT M-3006mm	L25 - 3 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-3006mm	L25 - 4 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
4	Flex-5CORE-CABLE -8000mm	L25 - 1-4	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	32000mm	\$32.00	\$128.00
1	1617S-14-RGBW-BT M-1863mm	L25 - 5 - 1863mm	VueLite -1863mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1863'mm'	1863mm	\$130.41	\$130.41
1	1617S-14-RGBW-BT M-3006mm	L25 - 6 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-3006mm	L25 - 7 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-1863mm	L25 - 8 - 1863mm	VueLite -1863mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1863'mm'	1863mm	\$130.41	\$130.41

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-14-RGBW-BT M-1077mm	L25 - 9 - 1077mm	VueLite -1077mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1077'mm'	1077mm	\$75.39	\$75.39
6	Flex-5CORE-CABLE -8000mm	L25 - 5-10	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	48000mm	\$32.00	\$192.00
1	1617S-14-RGBW-BT M-720mm	**L25 - 10 - 720mm	VueLite -720mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	720'mm'	720mm	\$50.40	\$50.40
1	1617S-14-RGBW-BT M-3006mm	L25 - 11 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-1863mm	L25 - 12 - 1863mm	VueLite -1863mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1863'mm'	1863mm	\$130.41	\$130.41
1	1617S-14-RGBW-BT M-3006mm	L25 - 13 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-3006mm	L25 - 14 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
4	Flex-5CORE-CABLE -8000mm	L25 - 11-14	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	32000mm	\$32.00	\$128.00
1	1617S-14-RGBW-BT M-1292mm	L25 - 15 - 1292mm	VueLite -1292mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1292'mm'	1292mm	\$90.44	\$90.44
1	1617S-14-RGBW-BT M-2791mm	L25 - 16 - 2791mm	VueLite -2791mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	2791'mm'	2791mm	\$195.37	\$195.37
1	1617S-14-RGBW-BT M-2791mm	L25 - 17 - 2791mm	VueLite -2791mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	2791'mm'	2791mm	\$195.37	\$195.37

Contact: Matt Roworth matt@litesource.com.au | +61 423 486 309

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-14-RGBW-BT M-3006mm	L25 - 18 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
4	Flex-5CORE-CABLE -8000mm	L25 - 15-18	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	32000mm	\$32.00	\$128.00
1	1617S-14-RGBW-BT M-2935mm	**L25 - 19 - 2935mm	VueLite -2935mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	2935'mm'	2935mm	\$205.45	\$205.45
1	1617S-14-RGBW-BT M-1577mm	L25 - 20 - 1577mm	VueLite -1577mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1577'mm'	1577mm	\$110.39	\$110.39
1	1617S-14-RGBW-BT M-2077mm	L25 - 21 - 2077mm	VueLite -2077mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	2077'mm'	2077mm	\$145.39	\$145.39
1	1617S-14-RGBW-BT M-1577mm	L25 - 22 - 1577mm	VueLite -1577mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1577'mm'	1577mm	\$110.39	\$110.39
4	Flex-5CORE-CABLE -8000mm	L25 - 19-22	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	32000mm	\$32.00	\$128.00
1	1617S-14-RGBW-BT M-3006mm	L25 - 23 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-863mm	L25 - 24 - 863mm	VueLite -863mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	863'mm'	863mm	\$60.41	\$60.41
1	1617S-14-RGBW-BT M-1434mm	L25 - 25 - 1434mm	VueLite -1434mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1434'mm'	1434mm	\$100.38	\$100.38
1	1617S-14-RGBW-BT M-3006mm	L25 - 26 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42

Contact: Matt Roworth matt@litesource.com.au | +61 423 486 309

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
4	Flex-5CORE-CABLE -8000mm	L25 - 23-26	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	32000mm	\$32.00	\$128.00
1	1617S-14-RGBW-BT M-2935mm	**L25 - 27 - 2935mm	VueLite -2935mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	2935'mm'	2935mm	\$205.45	\$205.45
1	1617S-14-RGBW-BT M-3006mm	L25 - 28 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-3006mm	L25 - 29 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-2220mm	**L25 - 30 - 2220mm	VueLite -2220mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	2220'mm'	2220mm	\$155.40	\$155.40
4	Flex-5CORE-CABLE -8000mm	L25 - 27-30	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	32000mm	\$32.00	\$128.00
1	1617S-14-RGBW-BT M-1434mm	**L25 - 31 - 1434mm	VueLite -1434mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1434'mm'	1434mm	\$100.38	\$100.38
1	1617S-14-RGBW-BT M-3006mm	L25 - 32 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-863mm	L25 - 33 - 863mm	VueLite -863mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	863'mm'	863mm	\$60.41	\$60.41
1	1617S-14-RGBW-BT M-2935mm	**L25 - 34 - 2935mm	VueLite -2935mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	2935'mm'	2935mm	\$205.45	\$205.45
1	1617S-14-RGBW-BT M-3006mm	L25 - 35 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42

Contact: Matt Roworth matt@litesource.com.au | +61 423 486 309

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
5	Flex-5CORE-CABLE -8000mm	L25 - 31-35	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	40000mm	\$32.00	\$160.00
1	1617S-14-RGBW-BT M-1506mm	L25 - 36 - 1506mm	VueLite -1506mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1506'mm'	1506mm	\$105.42	\$105.42
1	1617S-14-RGBW-BT M-3006mm	L25 - 37 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-2720mm	**L25 - 38 - 2720mm	VueLite -2720mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	2720'mm'	2720mm	\$190.40	\$190.40
1	1617S-14-RGBW-BT M-3006mm	L25 - 39 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-3006mm	L25 - 40 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-1363mm	**L25 - 41 - 1363mm	VueLite -1363mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	1363'mm'	1363mm	\$95.41	\$95.41
6	Flex-5CORE-CABLE -8000mm	L25 - 36-41	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	48000mm	\$32.00	\$192.00
1	1617S-14-RGBW-BT M-3006mm	L25 - 42 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-3006mm	L25 - 43 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
1	1617S-14-RGBW-BT M-3006mm	L25 - 44 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42

Contact: Matt Roworth matt@litesource.com.au | +61 423 486 309

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-14-RGBW-BT M-3006mm	L25 - 45 - 3006mm	VueLite -3006mm IP67 horizontal bend 24VDC flex (16 x 17mm) RGB + 2700K 13.5W/metre BTM = bottom feed 2000mm cable driver not included	3006'mm'	3006mm	\$210.42	\$210.42
4	Flex-5CORE-CABLE -8000mm	L25 - 42-45	{mm} Additional 5 core cable for flex range (RGBW)	8000'mm'	32000mm	\$32.00	\$128.00
117	1617-ALM-1000mm	L25	VueLite -1000mm mounting channel extrusion 19mmW x 18mmH x 1000mm colour alum (overall installed dimensions 19mmW x 18mmH)	1000'mm'	117000mm	\$7.50	\$877.50

Exclusive of GST	\$24,078.05
10% GST	\$2,407.81
Total (AUD)	\$26,485.86

***As discussed fixture to have 200mm cable attached with Male IP67 connector, 10000mm lead cable with female connector to be supplied separately.**