

**Order #****13059**Date: **16/07/2021**Attention: **Orders
Aus Neon**Project: **Wrest Point Casino Stage 3**

Deliver To:

LiTEsource and Controls
Unit 8, 69-73 O'Riordan Street
Alexandria NSW 2015
Australia

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617T-110-8-27K-BTM-400mm	L6-01 - 0.4m	1617T-110-8-27K-BTM-400mm IP67 1 sided (110D) LED NEON 24VDC Flex (16 X 17mm) 8W/Meter 2700K BTM = Bottom feed 2000mm cable. driver not included	400'mm'	400mm	\$22.00	\$22.00
1	1617T-110-8-27K-BTM-1000mm	L6-02 - 1m	1617T-110-8-27K-BTM-1000mm IP67 1 sided (110D) LED NEON 24VDC Flex (16 X 17mm) 8W/Meter 2700K BTM = Bottom feed 2000mm cable. driver not included	1000'mm'	1000mm	\$55.00	\$55.00
1	1617T-110-8-27K-BTM-2000mm	L6-03 - 2m	1617T-110-8-27K-BTM-2000mm IP67 1 sided (110D) LED NEON 24VDC Flex (16 X 17mm) 8W/Meter 2700K BTM = Bottom feed 2000mm cable. driver not included	2000'mm'	2000mm	\$110.00	\$110.00
1	1617T-110-8-27K-BTM-5000mm	L6 - 5m	1617T-110-8-27K-BTM-5000mm IP67 1 sided (110D) LED NEON 24VDC Flex (16 X 17mm) 8W/Meter 2700K BTM = Bottom feed 2000mm cable. driver not included	5000'mm'	5000mm	\$275.00	\$275.00
2	2412-280-24-27K-BTM-2500mm	L5-03-04 - 2.5m	2412-280-24-27K-BTM-2500mm IP67 3 sided (280D) LED NEON MAXI 24VDC Flex (24 x 12mm) 24W/Meter (1800 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	2500'mm'	5000mm	\$175.00	\$350.00
3	2412-280-24-27K-BTM-2500mm	L5-10-12 - 2.5m	2412-280-24-27K-BTM-2500mm IP67 3 sided (280D) LED NEON MAXI 24VDC Flex (24 x 12mm) 24W/Meter (1800 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	2500'mm'	7500mm	\$175.00	\$525.00
2	2412-280-24-27K-BTM-3000mm	L5-01-02 - 3m	2412-280-24-27K-BTM-3000mm IP67 3 sided (280D) LED NEON MAXI 24VDC Flex (24 x 12mm) 24W/Meter (1800 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	3000'mm'	6000mm	\$210.00	\$420.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
3	2412-280-24-27K-BTM-3000mm	L5-07-09 - 3m	2412-280-24-27K-BTM-3000mm IP67 3 sided (280D) LED NEON MAXI 24VDC Flex (24 x 12mm) 24W/Meter (1800 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	3000'mm'	9000mm	\$210.00	\$630.00
2	2412-280-24-27K-BTM-4100mm	L5-05-06 - 4.1m	2412-280-24-27K-BTM-4100mm IP67 3 sided (280D) LED NEON MAXI 24VDC Flex (24 x 12mm) 24W/Meter (1800 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	4100'mm'	8200mm	\$287.00	\$574.00
1	2412-280-24-27K-BTM-5000mm	L5 - 5m	2412-280-24-27K-BTM-5000mm IP67 3 sided (280D) LED NEON MAXI 24VDC Flex (24 x 12mm) 24W/Meter (1800 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	5000'mm'	5000mm	\$350.00	\$350.00
2	1617S-8-27K-BTM-3000mm	L1-04-05 - 3m	1617S-8-27K-BTM-3000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 8W/Metre 2700K BTM = Bottom feed 2000mm cable.	3000'mm'	6000mm	\$165.00	\$330.00
1	1617S-8-27K-BTM-5000mm	L1 - 5m	1617S-8-27K-BTM-5000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 8W/Metre 2700K BTM = Bottom feed 2000mm cable.	5000'mm'	5000mm	\$275.00	\$275.00
1	1617S-8-27K-BTM-8300mm	L1-01 - 8.3m	1617S-8-27K-BTM-8300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 8W/Metre 2700K BTM = Bottom feed 2000mm cable.	8300'mm'	8300mm	\$456.50	\$456.50
2	1617S-8-27K-BTM-10000mm	L1-02-03 - 10m	1617S-8-27K-BTM-10000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 8W/Metre 2700K BTM = Bottom feed 2000mm cable.	10000'mm'	20000mm	\$550.00	\$1,100.00
1	1617S-15-27K-BTM-800mm	L2-31 - 0.8m	1617S-15-27K-BTM-800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	800'mm'	800mm	\$44.00	\$44.00
1	1617S-15-27K-BTM-1000mm	L2-32 - 1m	1617S-15-27K-BTM-1000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	1000'mm'	1000mm	\$55.00	\$55.00
1	1617S-15-27K-BTM-1800mm	L2-30 - 1.8m	1617S-15-27K-BTM-1800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	1800'mm'	1800mm	\$99.00	\$99.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-15-27K-BTM -2200mm	L2-34 - 2.2m	1617S-15-27K-BTM-2200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	2200'mm'	2200mm	\$121.00	\$121.00
1	1617S-15-27K-BTM -2350mm	L2-33 - 2.35m	1617S-15-27K-BTM-2350mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	2350'mm'	2350mm	\$129.25	\$129.25
1	1617S-15-27K-BTM -2500mm	L2-32 - 2.5m	1617S-15-27K-BTM-2500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	2500'mm'	2500mm	\$137.50	\$137.50
2	1617S-15-27K-BTM -3500mm	L2-08-09 - 3.5m	1617S-15-27K-BTM-3500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	3500'mm'	7000mm	\$192.50	\$385.00
2	1617S-15-27K-BTM -3500mm	L2-20-21 - 3.5m	1617S-15-27K-BTM-3500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	3500'mm'	7000mm	\$192.50	\$385.00
1	1617S-15-27K-BTM -4100mm	L2-33 - 4.1m	1617S-15-27K-BTM-4100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	4100'mm'	4100mm	\$225.50	\$225.50
1	1617S-15-27K-BTM -4300mm	L2-34 - 4.3m	1617S-15-27K-BTM-4300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	4300'mm'	4300mm	\$236.50	\$236.50
1	1617S-15-27K-BTM -4500mm	L2-19 - 4.5m	1617S-15-27K-BTM-4500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	4500'mm'	4500mm	\$247.50	\$247.50
1	1617S-15-27K-BTM -5000mm	L2 - 5m	1617S-15-27K-BTM-5000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	5000'mm'	5000mm	\$275.00	\$275.00
1	1617S-15-27K-BTM -6100mm	L2-18 - 6.1m	1617S-15-27K-BTM-6100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	6100'mm'	6100mm	\$335.50	\$335.50

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-15-27K-BTM -6200mm	L2-36 - 6.2m	1617S-15-27K-BTM-6200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	6200'mm'	6200mm	\$341.00	\$341.00
1	1617S-15-27K-BTM -6200mm	L2-31 - 6.2m	1617S-15-27K-BTM-6200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	6200'mm'	6200mm	\$341.00	\$341.00
1	1617S-15-27K-BTM -6600mm	L2-14 - 6.6m	1617S-15-27K-BTM-6600mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	6600'mm'	6600mm	\$363.00	\$363.00
1	1617S-15-27K-BTM -8800mm	L2-35 - 8.8m	1617S-15-27K-BTM-8800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	8800'mm'	8800mm	\$484.00	\$484.00
1	1617S-15-27K-BTM -8800mm	L2-30 - 8.8m	1617S-15-27K-BTM-8800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	8800'mm'	8800mm	\$484.00	\$484.00
1	1617S-15-27K-BTM -9200mm	L2-17 - 9.2m	1617S-15-27K-BTM-9200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	9200'mm'	9200mm	\$506.00	\$506.00
1	1617S-15-27K-BTM -11200mm	L2-05 - 11.2m	1617S-15-27K-BTM-11200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	11200'mm'	11200mm	\$616.00	\$616.00
1	1617S-15-27K-BTM -12000mm	L2-22 - 12m	1617S-15-27K-BTM-12000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	12000'mm'	12000mm	\$660.00	\$660.00
1	1617S-15-27K-BTM -14000mm	L2-24 - 14m	1617S-15-27K-BTM-14000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	14000'mm'	14000mm	\$770.00	\$770.00
4	1617S-15-27K-BTM -18400mm	L2-01-04 - 18.4m	1617S-15-27K-BTM-18400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	18400'mm'	73600mm	\$1,012.00	\$4,048.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-15-27K-BTM -19700mm	L2-11 - 19.7m	1617S-15-27K-BTM-19700mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	19700'mm'	19700mm	\$1,083.50	\$1,083.50
1	1617S-15-27K-BTM -21300mm	L2-10 - 21.3m	1617S-15-27K-BTM-21300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	21300'mm'	21300mm	\$1,171.50	\$1,171.50
1	1617S-15-27K-BTM -21700mm	L2-06 - 21.7m	1617S-15-27K-BTM-21700mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	21700'mm'	21700mm	\$1,193.50	\$1,193.50
1	1617S-15-27K-BTM -22000mm	L2-26 - 22m	1617S-15-27K-BTM-22000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	22000'mm'	22000mm	\$1,210.00	\$1,210.00
1	1617S-15-27K-BTM -22300mm	L2-07 - 22.3m	1617S-15-27K-BTM-22300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	22300'mm'	22300mm	\$1,226.50	\$1,226.50
1	1617S-15-27K-BTM -22900mm	L2-29 - 22.9m	1617S-15-27K-BTM-22900mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	22900'mm'	22900mm	\$1,259.50	\$1,259.50
1	1617S-15-27K-BTM -23400mm	L2-28 - 23.4m	1617S-15-27K-BTM-23400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	23400'mm'	23400mm	\$1,287.00	\$1,287.00
1	1617S-15-27K-BTM -23800mm	L2-27 - 23.8m	1617S-15-27K-BTM-23800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	23800'mm'	23800mm	\$1,309.00	\$1,309.00
1	1617S-15-27K-BTM -24200mm	L2-23 - 24.2m	1617S-15-27K-BTM-24200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	24200'mm'	24200mm	\$1,331.00	\$1,331.00
1	1617S-15-27K-BTM -24300mm	L2-25 - 24.3m	1617S-15-27K-BTM-24300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	24300'mm'	24300mm	\$1,336.50	\$1,336.50

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-15-27K-BTM -26300mm	L2-16 - 26.3m	1617S-15-27K-BTM-26300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	26300'mm'	26300mm	\$1,446.50	\$1,446.50
1	1617S-15-27K-BTM -27900mm	L2-15 - 27.9m	1617S-15-27K-BTM-27900mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	27900'mm'	27900mm	\$1,534.50	\$1,534.50
1	1617S-15-27K-BTM -43400mm	L2-12 - 43.4m	1617S-15-27K-BTM-43400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	43400'mm'	43400mm	\$2,387.00	\$2,387.00
1	1617S-15-27K-BTM -51200mm	L2-13 - 51.2m	1617S-15-27K-BTM-51200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	51200'mm'	51200mm	\$2,816.00	\$2,816.00
516	1617-CLIP-CLEAR	L1-01 - 8.3m	1617-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$180.60
207	2412-CLIP-CLEAR	L5-07-09 - 3m	2412-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (28.7mmW x 16.58mmH x 22mmL)			\$0.35	\$72.45
693	1617-ALM-1000mm	L2-30 - 8.8m	1617-ALM-1000mm Mounting U; Channel extrusion 19mmW x 18mmH x 1000mm . Colour: Aluminium.	1000'mm'	693000mm	\$7.50	\$5,197.50

	Exclusive of GST	\$42,803.80
	10% GST	\$4,280.38
	Total (AUD)	\$47,084.18
Number of drivers for L2 lengths over 10 metres:		
11.2m - 1 driver		
12m - 2 drivers		
14m - 2 drivers		
18.4m - 2 drivers		
19.7m - 2 drivers		
21.7m - 2 drivers		
21.7m - 2 drivers		
22m - 2 drivers		
22.3m - 2 drivers		
22.9m - 3 drivers		
23.4m - 3 drivers		
23.8m - 3 drivers		
24.2m - 3 drivers		
24.3m - 3 drivers		
26.3m - 3 drivers		
27.9m - 3 drivers		
43.4m - 4 drivers		
51.2mm - 5 drivers		