



# Order # 9324

Date: **30/04/2019**  
 Attention: **Eric Tang**  
**Auslite Solution**  
 Project: **68 Milligan Street Facade**

Deliver To:

**LiTEsource and Controls**  
**Unit 8, 69-73 O'Riordan Street**  
**Alexandria NSW 2015**  
**Australia**

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1614-110-5-3K-BT M-100100mm	L1 - 100135mm	1614-110-5-3K-BTM-100100mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	100100'mm'	100100mm	\$6,006.00	\$6,006.00
1	1614-110-5-3K-BT M-8350mm	L1 - 8390mm	1614-110-5-3K-BTM-8350mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	8350'mm'	8350mm	\$501.00	\$501.00
1	1614-110-5-3K-BT M-7850mm	L1 - 7850mm	1614-110-5-3K-BTM-7850mm exterior rated (IP67) exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	7850'mm'	7850mm	\$471.00	\$471.00
1	1614-110-5-3K-BT M-7850mm	L1 - 7850mm	1614-110-5-3K-BTM-7850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	7850'mm'	7850mm	\$471.00	\$471.00
2	1614-110-5-3K-BT M-23650mm	L1 - 23660mm	1614-110-5-3K-BTM-23650mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	23650'mm'	47300mm	\$1,419.00	\$2,838.00
2	1614-110-5-3K-BT M-850mm	L1 - 890mm	1614-110-5-3K-BTM-850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	850'mm'	1700mm	\$51.00	\$102.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
2	1614-110-5-3K-BT M-57750mm	L1 - 57755mm	1614-110-5-3K-BTM-57750mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	57750'mm'	115500mm	\$3,465.00	\$6,930.00
2	1614-110-5-3K-BT M-850mm	L1 - 890mm	1614-110-5-3K-BTM-850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	850'mm'	1700mm	\$51.00	\$102.00
1	1614-110-5-3K-BT M-25300mm	L1 - 25330mm	1614-110-5-3K-BTM-25300mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	25300'mm'	25300mm	\$1,518.00	\$1,518.00
2	1614-110-5-3K-BT M-850mm	L1 - 890mm	1614-110-5-3K-BTM-850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	850'mm'	1700mm	\$51.00	\$102.00
2	1614-110-5-3K-BT M-12850mm	L1 - 12860mm	1614-110-5-3K-BTM-12850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	12850'mm'	25700mm	\$771.00	\$1,542.00
1	1614-110-5-3K-BT M-850mm	L1 - 890mm	1614-110-5-3K-BTM-850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	850'mm'	850mm	\$51.00	\$51.00
2	1614-110-5-3K-BT M-11700mm	L1 - 11705mm	1614-110-5-3K-BTM-11700mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	11700'mm'	23400mm	\$702.00	\$1,404.00
2	1614-110-5-3K-BT M-850mm	L1 - 890mm	1614-110-5-3K-BTM-850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	850'mm'	1700mm	\$51.00	\$102.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
2	1614-110-5-3K-BT M-10500mm	L1 - 10500mm	1614-110-5-3K-BTM-10500mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	10500'mm'	21000mm	\$630.00	\$1,260.00
2	1614-110-5-3K-BT M-850mm	L1 - 890mm	1614-110-5-3K-BTM-850mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	850'mm'	1700mm	\$51.00	\$102.00
12	1614-110-5-3K-BT M-300mm	L1 - 300mm	1614-110-5-3K-BTM-300mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	300'mm'	3600mm	\$18.00	\$216.00
12	1614-110-5-3K-BT M-950mm	L1 - 950mm	1614-110-5-3K-BTM-950mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 3.5W/Meter (140 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included.	950'mm'	11400mm	\$57.00	\$684.00
442	1614-ALM-1000mm	L1	1614-ALM-1000mm Mounting "U" Channel extrusion 19mmW x 18mmH x 1000mm . Colour: Aluminium.	1000'mm'	442000mm	\$7.50	\$3,315.00
						<b>Exclusive of GST</b>	<b>\$27,717.00</b>
						<b>10% GST</b>	<b>\$2,771.70</b>
						<b>Total (AUD)</b>	<b>\$30,488.70</b>