



# Tax Invoice 20117.5800

Date: **09/10/2017**  
 Attention: **Stephen Nicholls**  
**TLE, Silverwater**  
 Project: **Mounties Project 6**

Qty	Cat. #	Type	Description	Price	Total
150.00	OFD-FLY-48-H-30-SP-24-GRT-BK-AH	LC - 1200m	Filix Lighting, OFD-FLY-48-H-30-SP-24-GRT-BK-AH, Surface Office Deco (IP20) L1214mm High Power 39W/m, 3000K, Optics SP-Spot (11°) 24Vdc and glare reduction tool, colour matte black, driver not Included, with adjustable bracket.	\$620.45	\$93,067.50
38.00	DALI-1C8A	LC - 1200m	DALI-1C8A, (12-24V) dimmable interface, 1 channel x 8A per interface.	\$76.36	\$2,901.68
38.00	VDD-24-200W	LC - 1200m	VDD-24-200W (IP20) 200watt, 24VDC NON-dimmable LED driver with Flex & Plug.	\$152.73	\$5,803.74
18.00	SN-100-H-30-LL-24	LD - 2070m**	Filix Lighting, SN-100-H-30-LL-24, Snake, linear line of light, L115mm (IP67) 3000K, 24Vdc, 2.3W/module, with IP67 connector cables and Stainless steel housing for seamless integration into grade, driver not Included.	\$143.18	\$2,577.24
18.00	SN335	LD - 2070m**	Filix Lighting, SN335, Installation Housing, ABS, L100mm, for Snake.	\$71.59	\$1,288.62
1.00	DALI-1C8A	LD - 2070m**	DALI-1C8A, (12-24V) dimmable interface, 1 channel x 8A per interface.	\$76.36	\$76.36
1.00	VDD-24-120W-IP	LD - 2070m**	VDD-24-120W, 120watt (IP65) 24VDC non-dimmable driver.	\$90.91	\$90.91
35.00	SN-100-H-30-LL-24	LD - 4025m**	Filix Lighting, SN-100-H-30-LL-24, Snake in-grade, linear line of light, L115mm (IP67) 3000K, 24Vdc, 2.5W/m, with M/F connectors, to be installed in Stainless steel housing for flush tempered glass lens for seamless integration, driver not Included.	\$127.27	\$4,454.45
35.00	SN335	LD - 4025m**	Filix Lighting, SN335, Installation Housing, ABS, L100mm, for Snake.	\$71.59	\$2,505.65
1.00	DALI-1C8A	LD - 4025m**	DALI-1C8A, (12-24V) dimmable interface, 1 channel x 8A per interface.	\$76.36	\$76.36
1.00	VDD-24-120W-IP	LD - 4025m**	VDD-24-120W, 120watt (IP65) 24VDC non-dimmable driver.	\$90.91	\$90.91
1.00	SL-40-H-30-LL-24	LE - 1400m**	Filix Lighting, SL-40-H-30-LL-24, Step UP, linear line of light, W30mm x L1000mm (IP67) 3000K, 24Vdc, 23W/m, standard cable 1m, 304 Stainless steel housing with 2x15mm flush tempered glass lens for seamless integration into grade, driver not Included.	\$954.55	\$954.55
1.00	SL317	LE - 1400m**	Filix Lighting, SL317, Installation Housing, Stainless Steel, L1000mm H90mm for Slim.	\$200.45	\$200.45

Qty	Cat. #	Type	Description	Price	Total
1.00	SL-16-H-30-LL-24	LE - 1400m m**	Filix Lighting, SL-16-H-30-LL-24, Step UP, linear line of light, W30mm x L400mm (IP67) 3000K, 24Vdc, 23W/m, standard cable 1m, 304 Stainless steel housing with 2x15mm flush tempered glass lens for seamless integration into grade, driver not Included.	\$620.45	\$620.45
1.00	SL315	LE - 1400m m**	Filix Lighting, SL315, Installation Housing, Stainless Steel, L400mm H90m for Slim.	\$105.00	\$105.00
1.00	DALI-1C8A	LE - 1400m m**	DALI-1C8A, (12-24V) dimmable interface, 1 channel x 8A per interface.	\$76.36	\$76.36
1.00	VDD-24-120W-IP	LE - 1400m m**	VDD-24-120W, 120watt (IP65) 24VDC non-dimmable driver.	\$90.91	\$90.91
3.00	SL-40-H-30-LL-24	LE - 3400m m**	Filix Lighting, SL-40-H-30-LL-24, Slim, Continuous linear line of light L1000mm (IP67) 3000K, 24Vdc, 24W/m, standard cable 1m Stainless steel housing with flush tempered glass lens for seamless integration into grade, driver not Included.	\$954.55	\$2,863.65
3.00	SL317	LE - 3400m m**	Filix Lighting, SL317, Installation Housing, Stainless Steel, L1000mm H90m for Slim.	\$200.45	\$601.35
1.00	SL-16-H-30-LL-24	LE - 3400m m**	Filix Lighting, SL-16-H-30-LL-24, Slim, Continuous linear line of light L400mm (IP67) 3000K, 24Vdc, 24W/m, standard cable 1m Stainless steel housing with flush tempered glass lens for seamless integration into grade, driver not Included.	\$620.45	\$620.45
1.00	SL315	LE - 3400m m**	Filix Lighting, SL315, Installation Housing, Stainless Steel, L400mm H90m for Slim.	\$105.00	\$105.00
1.00	DALI-1C8A	LE - 3400m m**	DALI-1C8A, (12-24V) dimmable interface, 1 channel x 8A per interface.	\$76.36	\$76.36
1.00	VDD-24-120W-IP	LE - 3400m m**	VDD-24-120W, 120watt (IP65) 24VDC non-dimmable driver.	\$90.91	\$90.91
9.00	RDD35-TS-H-30-GR-24-GRT	UB	Filix Lighting, RDD35-TS-H-30-GR-24-GRT, RDD 35 Deco up light, trimless, GR-Graze (13° x 41°) D35mm (IP67) 3000K, 24Vdc, 3W, standard cable 0.3m, transparent glass lens for seamless integration in to grade. Driver not included. *With glare reduction louvre.	\$262.50	\$2,362.50
9.00	RDD35-C	UB	Filix Lighting, RDD35-C, Stainless Steel Concrete Installation housing for the RDD35 series.	\$23.86	\$214.74
1.00	DIM-1C8A	UB	VueLite, DIM-1C8A, 1-10V (12-24V) dimmable interface (Max. 8A per interface).	\$57.27	\$57.27
1.00	VDD-24-30W	UB	VDD-24-30W (IP20) 30watt, 24VDC NON-dimmable LED driver with Flex & Plug.	\$38.18	\$38.18
7.00	AS-TS-H-30-SP-12	UC	Filix Lighting, AS-TS-H-30-SP-12, Arpool S trimless, D60mm, 3.6W, 3000K, Optics SP-Spot (10°) 12Vdc, standard cable 3m, driver not Included.	\$572.73	\$4,009.11
7.00	AS406	UC	Filix Lighting, AS406, Arpool S Trimless IP68 installation housing.	\$162.27	\$1,135.89
1.00	DALI-1C8A	UC	DALI-1C8A, (12-24V) dimmable interface, 1 channel x 8A per interface.	\$76.36	\$76.36
1.00	VDD-12-120W	UC	VueLite, VDD-12-120W, 120watt (IP64) 12VDC non-dimmable driver.	\$109.09	\$109.09

Qty	Cat. #	Type	Description	Price	Total
86.00	RDD35-TS-H-30-SP-24-GRT	UD	Filix Lighting, RDD35-TS-H-30-SP-24-GRT, RDD 35 Deco up light, trimless, SP-Spot (11 <sup>º</sup> ) D35mm (IP67) 3000K, 24Vdc, 3W, standard cable 0.3m, transparent glass lens for seamless integration in to grade. Driver not included. *With glare reduction louvre. .	\$262.50	\$22,575.00
86.00	RDD35-C	UD	Filix Lighting, RDD35-C, Stainless Steel Concrete Installation housing for the RDD35 series.	\$23.86	\$2,051.96
4.00	DALI-1C8A	UD	DALI-1C8A, (12-24V) dimmable interface, 1 channel x 8A per interface.	\$76.36	\$305.44
4.00	VDD-24-120W-IP	UD	VDD-24-120W, 120watt (IP65) 24VDC non-dimmable driver.	\$90.91	\$363.64
<b>Total</b>			<b>Exclusive of GST</b>		<b>\$152,638.04</b>
			<b>10% GST</b>		<b>\$15,263.80</b>
			<b>Inclusive of 10% GST</b>		<b>\$167,901.84</b>

**Banking Details:****Company Name:** LiTEsource and Controls Pty Ltd**ABN:** 25 136 501 445**Bank BSB:** ANZ 012241**ACCT:** 901354228**Payment Terms:** 30 days - Payment Due 08/11/2017