



# Order # 11261

Date: **22/07/2020**  
 Attention: **Eric Tang**  
**Auslite Solution**  
 Project: **Crown Sydney - Terrace and Planter Linear LED**

Deliver To:

**LiTEsource and Controls**  
**Unit 8, 69-73 O'Riordan Street**  
**Alexandria NSW 2015**  
**Australia**

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
3	1617TW-12-27K-SI DEB-1700mm	6-LFF 14	1617TW-12-27K-SIDE-1700mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1700'mm'	5100mm	\$119.00	\$357.00
3	1617TW-12-27K-SI DEB-450mm	6-LFF 14	1617TW-12-27K-SIDE-450mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	450'mm'	1350mm	\$31.50	\$94.50
3	1617TW-12-27K-SI DEB-450mm	6-LFF 14	1617TW-12-27K-SIDE-450mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	450'mm'	1350mm	\$31.50	\$94.50
1	1617TW-12-27K-SI DEA-8750mm	6-LFF 10	1617TW-12-27K-SIDEA-8750mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	8750'mm'	8750mm	\$612.50	\$612.50
1	1617TW-12-27K-SI DEB-6200mm	6-LFF 10	1617TW-12-27K-SIDE-6200mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	6200'mm'	6200mm	\$434.00	\$434.00
1	1617TW-12-27K-SI DEA-11400mm	6-LFF 10	1617TW-12-27K-SIDEA-11400mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	11400'mm'	11400mm	\$798.00	\$798.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617TW-12-27K-SI DEB-6750mm	6-LFF 10	1617TW-12-27K-SIDE-6750mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	6750'mm'	6750mm	\$472.50	\$472.50
1	1617TW-12-27K-SI DEB-7600mm	6-LFF 10	1617TW-12-27K-SIDE-7600mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	7600'mm'	7600mm	\$532.00	\$532.00
1	1617TW-12-27K-SI DEB-4850mm	6-LFF 10	1617TW-12-27K-SIDE-4850mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	4850'mm'	4850mm	\$339.50	\$339.50
1	1617TW-12-27K-SI DEB-3700mm	6-LFF 10	1617TW-12-27K-SIDE-3700mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	3700'mm'	3700mm	\$259.00	\$259.00
1	1617TW-12-27K-SI DEA-5350mm	6-LFF 10	1617TW-12-27K-SIDEA-5350mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	5350'mm'	5350mm	\$374.50	\$374.50
1	1617TW-12-27K-SI DEA-6600mm	6-LFF 10	1617TW-12-27K-SIDEA-6600mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	6600'mm'	6600mm	\$462.00	\$462.00
1	1617TW-12-27K-SI DEA-2100mm	6-LFF 10	1617TW-12-27K-SIDEA-2100mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	2100'mm'	2100mm	\$147.00	\$147.00
1	1617TW-12-27K-SI DEB-3350mm	6-LFF 10	1617TW-12-27K-SIDE-3350mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	3350'mm'	3350mm	\$234.50	\$234.50

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617TW-12-27K-SI DEA-6800mm	6-LFF 10	1617TW-12-27K-SIDEA-6800mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	6800'mm'	6800mm	\$476.00	\$476.00
1	1617TW-12-27K-SI DEA-1100mm	6-LFF 10	1617TW-12-27K-SIDEA-1100mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1100'mm'	1100mm	\$77.00	\$77.00
1	1617TW-12-27K-SI DEB-8800mm	6-LFF 10	1617TW-12-27K-SIDE-8800mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	8800'mm'	8800mm	\$616.00	\$616.00
1	1617TW-12-27K-SI DEB-5350mm	6-LFF 10	1617TW-12-27K-SIDE-5350mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	5350'mm'	5350mm	\$374.50	\$374.50
1	1617TW-12-27K-SI DEB-11550mm	6-LFF 10	1617TW-12-27K-SIDE-11550mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	11550'mm'	11550mm	\$808.50	\$808.50
1	1617TW-12-27K-SI DEA-13150mm	6-LFF 10	1617TW-12-27K-SIDEA-13150mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	13150'mm'	13150mm	\$920.50	\$920.50
1	1617TW-12-27K-SI DEA-6550mm	6-LFF 10	1617TW-12-27K-SIDEA-6550mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	6550'mm'	6550mm	\$458.50	\$458.50
1	1617TW-12-27K-SI DEA-900mm	6-LFF 10	1617TW-12-27K-SIDEA-900mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	900'mm'	900mm	\$63.00	\$63.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617TW-12-27K-SI DEA-1250mm	7-LFF 2	1617TW-12-27K-SIDEA-1250mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1250'mm'	1250mm	\$87.50	\$87.50
1	1617TW-12-27K-SI DEB-1950mm	7-LFF 2	1617TW-12-27K-SIDE-1950mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1950'mm'	1950mm	\$136.50	\$136.50
1	1617TW-12-27K-SI DEA-1950mm	7-LFF 2	1617TW-12-27K-SIDEA-1950mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1950'mm'	1950mm	\$136.50	\$136.50
1	1617TW-12-27K-SI DEB-1600mm	7-LFF 2	1617TW-12-27K-SIDE-1600mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1600'mm'	1600mm	\$112.00	\$112.00
1	1617TW-12-27K-SI DEB-3950mm	7-LFF 2	1617TW-12-27K-SIDE-3950mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	3950'mm'	3950mm	\$276.50	\$276.50
1	1617TW-12-27K-SI DEA-1600mm	7-LFF 2	1617TW-12-27K-SIDEA-1600mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1600'mm'	1600mm	\$112.00	\$112.00
1	1617TW-12-27K-SI DEB-6100mm	7-LFF 2	1617TW-12-27K-SIDE-6100mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	6100'mm'	6100mm	\$427.00	\$427.00
1	1617TW-12-27K-SI DEB-4450mm	7-LFF 2	1617TW-12-27K-SIDE-4450mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	4450'mm'	4450mm	\$311.50	\$311.50

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617TW-12-27K-SI DEB-1150mm	7-LFF 2	1617TW-12-27K-SIDE-1150mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1150'mm'	1150mm	\$80.50	\$80.50
1	1617TW-12-27K-SI DEA-1750mm	7-LFF 2	1617TW-12-27K-SIDEA-1750mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1750'mm'	1750mm	\$122.50	\$122.50
1	1617TW-12-27K-SI DEB-1300mm	7-LFF 2	1617TW-12-27K-SIDE-1300mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	1300'mm'	1300mm	\$91.00	\$91.00
1	1617TW-12-27K-SI DEA-3700mm	7-LFF 2	1617TW-12-27K-SIDEA-3700mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K SIDE = Side feed cable 2000mm cable.	3700'mm'	3700mm	\$259.00	\$259.00
1	1617TW-12-27K-EN D-12850mm		1617TW-12-27K-END-12850mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K END = End feed 2000mm cable.	12850'mm'	12850mm	\$899.50	\$899.50
1	1617TW-12-27K-EN D-8650mm		1617TW-12-27K-END-8650mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 17mm) 12W/Metre (650 lumens) 2700K END = End feed 2000mm cable.	8650'mm'	8650mm	\$605.50	\$605.50

<b>Exclusive of GST</b>	<b>\$12,663.00</b>
<b>10% GST</b>	<b>\$1,266.30</b>
<b>Total (AUD)</b>	<b>\$13,929.30</b>

Updated as per discussion re: removing 1 x 6300mm length.

Update 2: As at 30/07 - updated lengths to match 50mm cutting increments