



Order # 10194

Date: **07/11/2019**
 Attention: **Eric Tang**
Auslite Solution
 Project: **Crown Resort Barangaroo Pools**

Deliver To:

LiTEsource and Controls
Unit 8, 69-73 O'Riordan Street
Alexandria NSW 2015
Australia

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-10-4K-BTM-9 990mm	LFF - 12 - 10.02m	1616-10-4K-BTM-9990mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	9990'mm'	9990mm	\$699.30	\$699.30
1	1616-10-4K-BTM-2 2477mm	LFF - 12 - 22.51m	1616-10-4K-BTM-22477mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	22477'mm'	22477mm	\$1,573.39	\$1,573.39
1	1616-10-4K-BTM-9 99mm	LFF - 12 - 1.01m	1616-10-4K-BTM-999mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	999'mm'	999mm	\$69.93	\$69.93
1	1616-10-4K-BTM-8 32.5mm	LFF - 12 - 860mm	1616-10-4K-BTM-832.5mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	832.5'mm'	832.5mm	\$58.28	\$58.28
1	1616-10-4K-BTM-7 32.6mm	LFF - 12 - 744mm	1616-10-4K-BTM-732.6mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	732.6'mm'	732.6mm	\$51.28	\$51.28
1	1616-10-4K-BTM-1 0955.7mm	LFF - 12 -10.98m	1616-10-4K-BTM-10955.7mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	10955.7'mm'	10955.7mm	\$766.90	\$766.90

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-10-4K-BTM-9 457.2mm	LFF - 12 -9.48m	1616-10-4K-BTM-9457.2mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	9457.2'mm'	9457.2mm	\$662.00	\$662.00
1	1616-10-4K-BTM-7 2027.9mm	LFF - 12 - 72.04m	1616-10-4K-BTM-72027.9mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	72027.9'mm'	72027.9mm	\$5,041.95	\$5,041.95
1	1616-10-4K-BTM-1 265.4mm	LFF - 12 - 1.27m	1616-10-4K-BTM-1265.4mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	1265.4'mm'	1265.4mm	\$88.58	\$88.58
1	1616-10-4K-BTM-4 562.1mm	LFF - 12 - 4.59m	1616-10-4K-BTM-4562.1mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	4562.1'mm'	4562.1mm	\$319.35	\$319.35
1	1616-10-4K-BTM-5 627.7mm	LFF - 12 - 5.64m	1616-10-4K-BTM-5627.7mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	5627.7'mm'	5627.7mm	\$393.94	\$393.94
1	1616-10-4K-BTM-4 195.8mm	LFF - 12 - 4.22m	1616-10-4K-BTM-4195.8mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	4195.8'mm'	4195.8mm	\$293.71	\$293.71
1	1616-10-4K-BTM-4 295.7mm	LFF - 12 - 4.32m	1616-10-4K-BTM-4295.7mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	4295.7'mm'	4295.7mm	\$300.70	\$300.70
1	1616-10-4K-BTM-5 527.8mm	LFF - 12 - 5.53m	1616-10-4K-BTM-5527.8mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	5527.8'mm'	5527.8mm	\$386.95	\$386.95

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-10-4K-BTM-4 928.4mm	LFF - 12 -4.94m	1616-10-4K-BTM-4928.4mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	4928.4'mm'	4928.4mm	\$344.99	\$344.99
1	1616-10-4K-BTM-1 0622.7mm	LFF - 12 - 10.63m	1616-10-4K-BTM-10622.7mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	10622.7'mm'	10622.7mm	\$743.59	\$743.59
1	1616-10-4K-BTM-2 331mm	LFF - 12 - 2.35m	1616-10-4K-BTM-2331mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	2331'mm'	2331mm	\$163.17	\$163.17
1	1616-10-4K-BTM-2 897.1mm	LFF - 12 - 2.93m	1616-10-4K-BTM-2897.1mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	2897.1'mm'	2897.1mm	\$202.80	\$202.80
1	1616-10-4K-BTM-2 097.9mm	LFF - 12 - 2.1m	1616-10-4K-BTM-2097.9mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	2097.9'mm'	2097.9mm	\$146.85	\$146.85
1	1616-10-4K-BTM-2 397.6mm	LFF - 12 - 2.40m	1616-10-4K-BTM-2397.6mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	2397.6'mm'	2397.6mm	\$167.83	\$167.83
1	1616-10-4K-BTM-2 730.6mm	LFF - 12 - 2.75m	1616-10-4K-BTM-2730.6mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	2730.6'mm'	2730.6mm	\$191.14	\$191.14
1	1616-10-4K-BTM-2 530.8mm	LFF - 12 - 2.54m	1616-10-4K-BTM-2530.8mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	2530.8'mm'	2530.8mm	\$177.16	\$177.16

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-10-4K-BTM-8 491.5mm	LFF - 12 - 8.51m	1616-10-4K-BTM-8491.5mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	8491.5'mm'	8491.5mm	\$594.41	\$594.41
1	1616-10-4K-BTM-8 99.1mm	LFF - 12 - 930mm	1616-10-4K-BTM-899.1mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	899.1'mm'	899.1mm	\$62.94	\$62.94
1	1616-10-4K-BTM-9 99mm	LFF - 12 - 1.09m	1616-10-4K-BTM-999mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	999'mm'	999mm	\$69.93	\$69.93
1	1616-10-4K-BTM-1 232.1mm	LFF - 12 - 1.25m	1616-10-4K-BTM-1232.1mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	1232.1'mm'	1232.1mm	\$86.25	\$86.25
1	1616-10-4K-BTM-1 298.7mm	LFF - 12 - 1.320m	1616-10-4K-BTM-1298.7mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	1298.7'mm'	1298.7mm	\$90.91	\$90.91
1	1616-10-4K-BTM-1 332mm	LFF - 12 - 1.341m	1616-10-4K-BTM-1332mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	1332'mm'	1332mm	\$93.24	\$93.24
1	1616-10-4K-BTM-1 665mm	LFF - 12 - 1.672m	1616-10-4K-BTM-1665mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	1665'mm'	1665mm	\$116.55	\$116.55
1	1616-10-4K-BTM-2 097.9mm	LFF - 12 - 2.122m	1616-10-4K-BTM-2097.9mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	2097.9'mm'	2097.9mm	\$146.85	\$146.85

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-10-4K-BTM-2 497.5mm	LFF - 12 - 2.519m	1616-10-4K-BTM-2497.5mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	2497.5'mm'	2497.5mm	\$174.83	\$174.83
1	1616-10-4K-BTM-7 159.5mm	LFF - 12 - 7.166m	1616-10-4K-BTM-7159.5mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	7159.5'mm'	7159.5mm	\$501.17	\$501.17
1	1616-10-4K-BTM-3 4765.2mm	LFF - 12 - 34.777m	1616-10-4K-BTM-34765.2mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	34765.2'mm'	34765.2mm	\$2,433.56	\$2,433.56
1	1616-10-4K-BTM-2 031.3mm	LFF - 12 - 2.061m	1616-10-4K-BTM-2031.3mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	2031.3'mm'	2031.3mm	\$142.19	\$142.19
1	1616-10-4K-BTM-3 163.5mm	LFF - 12 - 3.192m	1616-10-4K-BTM-3163.5mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	3163.5'mm'	3163.5mm	\$221.45	\$221.45
1	1616-10-4K-BTM-1 298.7mm	LFF - 12 - 1.311m	1616-10-4K-BTM-1298.7mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	1298.7'mm'	1298.7mm	\$90.91	\$90.91
1	1616-10-4K-BTM-1 232.1mm	LFF - 12 - 1.260m	1616-10-4K-BTM-1232.1mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	1232.1'mm'	1232.1mm	\$86.25	\$86.25
1	1616-10-4K-BTM-1 298.7mm	LFF - 12 - 1.301m	1616-10-4K-BTM-1298.7mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	1298.7'mm'	1298.7mm	\$90.91	\$90.91

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-10-4K-BTM-3 263.4mm	LFF - 12 - 3.264m	1616-10-4K-BTM-3263.4mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 10/Metre 4000K BTM = Bottom feed 2000mm cable.	3263.4'mm'	3263.4mm	\$228.44	\$228.44

Exclusive of GST	\$18,074.58
10% GST	\$1,807.46
Total (AUD)	\$19,882.04

Eric,
Attached is the lengths we need to get quoted as per our discussion this morning.

This is not an order.