



# Order # 12605

Date: **10/05/2021**  
 Attention: **Orders  
Aus Neon**  
 Project: **The Ribbon - Level 3 All Day Dining**

Deliver To:

**LiTEsource and Controls**  
**Unit 8, 69-73 O'Riordan Street**  
**Alexandria NSW 2015**  
**Australia**

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
120	1010-ALM-30mm	R-L2 - 4100mm	1010-ALM-30mm Mounting &quot;U&quot; Channel Clip 12.2mmW x 12.7mmH x 30mmL. Colour: Aluminium.			\$0.35	\$42.00
24	1010-5-27K-BTM-4 100mm	R-L2 - 4100mm	1010-5-27K-BTM-4100mm IP67 LED MINI 24VDC Flex (10 X 10mm) 10W/Meter (600 lumens) 2700K BTM = bottom feed 2000mm cable. driver not included	4100'mm'	98400mm	\$225.50	\$5,412.00
1	1617S-PX-24K-BTM -1000mm	R-L4 1000mm	1617S-PX-24K-BTM-1000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	1000'mm'	1000mm	\$80.00	\$80.00
1	1617S-PX-24K-BTM -10100mm	R-L4 10100mm	1617S-PX-24K-BTM-10100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	10100'mm'	10100mm	\$808.00	\$808.00
1	1617S-PX-24K-BTM -10800mm	R-L4 10800mm	1617S-PX-24K-BTM-10800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	10800'mm'	10800mm	\$864.00	\$864.00
1	1617S-PX-24K-BTM -1100mm	R-L4 1100mm	1617S-PX-24K-BTM-1100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	1100'mm'	1100mm	\$88.00	\$88.00
1	1617S-PX-24K-BTM -1400mm	R-L4 1400mm	1617S-PX-24K-BTM-1400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	1400'mm'	1400mm	\$112.00	\$112.00
1	1617S-PX-24K-BTM -1400mm	R-L4 1400mm	1617S-PX-24K-BTM-1400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	1400'mm'	1400mm	\$112.00	\$112.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-PX-24K-BTM -1600mm	R-L4 1600mm	1617S-PX-24K-BTM-1600mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	1600'mm'	1600mm	\$128.00	\$128.00
1	1617S-PX-24K-BTM -1800mm	R-L4 1800mm	1617S-PX-24K-BTM-1800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	1800'mm'	1800mm	\$144.00	\$144.00
1	1617S-PX-24K-BTM -1800mm	R-L4 1800mm	1617S-PX-24K-BTM-1800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	1800'mm'	1800mm	\$144.00	\$144.00
1	1617S-PX-24K-BTM -1900mm	R-L4 1900mm	1617S-PX-24K-BTM-1900mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	1900'mm'	1900mm	\$152.00	\$152.00
1	1617S-PX-24K-BTM -2000mm	R-L4 2000mm	1617S-PX-24K-BTM-2000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	2000'mm'	2000mm	\$160.00	\$160.00
1	1617S-PX-24K-BTM -2100mm	R-L4 2100mm	1617S-PX-24K-BTM-2100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	2100'mm'	2100mm	\$168.00	\$168.00
1	1617S-PX-24K-BTM -2100mm	R-L4 2100mm	1617S-PX-24K-BTM-2100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	2100'mm'	2100mm	\$168.00	\$168.00
1	1617S-PX-24K-BTM -22100mm	R-L4 22100mm	1617S-PX-24K-BTM-22100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22100'mm'	22100mm	\$1,768.00	\$1,768.00
1	1617S-PX-24K-BTM -22200mm	R-L4 22200mm	1617S-PX-24K-BTM-22200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22200'mm'	22200mm	\$1,776.00	\$1,776.00
1	1617S-PX-24K-BTM -22200mm	R-L4 22200mm	1617S-PX-24K-BTM-22200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22200'mm'	22200mm	\$1,776.00	\$1,776.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-PX-24K-BTM-22200mm	R-L4 22200mm	1617S-PX-24K-BTM-22200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22200'mm'	22200mm	\$1,776.00	\$1,776.00
1	1617S-PX-24K-BTM-22200mm	R-L4 22200mm	1617S-PX-24K-BTM-22200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22200'mm'	22200mm	\$1,776.00	\$1,776.00
1	1617S-PX-24K-BTM-22200mm	R-L4 22200mm	1617S-PX-24K-BTM-22200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22200'mm'	22200mm	\$1,776.00	\$1,776.00
1	1617S-PX-24K-BTM-22300mm	R-L4 22300mm	1617S-PX-24K-BTM-22300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22300'mm'	22300mm	\$1,784.00	\$1,784.00
1	1617S-PX-24K-BTM-22300mm	R-L4 22300mm	1617S-PX-24K-BTM-22300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22300'mm'	22300mm	\$1,784.00	\$1,784.00
1	1617S-PX-24K-BTM-22300mm	R-L4 22300mm	1617S-PX-24K-BTM-22300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22300'mm'	22300mm	\$1,784.00	\$1,784.00
1	1617S-PX-24K-BTM-22300mm	R-L4 22300mm	1617S-PX-24K-BTM-22300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22300'mm'	22300mm	\$1,784.00	\$1,784.00
1	1617S-PX-24K-BTM-22400mm	R-L4 22400mm	1617S-PX-24K-BTM-22400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22400'mm'	22400mm	\$1,792.00	\$1,792.00
1	1617S-PX-24K-BTM-22500mm	R-L4 22500mm	1617S-PX-24K-BTM-22500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22500'mm'	22500mm	\$1,800.00	\$1,800.00
1	1617S-PX-24K-BTM-22500mm	R-L4 22500mm	1617S-PX-24K-BTM-22500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22500'mm'	22500mm	\$1,800.00	\$1,800.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-PX-24K-BTM -22800mm	R-L4 22800mm	1617S-PX-24K-BTM-22800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	22800'mm'	22800mm	\$1,824.00	\$1,824.00
1	1617S-PX-24K-BTM -2400mm	R-L4 2400mm	1617S-PX-24K-BTM-2400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	2400'mm'	2400mm	\$192.00	\$192.00
1	1617S-PX-24K-BTM -2500mm	R-L4 2500mm	1617S-PX-24K-BTM-2500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	2500'mm'	2500mm	\$200.00	\$200.00
1	1617S-PX-24K-BTM -2600mm	R-L4 2600mm	1617S-PX-24K-BTM-2600mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	2600'mm'	2600mm	\$208.00	\$208.00
1	1617S-PX-24K-BTM -2700mm	R-L4 2700mm	1617S-PX-24K-BTM-2700mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	2700'mm'	2700mm	\$216.00	\$216.00
1	1617S-PX-24K-BTM -3000mm	R-L4 3000mm	1617S-PX-24K-BTM-3000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3000'mm'	3000mm	\$240.00	\$240.00
1	1617S-PX-24K-BTM -3100mm	R-L4 3100mm	1617S-PX-24K-BTM-3100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3100'mm'	3100mm	\$248.00	\$248.00
1	1617S-PX-24K-BTM -3100mm	R-L4 3100mm	1617S-PX-24K-BTM-3100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3100'mm'	3100mm	\$248.00	\$248.00
1	1617S-PX-24K-BTM -3100mm	R-L4 3100mm	1617S-PX-24K-BTM-3100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3100'mm'	3100mm	\$248.00	\$248.00
1	1617S-PX-24K-BTM -3100mm	R-L4 3100mm	1617S-PX-24K-BTM-3100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3100'mm'	3100mm	\$248.00	\$248.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-PX-24K-BTM-3100mm	R-L4 3100mm	1617S-PX-24K-BTM-3100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3100'mm'	3100mm	\$248.00	\$248.00
1	1617S-PX-24K-BTM-3200mm	R-L4 3200mm	1617S-PX-24K-BTM-3200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3200'mm'	3200mm	\$256.00	\$256.00
1	1617S-PX-24K-BTM-3200mm	R-L4 3200mm	1617S-PX-24K-BTM-3200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3200'mm'	3200mm	\$256.00	\$256.00
1	1617S-PX-24K-BTM-3200mm	R-L4 3200mm	1617S-PX-24K-BTM-3200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3200'mm'	3200mm	\$256.00	\$256.00
1	1617S-PX-24K-BTM-3400mm	R-L4 3400mm	1617S-PX-24K-BTM-3400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3400'mm'	3400mm	\$272.00	\$272.00
1	1617S-PX-24K-BTM-3500mm	R-L4 3500mm	1617S-PX-24K-BTM-3500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3500'mm'	3500mm	\$280.00	\$280.00
1	1617S-PX-24K-BTM-3600mm	R-L4 3600mm	1617S-PX-24K-BTM-3600mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3600'mm'	3600mm	\$288.00	\$288.00
1	1617S-PX-24K-BTM-3700mm	R-L4 3700mm	1617S-PX-24K-BTM-3700mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3700'mm'	3700mm	\$296.00	\$296.00
1	1617S-PX-24K-BTM-3800mm	R-L4 3800mm	1617S-PX-24K-BTM-3800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3800'mm'	3800mm	\$304.00	\$304.00
1	1617S-PX-24K-BTM-3800mm	R-L4 3800mm	1617S-PX-24K-BTM-3800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	3800'mm'	3800mm	\$304.00	\$304.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-PX-24K-BTM-43300mm	R-L4 43300mm	1617S-PX-24K-BTM-43300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	43300'mm'	43300mm	\$3,464.00	\$3,464.00
1	1617S-PX-24K-BTM-45100mm	R-L4 45100mm	1617S-PX-24K-BTM-45100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	45100'mm'	45100mm	\$3,608.00	\$3,608.00
1	1617S-PX-24K-BTM-5000mm	R-L4 5000mm	1617S-PX-24K-BTM-5000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	5000'mm'	5000mm	\$400.00	\$400.00
1	1617S-PX-24K-BTM-5000mm	R-L4 5000mm	1617S-PX-24K-BTM-5000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	5000'mm'	5000mm	\$400.00	\$400.00
1	1617S-PX-24K-BTM-5000mm	R-L4 5000mm	1617S-PX-24K-BTM-5000mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	5000'mm'	5000mm	\$400.00	\$400.00
1	1617S-PX-24K-BTM-5100mm	R-L4 5100mm	1617S-PX-24K-BTM-5100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	5100'mm'	5100mm	\$408.00	\$408.00
1	1617S-PX-24K-BTM-5100mm	R-L4 5100mm	1617S-PX-24K-BTM-5100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	5100'mm'	5100mm	\$408.00	\$408.00
1	1617S-PX-24K-BTM-5100mm	R-L4 5100mm	1617S-PX-24K-BTM-5100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	5100'mm'	5100mm	\$408.00	\$408.00
1	1617S-PX-24K-BTM-5300mm	R-L4 5300mm	1617S-PX-24K-BTM-5300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	5300'mm'	5300mm	\$424.00	\$424.00
1	1617S-PX-24K-BTM-5500mm	R-L4 5500mm	1617S-PX-24K-BTM-5500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	5500'mm'	5500mm	\$440.00	\$440.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-PX-24K-BTM -5900mm	R-L4 5900mm	1617S-PX-24K-BTM-5900mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	5900'mm'	5900mm	\$472.00	\$472.00
1	1617S-PX-24K-BTM -6200mm	R-L4 6200mm	1617S-PX-24K-BTM-6200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6200'mm'	6200mm	\$496.00	\$496.00
1	1617S-PX-24K-BTM -6300mm	R-L4 6300mm	1617S-PX-24K-BTM-6300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6300'mm'	6300mm	\$504.00	\$504.00
1	1617S-PX-24K-BTM -6300mm	R-L4 6300mm	1617S-PX-24K-BTM-6300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6300'mm'	6300mm	\$504.00	\$504.00
1	1617S-PX-24K-BTM -6300mm	R-L4 6300mm	1617S-PX-24K-BTM-6300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6300'mm'	6300mm	\$504.00	\$504.00
1	1617S-PX-24K-BTM -6400mm	R-L4 6400mm	1617S-PX-24K-BTM-6400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6400'mm'	6400mm	\$512.00	\$512.00
1	1617S-PX-24K-BTM -6400mm	R-L4 6400mm	1617S-PX-24K-BTM-6400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6400'mm'	6400mm	\$512.00	\$512.00
1	1617S-PX-24K-BTM -6400mm	R-L4 6400mm	1617S-PX-24K-BTM-6400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6400'mm'	6400mm	\$512.00	\$512.00
1	1617S-PX-24K-BTM -6500mm	R-L4 6500mm	1617S-PX-24K-BTM-6500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6500'mm'	6500mm	\$520.00	\$520.00
1	1617S-PX-24K-BTM -6500mm	R-L4 6500mm	1617S-PX-24K-BTM-6500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6500'mm'	6500mm	\$520.00	\$520.00



Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-PX-24K-BTM -6800mm	R-L4 6800mm	1617S-PX-24K-BTM-6800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6800'mm'	6800mm	\$544.00	\$544.00
1	1617S-PX-24K-BTM -6900mm	R-L4 6900mm	1617S-PX-24K-BTM-6900mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	6900'mm'	6900mm	\$552.00	\$552.00
1	1617S-PX-24K-BTM -700mm	R-L4 700mm	1617S-PX-24K-BTM-700mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	700'mm'	700mm	\$56.00	\$56.00
1	1617S-PX-24K-BTM -700mm	R-L4 700mm	1617S-PX-24K-BTM-700mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	700'mm'	700mm	\$56.00	\$56.00
1	1617S-PX-24K-BTM -7100mm	R-L4 7100mm	1617S-PX-24K-BTM-7100mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	7100'mm'	7100mm	\$568.00	\$568.00
1	1617S-PX-24K-BTM -7300mm	R-L4 7300mm	1617S-PX-24K-BTM-7300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	7300'mm'	7300mm	\$584.00	\$584.00
1	1617S-PX-24K-BTM -7400mm	R-L4 7400mm	1617S-PX-24K-BTM-7400mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	7400'mm'	7400mm	\$592.00	\$592.00
1	1617S-PX-24K-BTM -7500mm	R-L4 7500mm	1617S-PX-24K-BTM-7500mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	7500'mm'	7500mm	\$600.00	\$600.00
1	1617S-PX-24K-BTM -7900mm	R-L4 7900mm	1617S-PX-24K-BTM-7900mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	7900'mm'	7900mm	\$632.00	\$632.00
1	1617S-PX-24K-BTM -800mm	R-L4 800mm	1617S-PX-24K-BTM-800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	800'mm'	800mm	\$64.00	\$64.00



Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1617S-PX-24K-BTM -800mm	R-L4 800mm	1617S-PX-24K-BTM-800mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	800'mm'	800mm	\$64.00	\$64.00
1	1617S-PX-24K-BTM -8200mm	R-L4 8200mm	1617S-PX-24K-BTM-8200mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	8200'mm'	8200mm	\$656.00	\$656.00
1	1617S-PX-24K-BTM -900mm	R-L4 900mm	1617S-PX-24K-BTM-900mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	900'mm'	900mm	\$72.00	\$72.00
1	1617S-PX-24K-BTM -900mm	R-L4 900mm	1617S-PX-24K-BTM-900mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	900'mm'	900mm	\$72.00	\$72.00
1	1617S-PX-24K-BTM -9300mm	R-L4 9300mm	1617S-PX-24K-BTM-9300mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 16W/Metre SPI controlled Pixel 2400K BTM = Bottom feed 7000mm cable.	9300'mm'	9300mm	\$744.00	\$744.00
308	2430-BK-ALM-2500 mm	R-L4 7500mm	2430-ALM BK Mounting Channel extrusion 24mmW x 30mmH x 2500mm . Colour: Matte Black. Anodised Black Finish			\$50.00	\$15,400.00
7	1617S-15-27K-BTM -4600mm	R-L5 - 4600mm	1617S-15-27K-BTM-4600mm IP67 Horizontal Bend 24VDC Flex (16 x 17mm) 15W/Metre (800 lumens) 2700K BTM = Bottom feed 2000mm cable.	4600'mm'	32200mm	\$253.00	\$1,771.00
161	1617-CLIP-CLEAR	R-L5 - 4600mm	1617-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$56.35

Exclusive of GST	\$76,889.35
10% GST	\$7,688.94
<b>Total (AUD)</b>	<b>\$84,578.29</b>

Please note all black power feeds with 7m cables for the pixel. SPI chips required 100mm per pixel