



Order # 10222

Date: 14/11/2019
Attention: Eric Tang
Auslite Solution

Project: Crown Resort Barangaroo Pools

Deliver To:

LiTEsource and Controls
Unit 8, 69-73 O'Riordan Street
Alexandria NSW 2015
Australia

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-5-4K-BTM-70 0mm	LFF - 12 - 744mm	1616-5-4K-BTM-700mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	700'mm'	700mm	\$59.50	\$59.50
1	1616-5-4K-BTM-85 0mm	LFF - 12 - 860mm	1616-5-4K-BTM-850mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	850'mm'	850mm	\$72.25	\$72.25
1	1616-5-4K-BTM-90 0mm	LFF - 12 - 930mm	1616-5-4K-BTM-900mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	900'mm'	900mm	\$76.50	\$76.50
1	1616-5-4K-BTM-10 50mm	LFF - 12 - 1.09m	1616-5-4K-BTM-1050mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1050'mm'	1050mm	\$89.25	\$89.25
1	1616-5-4K-BTM-10 00mm	LFF - 12 - 1.01m	1616-5-4K-BTM-1000mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1000'mm'	1000mm	\$85.00	\$85.00
1	1616-5-4K-BTM-12 50mm	LFF - 12 - 1.25m	1616-5-4K-BTM-1250mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1250'mm'	1250mm	\$106.25	\$106.25

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-5-4K-BTM-12 50mm	LFF - 12 - 1.260m	1616-5-4K-BTM-1250mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1250'mm'	1250mm	\$106.25	\$106.25
1	1616-5-4K-BTM-12 50mm	LFF - 12 - 1.27m	1616-5-4K-BTM-1250mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1250'mm'	1250mm	\$106.25	\$106.25
1	1616-5-4K-BTM-13 00mm	LFF - 12 - 1.301m	1616-5-4K-BTM-1300mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1300'mm'	1300mm	\$110.50	\$110.50
1	1616-5-4K-BTM-13 00mm	LFF - 12 - 1.311m	1616-5-4K-BTM-1300mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1300'mm'	1300mm	\$110.50	\$110.50
1	1616-5-4K-BTM-13 00mm	LFF - 12 - 1.320m	1616-5-4K-BTM-1300mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1300'mm'	1300mm	\$110.50	\$110.50
1	1616-5-4K-BTM-13 00mm	LFF - 12 - 1.341m	1616-5-4K-BTM-1300mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1300'mm'	1300mm	\$110.50	\$110.50
1	1616-5-4K-BTM-16 50mm	LFF - 12 - 1.672m	1616-5-4K-BTM-1650mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	1650'mm'	1650mm	\$140.25	\$140.25
1	1616-5-4K-BTM-20 50mm	LFF - 12 - 2.061m	1616-5-4K-BTM-2050mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	2050'mm'	2050mm	\$174.25	\$174.25

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-5-4K-BTM-21 00mm	LFF - 12 - 2.1m	1616-5-4K-BTM-2100mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	2100'mm'	2100mm	\$178.50	\$178.50
1	1616-5-4K-BTM-21 00mm	LFF - 12 - 2.122m	1616-5-4K-BTM-2100mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	2100'mm'	2100mm	\$178.50	\$178.50
1	1616-5-4K-BTM-23 50mm	LFF - 12 - 2.35m	1616-5-4K-BTM-2350mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	2350'mm'	2350mm	\$199.75	\$199.75
1	1616-5-4K-BTM-24 00mm	LFF - 12 - 2.40m	1616-5-4K-BTM-2400mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	2400'mm'	2400mm	\$204.00	\$204.00
1	1616-5-4K-BTM-25 00mm	LFF - 12 - 2.519m	1616-5-4K-BTM-2500mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	2500'mm'	2500mm	\$212.50	\$212.50
1	1616-5-4K-BTM-25 00mm	LFF - 12 - 2.54m	1616-5-4K-BTM-2500mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	2500'mm'	2500mm	\$212.50	\$212.50
1	1616-5-4K-BTM-27 50mm	LFF - 12 - 2.75m	1616-5-4K-BTM-2750mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	2750'mm'	2750mm	\$233.75	\$233.75
1	1616-5-4K-BTM-29 00mm	LFF - 12 - 2.93m	1616-5-4K-BTM-2900mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	2900'mm'	2900mm	\$246.50	\$246.50

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-5-4K-BTM-31 50mm	LFF - 12 - 3.192m	1616-5-4K-BTM-3150mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	3150'mm'	3150mm	\$267.75	\$267.75
1	1616-5-4K-BTM-32 50mm	LFF - 12 - 3.264m	1616-5-4K-BTM-3250mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	3250'mm'	3250mm	\$276.25	\$276.25
1	1616-5-4K-BTM-42 00mm	LFF - 12 - 4.22m	1616-5-4K-BTM-4200mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	4200'mm'	4200mm	\$357.00	\$357.00
1	1616-5-4K-BTM-43 00mm	LFF - 12 - 4.32m	1616-5-4K-BTM-4300mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	4300'mm'	4300mm	\$365.50	\$365.50
1	1616-5-4K-BTM-45 50mm	LFF - 12 - 4.59m	1616-5-4K-BTM-4550mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	4550'mm'	4550mm	\$386.75	\$386.75
1	1616-5-4K-BTM-49 00mm	LFF - 12 - 4.94m	1616-5-4K-BTM-4900mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	4900'mm'	4900mm	\$416.50	\$416.50
1	1616-5-4K-BTM-55 00mm	LFF - 12 - 5.53m	1616-5-4K-BTM-5500mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	5500'mm'	5500mm	\$467.50	\$467.50
1	1616-5-4K-BTM-56 00mm	LFF - 12 - 5.64m	1616-5-4K-BTM-5600mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	5600'mm'	5600mm	\$476.00	\$476.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-5-4K-BTM-71 50mm	LFF - 12 - 7.166m	1616-5-4K-BTM-7150mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	7150'mm'	7150mm	\$607.75	\$607.75
1	1616-5-4K-BTM-85 00mm	LFF - 12 - 8.51m	1616-5-4K-BTM-8500mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	8500'mm'	8500mm	\$722.50	\$722.50
1	1616-5-4K-BTM-94 50mm	LFF - 12 - 9.48m	1616-5-4K-BTM-9450mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	9450'mm'	9450mm	\$803.25	\$803.25
1	1616-5-4K-BTM-10 000mm	LFF - 12 - 10.02m	1616-5-4K-BTM-10000mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	10000'mm'	10000mm	\$850.00	\$850.00
1	1616-5-4K-BTM-10 500mm	LFF - 12 - 10.63m	1616-5-4K-BTM-10500mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	10500'mm'	10500mm	\$892.50	\$892.50
1	1616-5-4K-BTM-10 950mm	LFF - 12 - 10.98m	1616-5-4K-BTM-10950mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	10950'mm'	10950mm	\$930.75	\$930.75
1	1616-5-4K-BTM-22 500mm	LFF - 12 - 22.51m	1616-5-4K-BTM-22500mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	22500'mm'	22500mm	\$1,912.50	\$1,912.50
1	1616-5-4K-BTM-34 750mm	LFF - 12 - 34.777m	1616-5-4K-BTM-34750mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	34750'mm'	34750mm	\$2,953.75	\$2,953.75

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	1616-5-4K-BTM-72 000mm	LFF - 12 - 72.04m	1616-5-4K-BTM-72000mm exterior rated (IP67) Horizontal and Vertical Bend LED NEON TWIST (24VDC) Flex (16 x 16mm) 5W/Metre 4000K BTM = Bottom feed 2000mm cable.	72000'mm'	72000mm	\$6,120.00	\$6,120.00
1,147	1614-CLIP-CLEAR	LFF - 12	1614-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (20.7mmW x 18.54mmH x 20mmL)			\$0.35	\$401.45
49	Flex Cable 50m	LFF - 12	Flex Cable 50m - Additional 50m of flex cable.			\$130.00	\$6,370.00
Exclusive of GST							\$28,701.45
10% GST							\$2,870.15
Total (AUD)							\$31,571.60