



Order # 13629

Date: **27/10/2021**
 Attention: **Orders**
Auslite Solution
 Project: **Reece Future Workspace**

Deliver To:

LiTEsource and Controls
Unit 8, 69-73 O'Riordan Street
Alexandria NSW 2015
Australia

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDE-B-OP-500mm	ID#123 L6 - 0.5m	VueLite -500mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDE-B = Side B Cable Feed M = Side B Cable Feed	500'mm'	500mm	\$20.00	\$20.00
1	M-ALPHA-IP-12-3K - SIDE-A-OP-650mm	ID#135 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDE-A = Side A Cable Feed M = Side A Cable Feed	650'mm'	650mm	\$26.00	\$26.00
1	M-ALPHA-IP-12-3K - SIDE-A-OP-650mm	ID#138 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDE-A = Side A Cable Feed M = Side A Cable Feed	650'mm'	650mm	\$26.00	\$26.00
1	M-ALPHA-IP-12-3K - SIDE-A-OP-650mm	ID#165 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDE-A = Side A Cable Feed M = Side A Cable Feed	650'mm'	650mm	\$26.00	\$26.00
1	M-ALPHA-IP-12-3K - SIDE-A-OP-650mm	ID#105 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDE-A = Side A Cable Feed M = Side A Cable Feed	650'mm'	650mm	\$26.00	\$26.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDEA-OP-650mm	ID#102 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	650'mm'	650mm	\$26.00	\$26.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-650mm	ID#74 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	650'mm'	650mm	\$26.00	\$26.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-650mm	ID#27 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	650'mm'	650mm	\$26.00	\$26.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-650mm	ID#71 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	650'mm'	650mm	\$26.00	\$26.00
2	M-ALPHA-IP-12-3K - SIDEA-OP-650mm	ID#47 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	650'mm'	1300mm	\$26.00	\$52.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-650mm	ID#24 L6 - 0.65m	VueLite -650mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	650'mm'	650mm	\$26.00	\$26.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-1020mm	ID#41 L6 - 1.02m	VueLite -1020mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	1020'mm'	1020mm	\$40.80	\$40.80

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDEA-OP-1760mm	ID#156 L6 - 1.76m	VueLite -1760mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	1760'mm'	1760mm	\$70.40	\$70.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-1760mm	ID#157 L6 - 1.76m	VueLite -1760mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	1760'mm'	1760mm	\$70.40	\$70.40
1	M-ALPHA-IP-12-3K - SIDEA-OP-1960mm	ID#51 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEA-OP-1960mm	ID#81 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEA-OP-1960mm	ID#87 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEA-OP-1960mm	ID#141 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEA-OP-1960mm	ID#53 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDEA-OP-1960mm	ID#143 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-1960mm	ID#52 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-1960mm	ID#82 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-1960mm	ID#88 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-1960mm	ID#140 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-1960mm	ID#54 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-1960mm	ID#142 L6 - 1.96m	VueLite -1960mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	1960'mm'	1960mm	\$78.40	\$78.40

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDEA-OP-2160mm	ID#181 L6 - 2.16m	VueLite -2160mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2160'mm'	2160mm	\$86.40	\$86.40
1	M-ALPHA-IP-12-3K - SIDEA-OP-2160mm	ID#29 L6 - 2.16m	VueLite -2160mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2160'mm'	2160mm	\$86.40	\$86.40
1	M-ALPHA-IP-12-3K - SIDEA-OP-2360mm	ID#139 L6 - 2.36m	VueLite -2360mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2360'mm'	2360mm	\$94.40	\$94.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-2360mm	ID#179 L6 - 2.36m	VueLite -2360mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	2360'mm'	2360mm	\$94.40	\$94.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-2360mm	ID#68 L6 - 2.36m	VueLite -2360mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	2360'mm'	2360mm	\$94.40	\$94.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-2360mm	ID#99 L6 - 2.36m	VueLite -2360mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	2360'mm'	2360mm	\$94.40	\$94.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-2360mm	ID#144 L6 - 2.36m	VueLite -2360mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	2360'mm'	2360mm	\$94.40	\$94.40

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDEA-OP-2720mm	ID#1 L6 - 2.72m	VueLite -2720mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2720'mm'	2720mm	\$108.80	\$108.80
1	M-ALPHA-IP-12-3K - SIDEA-OP-2760mm	ID#167 L6 - 2.76m	VueLite -2760mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2760'mm'	2760mm	\$110.40	\$110.40
1	M-ALPHA-IP-12-3K - SIDEB-OP-2760mm	ID#166 L6 - 2.76m	VueLite -2760mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	2760'mm'	2760mm	\$110.40	\$110.40
1	M-ALPHA-IP-12-3K - SIDEA-OP-2895mm	ID#50 L6 - 2.895m	VueLite -2895mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2895'mm'	2895mm	\$115.80	\$115.80
1	M-ALPHA-IP-12-3K - SIDEA-OP-2895mm	ID#110 L6 - 2.895m	VueLite -2895mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2895'mm'	2895mm	\$115.80	\$115.80
1	M-ALPHA-IP-12-3K - SIDEA-OP-2895mm	ID#78 L6 - 2.895m	VueLite -2895mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2895'mm'	2895mm	\$115.80	\$115.80
1	M-ALPHA-IP-12-3K - SIDEA-OP-2895mm	ID#132 L6 - 2.895m	VueLite -2895mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2895'mm'	2895mm	\$115.80	\$115.80

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDEA-OP-2895mm	ID#168 L6 - 2.895m	VueLite -2895mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2895'mm'	2895mm	\$115.80	\$115.80
1	M-ALPHA-IP-12-3K - SIDEA-OP-2980mm	ID#122 L6 - 2.98m	VueLite -2980mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	2980'mm'	2980mm	\$119.20	\$119.20
1	M-ALPHA-IP-12-3K - SIDEA-OP-3160mm	ID#98 L6 - 3.16m	VueLite -3160mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3160'mm'	3160mm	\$142.20	\$142.20
1	M-ALPHA-IP-12-3K - SIDEA-OP-3160mm	ID#67 L6 - 3.16m	VueLite -3160mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3160'mm'	3160mm	\$142.20	\$142.20
1	M-ALPHA-IP-12-3K - SIDEA-OP-3160mm	ID#42 L6 - 3.16m	VueLite -3160mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3160'mm'	3160mm	\$142.20	\$142.20
1	M-ALPHA-IP-12-3K - SIDEA-OP-3220mm	ID#120 L6 - 3.22m	VueLite -3220mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3220'mm'	3220mm	\$144.90	\$144.90
1	M-ALPHA-IP-12-3K - SIDEB-OP-3220mm	ID#121 L6 - 3.22m	VueLite -3220mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	3220'mm'	3220mm	\$144.90	\$144.90

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDEA-OP-3560mm	ID#111 L6 - 3.56m	VueLite -3560mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3560'mm'	3560mm	\$160.20	\$160.20
1	M-ALPHA-IP-12-3K - SIDEB-OP-3560mm	ID#116 L6 - 3.56m	VueLite -3560mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	3560'mm'	3560mm	\$160.20	\$160.20
1	M-ALPHA-IP-12-3K - SIDEA-OP-3580mm	ID#28 L6 - 3.58m	VueLite -3580mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3580'mm'	3580mm	\$161.10	\$161.10
1	M-ALPHA-IP-12-3K - SIDEA-OP-3600mm	ID#86 L6 - 3.6m	VueLite -3600mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3600'mm'	3600mm	\$162.00	\$162.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-3600mm	ID#55 L6 - 3.6m	VueLite -3600mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3600'mm'	3600mm	\$162.00	\$162.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-3600mm	ID#19 L6 - 3.6m	VueLite -3600mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3600'mm'	3600mm	\$162.00	\$162.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-3600mm	ID#112 L6 - 3.6m	VueLite -3600mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3600'mm'	3600mm	\$162.00	\$162.00

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDEA-OP-3600mm	ID#145 L6 - 3.6m	VueLite -3600mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3600'mm'	3600mm	\$162.00	\$162.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-3600mm	ID#20 L6 - 3.6m	VueLite -3600mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3600'mm'	3600mm	\$162.00	\$162.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-3670mm	ID#159 L6 - 3.67m	VueLite -3670mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3670'mm'	3670mm	\$165.15	\$165.15
1	M-ALPHA-IP-12-3K - SIDEA-OP-3745mm	ID#154 L6 - 3.745m	VueLite -3745mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3745'mm'	3745mm	\$168.53	\$168.53
1	M-ALPHA-IP-12-3K - SIDEB-OP-3800mm	ID#124 L6 - 3.8m	VueLite -3800mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	3800'mm'	3800mm	\$171.00	\$171.00
1	M-ALPHA-IP-12-3K - SIDEA-OP-3885mm	ID#2 L6 - 3.885m	VueLite -3885mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	3885'mm'	3885mm	\$174.83	\$174.83
1	M-ALPHA-IP-12-3K - SIDEA-OP-4140mm	ID#182 L6 - 4.14m	VueLite -4140mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	4140'mm'	4140mm	\$186.30	\$186.30

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
1	M-ALPHA-IP-12-3K - SIDEA-OP-4760mm	ID#131 L6 - 4.76m	VueLite -4760mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEA = Side A Cable Feed M = Side A Cable Feed	4760'mm'	4760mm	\$214.20	\$214.20
1	M-ALPHA-IP-12-3K - SIDEB-OP-4760mm	ID#109 L6 - 4.76m	VueLite -4760mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	4760'mm'	4760mm	\$214.20	\$214.20
1	M-ALPHA-IP-12-3K - SIDEB-OP-4760mm	ID#75 L6 - 4.76m	VueLite -4760mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	4760'mm'	4760mm	\$214.20	\$214.20
1	M-ALPHA-IP-12-3K - SIDEB-OP-4760mm	ID#49 L6 - 4.76m	VueLite -4760mm IP65 (24VDC) Extrusion (17.5 x 15mm) 3000K 12 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included SIDEB = Side B Cable Feed M = Side B Cable Feed	4760'mm'	4760mm	\$214.20	\$214.20
12	M-OMI-18-TW-END- OP-1110mm	L10 - 1.11m	VueLite -1110mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - END = Needs only male plug	1110'mm'	13320mm	\$33.30	\$399.60
1	M-OMI-18-TW-END- OP-1610mm	L10 - 1.61m	VueLite -1610mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - END = Needs only male plug	1610'mm'	1610mm	\$48.30	\$48.30
9	M-OMI-18-TW-END- OP-2110mm	L10 - 2.11m	VueLite -2110mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - END = Needs only male plug	2110'mm'	18990mm	\$63.30	\$569.70

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
25	M-OMI-18-TW-END-OP-2330mm	L10 - 2.33m	VueLite -2330mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - END = Needs only male plug	2330'mm'	58250mm	\$69.90	\$1,747.50
36	M-OMI-18-TW-END-OP-2500mm	L10 - 2.5m	VueLite -2500mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - END = Needs only male plug	2500'mm'	90000mm	\$75.00	\$2,700.00
3	M-OMI-18-TW-END-OP-300mm	L10 - 0.3m	VueLite -300mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - END = Needs only male plug	300'mm'	900mm	\$9.00	\$27.00
17	M-OMI-18-TW-END-OP-580mm	L10 - 0.58m	VueLite -580mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - END = Needs only male plug	580'mm'	9860mm	\$17.40	\$295.80
2	M-OMI-18-TW-END-OP-610mm	L10 - 0.61m	VueLite -610mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - END = Needs only male plug	610'mm'	1220mm	\$18.30	\$36.60
3	M-OMI-18-TW-JOIN - OP-2360mm	L10 - 2.36m	VueLite -2360mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - JOIN = Needs male and female plug	2360'mm'	7080mm	\$70.80	\$212.40
17	M-OMI-18-TW-JOIN - OP-2500mm	L10 - 2.5m	VueLite -2500mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - JOIN = Needs male and female plug	2500'mm'	42500mm	\$75.00	\$1,275.00

Contact: Zoe Kendall zoe@litesource.com.au | +61 450 536 575

Please refer to the above order number on all correspondence

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
11	M-OMI-18-TW-ST-E ND-OP-1640mm	L10 - 1.64m	VueLite -1640mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - ST END = Needs 1m cable	1640'mm'	18040mm	\$49.20	\$541.20
3	M-OMI-18-TW-ST-E ND-OP-2140mm	L10 - 2.14m	VueLite -2140mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - ST END = Needs 1m cable	2140'mm'	6420mm	\$64.20	\$192.60
5	M-OMI-18-TW-ST-E ND-OP-2500mm	L10 - 2.5m	VueLite -2500mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - ST END = Needs 1m cable	2500'mm'	12500mm	\$75.00	\$375.00
2	M-OMI-18-TW-ST-O P-1080mm	L10 - 1.08m	VueLite -1080mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - ST = Start with 1m cable and female plug	1080'mm'	2160mm	\$32.40	\$64.80
3	M-OMI-18-TW-ST-O P-1580mm	L10 - 1.58m	VueLite -1580mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - ST = Start with 1m cable and female plug	1580'mm'	4740mm	\$47.40	\$142.20
72	M-OMI-18-TW-ST-O P-2500mm	L10 - 2.5m	VueLite -2500mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - ST = Start with 1m cable and female plug	2500'mm'	180000mm	\$75.00	\$5,400.00

Qty	Cat. #	Type	Description	Length	Total Length	Price	Total
25	M-OMI-18-TW-ST-O P-300mm	L10 - 0.3m	VueLite -300mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - ST = Start with 1m cable and female plug	300'mm'	7500mm	\$9.00	\$225.00
3	M-OMI-18-TW-ST-O P-550mm	L10 - 0.55m	VueLite -550mm IP20 (24VDC) Extrusion (17.5 x 7mm) 2700K and 4000K 18 watt (90CRI) per Metre c/w end caps and mounting hardware colour natural aluminium driver not included M = 27K-4K Tuneable White - ST = Start with 1m cable and female plug	550'mm'	1650mm	\$16.50	\$49.50
						Exclusive of GST	\$21,295.71
						10% GST	\$2,129.57
						Total (AUD)	\$23,425.28