



# Order # 9661

Date: **23/07/2019**  
 Attention: **Eric Tang**  
**Auslite Solution**  
 Project: **Norton Rose Fulbright 60 Martin Place**

Deliver To:

**LiTEsource and Controls**  
**Unit 8, 69-73 O'Riordan Street**  
**Alexandria NSW 2015**  
**Australia**

| Qty | Cat. #              | Type        | Description  | Length   | Total Length | Price    | Total    |
|-----|---------------------|-------------|--|----------|--------------|----------|----------|
| 1   | 2412-3K-BTM-800m m  | L2 - 800mm  | 2412-3K-BTM-800mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)  | 800'mm'  | 800mm        | \$56.00  | \$56.00  |
| 3   | 2412-3K-BTM-1200 mm | L2 - 1200mm | 2412-3K-BTM-1200mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included) | 1200'mm' | 3600mm       | \$84.00  | \$252.00 |
| 1   | 2412-3K-BTM-2200 mm | L2 - 2200mm | 2412-3K-BTM-2200mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included) | 2200'mm' | 2200mm       | \$154.00 | \$154.00 |
| 2   | 2412-3K-BTM-2800 mm | L2 - 2800mm | 2412-3K-BTM-2800mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included) | 2800'mm' | 5600mm       | \$196.00 | \$392.00 |
| 1   | 2412-3K-BTM-3200 mm | L2 - 3200mm | 2412-3K-BTM-3200mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included) | 3200'mm' | 3200mm       | \$224.00 | \$224.00 |
| 2   | 2412-3K-BTM-3300 mm | L2 - 3300mm | 2412-3K-BTM-3300mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included) | 3300'mm' | 6600mm       | \$231.00 | \$462.00 |

| Qty | Cat. #               | Type         | Description   | Length    | Total Length | Price      | Total      |
|-----|----------------------|--------------|---|-----------|--------------|------------|------------|
| 1   | 2412-3K-BTM-4400 mm  | L2 - 4400mm  | 2412-3K-BTM-4400mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)  | 4400'mm'  | 4400mm       | \$308.00   | \$308.00   |
| 1   | 2412-3K-BTM-4700 mm  | L2 - 4700mm  | 2412-3K-BTM-4700mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)  | 4700'mm'  | 4700mm       | \$329.00   | \$329.00   |
| 1   | 2412-3K-BTM-4800 mm  | L2 - 4800mm  | 2412-3K-BTM-4800mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)  | 4800'mm'  | 4800mm       | \$336.00   | \$336.00   |
| 1   | 2412-3K-BTM-6600 mm  | L2 - 6600mm  | 2412-3K-BTM-6600mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)  | 6600'mm'  | 6600mm       | \$462.00   | \$462.00   |
| 1   | 2412-3K-BTM-7900 mm  | L2 - 7900mm  | 2412-3K-BTM-7900mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)  | 7900'mm'  | 7900mm       | \$553.00   | \$553.00   |
| 1   | 2412-3K-BTM-9000 mm  | L2 - 9000mm  | 2412-3K-BTM-9000mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)  | 9000'mm'  | 9000mm       | \$630.00   | \$630.00   |
| 2   | 2412-3K-BTM-1100 0mm | L2 - 11000mm | 2412-3K-BTM-11000mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included) | 11000'mm' | 22000mm      | \$770.00   | \$1,540.00 |
| 1   | 2412-3K-BTM-1800 0mm | L2 - 18000mm | 2412-3K-BTM-18000mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included) | 18000'mm' | 18000mm      | \$1,260.00 | \$1,260.00 |

| Qty | Cat. #                     | Type            | Description  | Length    | Total Length | Price      | Total      |
|-----|----------------------------|-----------------|--|-----------|--------------|------------|------------|
| 1   | 2412-3K-BTM-1900 0mm       | L2 -<br>19000mm | 2412-3K-BTM-19000mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)  | 19000'mm' | 19000mm      | \$1,330.00 | \$1,330.00 |
| 1   | 2412-3K-BTM-2200 0mm       | L2 -<br>22000mm | 2412-3K-BTM-22000mm exterior rated (IP67) 3 sided (280D) LED NEON MAXI (24VDC) Flex (24 x 12mm) 24W/Meter (1800 lumens) 3000K BTM = bottom feed 2000mm cable. (Driver Not Included)  | 22000'mm' | 22000mm      | \$1,540.00 | \$1,540.00 |
| 766 | 2412-CLIP-CLEAR            | L2              | 2412-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (28.7mmW x 16.58mmH x 22mmL)   |           |              | \$0.35     | \$268.10   |
| 1   | 1120-12-3K-BTM-10000mm     | L3 -<br>10000mm | 1120-12-3K-BTM-10000mm exterior rated (IP67) LED SUPER NEON (24VDC) Flex (11 x 20mm) 12W/Metre (500 lumens) 3000K BTM = Bottom feed 2000mm cable.                                    | 10000'mm' | 10000mm      | \$550.00   | \$550.00   |
| 2   | 1120-12-3K-BTM-11000mm     | L3 -<br>11000mm | 1120-12-3K-BTM-11000mm exterior rated (IP67) LED SUPER NEON (24VDC) Flex (11 x 20mm) 12W/Metre (500 lumens) 3000K BTM = Bottom feed 2000mm cable.                                    | 11000'mm' | 22000mm      | \$605.00   | \$1,210.00 |
| 1   | 1120-12-3K-BTM-13000mm     | L3 -<br>13000mm | 1120-12-3K-BTM-13000mm exterior rated (IP67) LED SUPER NEON (24VDC) Flex (11 x 20mm) 12W/Metre (500 lumens) 3000K BTM = Bottom feed 2000mm cable.                                    | 13000'mm' | 13000mm      | \$715.00   | \$715.00   |
| 1   | 1120-12-3K-BTM-15000mm     | L3 -<br>15000mm | 1120-12-3K-BTM-15000mm exterior rated (IP67) LED SUPER NEON (24VDC) Flex (11 x 20mm) 12W/Metre (500 lumens) 3000K BTM = Bottom feed 2000mm cable.                                    | 15000'mm' | 15000mm      | \$825.00   | \$825.00   |
| 300 | 1120-CLIP-CLEAR            | L3              | 1120-CLIP-CLEAR Acrylic mounting clip. Colour: Clear Acrylic. (16.4mmW x 24.5mmH x 23mmL)  |           |              | \$0.35     | \$105.00   |
| 1   | 1614A-110-12-3K-BTM-1700mm | L8 -<br>1700mm  | 1614A-110-12-3K-BTM-1700mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included. | 1700'mm'  | 1700mm       | \$93.50    | \$93.50    |

| Qty | Cat. #                     | Type        | Description  | Length   | Total Length | Price                   | Total              |
|-----|----------------------------|-------------|--|----------|--------------|-------------------------|--------------------|
| 2   | 1614A-110-12-3K-BTM-5000mm | L8 - 5000mm | 1614A-110-12-3K-BTM-5000mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included. | 5000'mm' | 10000mm      | \$275.00                | \$550.00           |
| 2   | 1614A-110-12-3K-BTM-8000mm | L8 - 8000mm | 1614A-110-12-3K-BTM-8000mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included. | 8000'mm' | 16000mm      | \$440.00                | \$880.00           |
| 1   | 1614A-110-12-3K-BTM-9000mm | L8 - 9000mm | 1614A-110-12-3K-BTM-9000mm exterior rated (IP67) 1 sided (110D) LED NEON (24VDC) Flex (16 X 14mm) 12W/Meter (1000 lumens) 3000K BTM = Bottom feed 2000mm cable. Driver Not Included. | 9000'mm' | 9000mm       | \$495.00                | \$495.00           |
|     |                            |             |  |          |              | <b>Exclusive of GST</b> | <b>\$15,519.60</b> |
|     |                            |             |  |          |              | <b>10% GST</b>          | <b>\$1,551.96</b>  |
|     |                            |             |  |          |              | <b>Total (AUD)</b>      | <b>\$17,071.56</b> |