

1. WAP in "Python" language to accept two numbers from keyboard and display the sum, product and

average of the given numbers in the following sequence and format: -

Both numbers

Sum ::

Product ::

Average ::

a=float(input("Enter a 1 No.:"))

b=float(input("Enter a 2nd No.:"))

sum= a+b

product=a*b

Average = sum/2

print("Both numbers ::" ,a,"&",b)

print("SUM ::" ,sum)

print("product ::" ,product)

print("Average ::" ,Average)

```
Operator_Assignment_2.py >...
1 # 1. WAP in "Python" language to accept two numbers from keyboard and display the sum, product and
2 # average of the given numbers in the following sequence and format: -
3 # Both numbers
4 # Sum ::
5 # Product ::
6 # Average ::
7 a=float(input("Enter a 1 No.:"))
8 b=float(input("Enter a 2nd No.:"))
9 sum= a+b
10 product=a*b
11 Average = sum/2
12 print("Both numbers ::" ,a,"&",b)
13 print("SUM ::" ,sum)
14 print("product ::" ,product)
15 print("Average ::" ,Average)
16
```

Output:

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\OneDrive\Desktop\python\Operator_Assignment_2.py"
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\OneDrive\Desktop\python\Operator_Assignment_2.py"
Enter a 1 No.:5
Enter a 2nd No.:6
Both numbers :: 5.0 & 6.0
SUM :: 11.0
product :: 30.0
Average :: 5.5
PS C:\Users\DELL\OneDrive\Desktop\python> |
```

2. WAP in "Python" language to accept basic, da , and hra from keyboard. Calculate total and display gross salary .

basic = float(input("Enter a basic salary: "))

da = float(input("Enter a da salary: "))

hra = float(input("Enter a hra salary: "))

gross_salary = (basic + da + hra)

print("The Total Gross Salary =",gross_salary)

Output:

```
# 2. WAP in "Python" language to accept basic, da , and hra from keyboard
# gross salary .

basic = float(input("Enter a basic salary: "))
da = float(input("Enter a da salary: "))
hra = float(input("Enter a hra salary: "))
gross_salary = (basic + da + hra)

print("The Total Gross Salary =",gross_salary)
```

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\OneDrive\Desktop\python\Operator_Assignment_2.py"
Enter a basic salary: 5000
Enter a da salary: 800.50
Enter a hra salary: 8000.50
The Total Gross Salary = 13801.0
PS C:\Users\DELL\OneDrive\Desktop\python> |
```

#4. WAP in "Python" language to accept student registration number and marks obtained in physics, chemistry, and math papers. Each paper is of maximum 100 marks. Calculate and display the result in the following sequence and format: -

```
# =====
# Registration No.      ::
# =====
# Marks Obtained in PHY ::
# Marks Obtained in CHE ::
# Marks Obtained in MATH ::
# =====
# Total Marks Obtained ::
# =====
# Aggregate           ::
# =====
RegistrationNo = input("Enter a Registration No.:")
phy = float(input("Enter a Marks Obtained PHY:"))
che = float(input("Enter a Marks Obtained CHE:"))
math = float(input("Enter a Marks Obtained MATH:"))
total_Marks = (phy+che+math)
aggregate = (total_Marks/300 * 100)
print("=====")
print("Registration No.      ::", RegistrationNo )
print("=====")
print("Marks Obtained in PHY ::", phy )
print("Marks Obtained in CHE ::", che )
print("Marks Obtained in MATH ::", math )
print("=====")
print("Total Marks Obtained ::", total_Marks )
print("=====")
print("Aggregate           ::", aggregate )
print("=====")
```

```
# Aggregate
# =====
RegistrationNo = input("Enter a Registration No.:")
phy = float(input("Enter a Marks Obtained PHY:"))
che = float(input("Enter a Marks Obtained CHE:"))
math = float(input("Enter a Marks Obtained MATH:"))
total_Marks = (phy+che+math)
aggregate = (total_Marks/300 * 100)
print("=====")
print("Registration No.      ::", RegistrationNo )
print("=====")
print("Marks Obtained in PHY ::", phy )
print("Marks Obtained in CHE ::", che )
print("Marks Obtained in MATH ::", math )
print("=====")
print("Total Marks Obtained ::", total_Marks )
print("=====")
print("Aggregate           ::", aggregate )
print("=====")
```

Output:

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\O
Enter a Registration No.:20250100163
Enter a Marks Obtained PHY:80
Enter a Marks Obtained CHE:70
Enter a Marks Obtained MATH:90
=====
Registration No.      :: 20250100163
=====
Marks Obtained in PHY :: 80.0
Marks Obtained in CHE :: 70.0
Marks Obtained in MATH :: 90.0
=====
Total Marks Obtained :: 240.0
=====
Aggregate           :: 80.0 %
=====
PS C:\Users\DELL\OneDrive\Desktop\python> █
```

5. WAP in "Python" language to accept item code, unit price and quantity taken. Calculate and print

the bill in the following sequence and format, as 20% discount available on all items.

```
# =====
# Item Code          ::
# =====
# Unit Price in Rs.   ::
# Quantity Taken     ::
# =====
# Total Amount in    ::
# Discount Amount    ::
# =====
# Net Payable Amount ::
```

```
item_code = input("Enter a Item Code: ")
unit_price= float(input("Enter Unit Price in Rs.: "))
quantity_taken = float(input("Enter a Quantity Taken: "))
total_amount = (unit_price * quantity_taken)
total_Discount = (total_amount * 20 / 100)
net_pay_amount = (total_amount-total_Discount)
print("=====")
print("Item Code          ::", item_code )
print("=====")
print("Unit Price in Rs.    ::", unit_price )
print("Quantity Taken       ::", quantity_taken )
print("=====")
print("Total Amount         ::", total_amount )
print("Total Discount        ::", total_Discount )
print("=====")
print("Net Payable Amount    ::", net_pay_amount )
```

```
item_code = input("Enter a Item Code: ")
unit_price= float(input("Enter Unit Price in Rs.: "))
quantity_taken = float(input("Enter a Quantity Taken: "))
total_amount = (unit_price * quantity_taken)
total_Discount = (total_amount * 20 / 100)
net_pay_amount = (total_amount-total_Discount)
print("=====")
print("Item Code          ::", item_code )
print("=====")
print("Unit Price in Rs.    ::", unit_price )
print("Quantity Taken       ::", quantity_taken )
print("=====")
print("Total Amount         ::", total_amount )
print("Total Discount        ::", total_Discount )
print("=====")
print("Net Payable Amount    ::", net_pay_amount )
```

output:

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\OneDrive\
Enter a Item Code: BSI45
Enter Unit Price in Rs.: 10
Enter a Quantity Taken: 200
=====
Item Code          :: BSI45
=====
Unit Price in Rs.   :: 10.0
Quantity Taken      :: 200.0
=====
Total Amount        :: 2000.0
Total Discount       :: 400.0
=====
Net Payable Amount  :: 1600.0
PS C:\Users\DELL\OneDrive\Desktop\python> █
```

6. WAP in "Python" language to accept five digit no. from keyboard, calculate the sum of the digits of a given number and display the same on the screen.

```
a=int(input("Enter the five digit No.: "))
d1= a % 10
d2 = (a // 10) % 10
d3 = (a // 100) %10
d4 = (a // 1000) %10
d5 = (a // 10000) %10
digit_sum= (d1+d2+d3+d4+d5)
print("the sum of the digits of a given number is :", digit_sum)
```

```
# 6. WAP in "Python" language to accept five digit no. from keyboard
# of a given number and display the same on the screen.

a=int(input("Enter the five digit No.: "))
d1= a % 10
d2 = (a // 10) % 10
d3 = (a // 100) %10
d4 = (a // 1000) %10
d5 = (a // 10000) %10
digit_sum= (d1+d2+d3+d4+d5)
print("the sum of the digits of a given number is :", digit_sum)
```

output:

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\OneDrive\Desktop\python\rogug.py"
Enter the five digit No.: 12345
the sum of the digits of a given number is : 15
PS C:\Users\DELL\OneDrive\Desktop\python> █
```

7. WAP in "Python" language to accept any five-digit number and print its reverse.

```
a=int(input("Enter the five digit No.: "))
d1= a % 10
d2 = (a // 10) % 10
d3 = (a // 100) %10
d4 = (a // 1000) %10
d5 = (a // 10000) %10
print("The reverse of five digit No.=",d1,d2,d3,d4,d5)
```

```
rogug.py > ...
1 # 7. WAP in "Python" language to accept any five-digit number
2 a=int(input("Enter the five digit No.: "))
3 d1= a % 10
4 d2 = (a // 10) % 10
5 d3 = (a // 100) %10
6 d4 = (a // 1000) %10
7 d5 = (a // 10000) %10
```

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\OneDrive\Desktop\python\rogug.py"
Enter the five digit No.: 54321
The reverse of five digit No.= 1 2 3 4 5
PS C:\Users\DELL\OneDrive\Desktop\python> █
```

8. WAP in "Python" language to accept two number from keyboard and swap both to each other without using third variable.

```
a=float(input("Enter a 1 no:"))
b=float(input("Enter a 2 no :"))
print("a=",a,"b=",b)
a=a+b
b=a-b
a=a-b
print("a=",a,"b=",b)
```

```
# 8. WAP in "Python" language to accept two number
# using third variable.

a=float(input("Enter a 1 no:"))
b=float(input("Enter a 2 no :"))
print("a=",a,"b=",b)
a=a+b
b=a-b
a=a-b
print("a=",a,"b=",b)
```

Output:-

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\OneDrive\Desktop\python\8.py"
Enter a 1 no:10
Enter a 2 no :12
a= 10.0 ,b= 12.0
a= 12.0 ,b= 10.0
PS C:\Users\DELL\OneDrive\Desktop\python> █
```

9. WAP in "Python" language to accept kilometer from keyboard and convert it into meters.

```
Kilometer = float(input("Enter a Kilometer to convert in meter: "))
Meter = Kilometer*1000
print("meter: ",Meter,"M")
```

Output:-

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\OneDrive\Desktop\python\9.py"
Enter a Kilometer to convert in meter: 12
meter: 12000.0 M
PS C:\Users\DELL\OneDrive\Desktop\python> █
```

10. WAP in "Python" language to accept temperature of city in Fahrenheit degree then Convert this temperature into centigrade degrees. [Hint: $c/100=(f-32)/180$]

```
fr = float(input("Enter a Fahrenheit degree: "))
centigrade = (fr - 32) * 5 / 9
print("The centigrade degree is =", centigrade)
```

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DELL\OneDrive\Desktop\python\10.py"
Enter a Fahrenheit degree: 212
The centigrade degree is = 100.0
PS C:\Users\DELL\OneDrive\Desktop\python> █
fwd-i-search: _
```

11. WAP in "Python" language to accept employee number and basic salary. Calculate dearness allowance

and house rent allowance @ 10% and 15% of basic salary respectively and display the salary details as

income tax is to be deducted @ 11% of gross salary.

```
emp_no = input("Enter Employee Number: ")
basic_salary = float(input("Enter Basic Salary: "))
```

```
da = basic_salary * 10 / 100
hra = basic_salary * 15 / 100
gross_salary = basic_salary + da + hra
income_tax = gross_salary * 11 / 100
net_salary = gross_salary - income_tax
```

```
print("\n----- Salary Details -----")
print("Employee Number :", emp_no)
print("Basic Salary   :", basic_salary)
print("Dearness Allowance (10%) :", da)
print("House Rent Allowance (15%) :", hra)
print("Gross Salary    :", gross_salary)
print("Income Tax (11%) :", income_tax)
print("Net Salary     :", net_salary)
```

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u
Enter Employee Number: 21
Enter Basic Salary: 25000

----- Salary Details -----
Employee Number : 21
Basic Salary    : 25000.0
Dearness Allowance (10%) : 2500.0
House Rent Allowance (15%) : 3750.0
Gross Salary    : 31250.0
Income Tax (11%) : 3437.5
Net Salary      : 27812.5
PS C:\Users\DELL\OneDrive\Desktop\python> |
```

12. WAP in "Python" language to accept the radius of a circle and calculate the circumference and area of

the circle and also display the same on the screen.

```
radius = float(input("Enter The Radius of circle: "))
circumference = ( 2 * 22/7 * radius )
area = (22/7 * radius * radius)
```

```
print("The circumference of circle : ",circumference)
print("The Area of circle : ",area)
```

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:
Enter The Radius of circle: 5
The circumference of circle : 31.428571428571427
The Area of circle : 78.57142857142857
PS C:\Users\DELL\OneDrive\Desktop\python> |
```

13. WAP in "Python" language to accept the length and width of a rectangle and calculate its perimeter

and area. Display the same on the screen.

```
length = float(input("Enter the length of rectangle : "))
width = float(input("Enter the width of rectangle : "))
```

```
p= length+width
perim = 2*p
```

```
print("The peremeter of rectangle is : ", perim)
```

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Users\DEL
Enter the length of rectangle : 5
Enter the width of rectangle : 6
The peremeter of rectangle is : 22.0
PS C:\Users\DELL\OneDrive\Desktop\python> |
```

14. WAP in "Python" language to accept an integer value of five-digits, calculate and display the

requirements as given below: -

First Line : <All Digits>

Second Line: <All Except First Digit>

Third Line : <All Except First Two Digits>

.....

.....

Last Line : <The Last Digit>

```
num = input("Enter a five-digit integer: ")
```

```
print("First Line :", num)
```

```
print("Second Line :", num[1:])
```

```
print("Third Line :", num[2:])
```

```
print(".....")
```

```
print("Fourth Line :", num[3:])
```

```
print(".....")
```

```
print("Last Line :", num[4:])
```

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\Us
Enter a five-digit integer: 12345
First Line : 12345
Second Line : 2345
Third Line : 345
.....
Fourth Line : 45
.....
Last Line : 5
PS C:\Users\DELL\OneDrive\Desktop\python> |
```

#3. WAP in "Python" to accept total amount and currency type from keyboard and find out total no.

#of note in the specified currency.

```
total_note = int(input("Enter Total No.:"))
```

```
cur_type = int(input("Enter Currency type as 20/10/20/50/100/200/500: "))
```

```
t_note = total_note/cur_type
```

```
print("Total Note:",t_note)
```

```
PS C:\Users\DELL\OneDrive\Desktop\python> python -u "c:\User
Enter Total No.:500
Enter Currency type as 20/10/20/50/100/200/500: 500
Total Note: 1.0
PS C:\Users\DELL\OneDrive\Desktop\python> |
```