



LYMPHOEDEMA SERVICE REFERRAL FORM
FISHERWICK ROAD, WHITTINGTON, LICHFIELD WS14 9LH
Tel: 01543 434563 Email: stg.lymphoedemaclinic@nhs.net

St Giles Hospice Admin Only	
Hospice Patient Reference:	
CCG:	OAR:

Patient Details		
Surname: Mickey	First Name: Mouse	Known As: Mouse
Title: Mr	Gender: Male	Date of Birth: 10-Feb-2000
Marital Status:	Religion:	Ethnicity:
NHS Number: 777 777 7777	Lives Alone:	First Language:
Address: St Chads, Cannock, WS7 0EW		
Telephone:	Mobile:	
Next Of Kin/Carer Details		
Name:		
Address:		
Telephone:	Mobile:	
Relationship to Patient:		
GP Details:		
Registered GP:	WARD, James (Dr)	
Address:	Darwin Medical Practice, Burntwood Health Centre, Hudson Drive, Burntwood WS7 0EW	
Telephone:	01543 682654	Email: darwinmedical.practice@nhs.net
Consultant Details:		
Consultant Name:		
Address:		
Telephone:	Email:	
Referrer Details:		
Referrer Name:	Designation:	
Address:	Darwin Medical Practice, Burntwood Health Centre, Hudson Drive, Burntwood WS7 0EW	
Telephone:	01543 682654	Email: darwinmedical.practice@nhs.net
Has the Patient consented to the referral:	Yes ☐ / No ☐	

BMI – Please Read and Action as Appropriate

	14-May-2025	177	cm	08-Apr-2021	99	kg	30-Mar-2022	101
	08-Sep-2022	154.94	cm	08-Apr-2021	90	kg	08-Apr-2021	101
	08-Apr-2021	99	cm	08-Apr-2021	12	kg		
	08-Apr-2021	34	cm					
	08-Apr-2021	12	cm					

Although other factors may contribute to a patient's oedema, obesity is often the main causative factor of secondary lymphoedema. **Therefore, please note the following:**

***BMI over 30:** The patient must be actively engaged in management of their weight and should be referred to a local weight management programme where possible. Please include relevant correspondence where applicable.

***BMI over 40:** The patient must be referred to a specialist bariatric/obesity service and must be actively engaged in management of their weight before the referral can proceed. Please include relevant correspondence, where applicable.

Important Notes to Referrer – Please Read and Action as Appropriate

GP: When sending the referral, please attach a Patient Summary, together with results of recent bloods and any relevant correspondence. Please include BMI, Cardiac and Renal Status plus Tissue Viability involvement as outlined above.

All other Health Care Professionals: Please include details of the Patient's GP and any relevant correspondence.

St Giles Hospice Lymphoedema Service will contact the GP for a Patient Summary and other relevant documentation.

All: Please attach your annotations and comments, if any, ensuring you quote the patient name and their NHS number on all pages. If the Patient's Lymphoedema is secondary to cancer or its treatment, please include correspondence regarding diagnosis, lymph node involvement, treatment received and treatment planned.

Incomplete Information: The referral will NOT proceed unless the referral form is completed in full and until the required medical history and correspondence is provided.

Problems

Active

Date	Problem	Associated Text
19-Jun-2026	Injury of upper extremity	
19-Jun-2026	Cough	
07-Jun-2026	Alcohol intake within recommended sensible limits	
15-Apr-2026	Intermittent claudication	
02-Apr-2026	Referral to mental health team	
19-Feb-2026	Has ReSPECT (Recommended Summary Plan for Emergency Care and Treatment)	
12-Feb-2026	Penicillin adverse reaction	

09-Feb-2026	Postcoital oral contraceptive given	
09-Feb-2026	Malignant neoplasm of prostate	
08-Jan-2026	Domestic abuse	
12-Dec-2025	Fatigue	
12-Dec-2025	High vaginal swab culture positive	
12-Dec-2025	Vitamin D insufficiency	
02-Oct-2025	Record contains third party information	
17-Sep-2025	Chronic kidney disease stage 5	
17-Sep-2025	Chronic kidney disease stage 2	
17-Sep-2025	Ischaemic heart disease	
12-Sep-2025	Allergy to cow's milk protein	
12-Sep-2025	Wheezing	
26-Aug-2025	Diphtheria, tetanus and acellular pertussis, inactivated polio, Haemophilus influenzae type b and hepatitis B vaccination	
26-Aug-2025	Diphtheria vaccination	
18-Aug-2025	Depression	
12-Aug-2025	Mild wheeze	
10-Jul-2025	Depot contraceptive repeated	
10-Jul-2025	Prediabetes	
22-Jun-2025	Oral contraceptive started	
16-Jan-2025	Safeguarding concern	
30-Oct-2024	Harmful alcohol use	
28-Feb-2024	Diabetes mellitus	
28-Feb-2024	COPD - Chronic obstructive pulmonary disease	
06-Feb-2023	Essential hypertension	
09-Jan-2023	Asthma	(Grouped with Asthma annual review)
30-Nov-2022	Pre-diabetes	(Grouped with Diabetes mellitus)
05-Apr-2022	Refused consent for upload to local shared electronic record	
18-Mar-2022	Death	cardiac arrest
15-Mar-2022	Benign prostatic hyperplasia	(Replaced Malignant tumour of prostate)
25-Feb-2022	Examination of learning disabled patient	
05-Aug-2021	Type 2 diabetes mellitus	
26-May-2021	Preferred place of death: home	(Grouped with Death)
08-Apr-2021	Diabetic monitoring	(Grouped with Diabetes mellitus)
07-Apr-2021	Congestive heart failure	
03-Feb-2021	Housebound	
19-Oct-2020	Patient died in hospital	(Grouped with Death)
01-Jun-2020	Triple-negative breast cancer	
17-Apr-2020	Vulnerable adult	

Significant Past

Date	Problem	Associated Text
08-Jan-2026	Postcoital bleeding	
12-Dec-2025	Viral disease	
28-Nov-2025	Release of trigger finger	
12-Sep-2025	Loss of appetite	
12-Sep-2025	Tooth extraction	
12-Sep-2025	Excision of Morton's neuroma of peripheral nerve	
07-Jul-2025	Urinary tract infection in pregnancy	
04-Jul-2025	Infective otitis externa	
30-Jun-2025	Meticillin resistant staphylococcus aureus	
27-Jun-2025	Postcoital bleeding	
27-Jun-2025	Injury of head	
27-Jun-2025	Cancer care review	
27-Jun-2025	Cystoscopic removal of ureteric stent	
26-Jun-2025	O/E - wound necrotic	
26-Jun-2025	Born by elective caesarean section	
26-Jun-2025	Born by caesarean section	
26-Jun-2025	Born by normal vaginal delivery	
23-Jun-2025	Endoscopy normal	
23-Jun-2025	Renal colic	
22-Jun-2025	Missed miscarriage	
22-Jun-2025	Miscarriage	
22-Jun-2025	Normal delivery procedure	
22-Jun-2025	Echocardiogram shows normal left ventricular function	
22-Jun-2025	Haemorrhoids	
20-Jun-2025	Problem behaviour	
20-Jun-2025	Melanocytic naevus of skin	
20-Feb-2025	Insertion of hormone releasing intrauterine contraceptive device	
19-Nov-2024	Melanocytic naevus of skin	
04-Jan-2023	Clostridium difficile infection	
02-Mar-2022	Bell's palsy	
05-Aug-2021	Headache	(Replaced Gout)
29-Sep-2020	Premature menopause	
16-Jun-2020	Insertion of hormone releasing intrauterine contraceptive device	
17-Apr-2020	Paranoid ideation	

Medication**Acute**

Drug	Dosage	Quantity	Last Issued On
------	--------	----------	----------------

Hydrocortisone 1% cream	Apply Thinly Twice A Day As Directed	15 gram
Typhim Vi 25micrograms/0.5ml vaccine solution for injection pre-filled syringes (Sanofi)	1	1 pre-filled disposable injection
Zoladex 3.6mg implant SafeSystem pre- filled syringes (AstraZeneca UK Ltd)	1	1 pre-filled disposable injection
Folic acid 5mg tablets	One To Be Taken Each Day	28 tablet
Rifampicin 300mg capsules	One To Be Taken At Night	100 capsule
Isoniazid 50mg tablets	One Or Two To Be Taken At Night	56 tablet
Sofradex ear/eye drops (Neon Healthcare Ltd)	Two Or Three Drops Instilled Into The Affected Ear(s) Three Or Four Times Daily	8 ml
Nitrofurantoin 100mg modified-release capsules	One To Be Taken Twice A Day	10 capsule
Haloperidol 5mg/1ml solution for injection ampoules	1.5-2.5mg every 4 hours as needed	5 ampoule
Doxycycline 100mg capsules	Two To Be Taken On The First Day Then One To Be Taken Each Day	8 capsule
Colecalciferol 20,000unit capsules	take one capsule twice a week for 7 weeks then use an over the counter supplement which can be bought from supermarkets or chemists fro October to March	15 capsule
Hydroxocobalamin 1mg/1ml solution for injection ampoules	1ML	1 ampoule
Shingrix (Herpes Zoster) adjuvanted recombinant vaccine powder and suspension for suspension for injection 0.5ml vials (GlaxoSmithKline UK Ltd)	When Required	1 vial

Diamorphine 10mg powder for solution for injection ampoules	Anticipatory care as per community nursing authorisation and administration record for palliative care for pain if required	2 ampoule
Hydroxocobalamin 1mg/1ml solution for injection ampoules	Immediately	1 ampoule
Fortisip Compact liquid (Flavour Not Specified)	125ml twice a day	7000 ml
Fortisip Compact liquid (Flavour Not Specified)	125ml twice a day	7000 ml
Ciprofloxacin 0.3% ear drops	as directed	10 ml
Midazolam 5mg/5ml solution for injection ampoules	2.5-5mg 4 hourly as needed	2 ampoule
Diamorphine 30mg powder for solution for injection ampoules	Anticipatory care as per community nursing authorisation and administration record for palliative care for pain if required	2 ampoule
Hydroxocobalamin 1mg/1ml solution for injection ampoules	Immediately	1 ampoule
Salamol 100micrograms/dose inhaler CFC free (Teva UK Ltd)	One Or Two Puffs To Be Inhaled Up To Four Times A Day	200 x 200 dose
Paracetamol 500mg tablets	One To Be Taken Every 4-6 Hours Up To Four Times A Day	32 tablet
Clarithromycin 500mg tablets	One To Be Taken Twice A Day	10 tablet
Humulin I KwikPen 100units/ml suspension for injection 3ml pre-filled pens (Eli Lilly and Company Ltd)	For Subcutaneous Injection, According To Requirements	5 pre-filled disposable injection
Water for injections 10ml ampoules	as per directive	20 ampoule
Midazolam 10mg/2ml solution for injection ampoules	2.5mg PRN for agitation	10 ampoule

Morphine sulfate 10mg/1ml solution for injection ampoules	As per directive	10 ampoule
Paracetamol 500mg tablets	One To Be Taken Every 4-6 Hours Up To Four Times A Day	100 tablet
Folic acid 5mg tablets	One To Be Taken Each Day 4 months and then stop	112 tablet
Nitrofurantoin 100mg modified-release capsules	One To Be Taken Twice A Day	10 capsule
Morphine sulfate 10mg/1ml solution for injection ampoules	2.5-5 mg every 3- 4 hours prn as needed max 30mg per 24 hour	5 ampoule
Hydroxocobalamin 1mg/1ml solution for injection ampoules	1ML	1 ampoule
Dressit sterile dressing pack with medium/large gloves (Richardson Healthcare Ltd)	10	10 pack
Dihydrocodeine 30mg tablets	One To Be Taken Four Times A Day When Required	14 tablet
Phenoxymethylpenicillin 250mg tablets	Two To Be Taken Four Times A Day	56 tablet
Paracetamol 500mg tablets	Two To Be Taken Every 4-6 Hours Up To Four Times A Day	30 tablet
Haloperidol 5mg/1ml solution for injection ampoules	Anticipatory care as per community nursing authorisation and administration record for palliative care	3 ampoule
Water for injections 10ml ampoules	Anticipatory care as per community nursing authorisation and administration record for palliative care	10 ampoule

Ibuprofen 400mg tablets	One or two To Be Taken Three Times A Day After Food as needed	84 tablet
Enoxaparin sodium 60mg/0.6ml solution for injection pre-filled syringes	As directed	10 pre-filled disposable injection
Ciprofloxacin 500mg tablets	One To Be Taken Twice A Day	14 tablet
Estradiol 10microgram pessaries	10?micrograms daily for 2 weeks, then reduced to 10?micrograms twice weekly	24 pessary
Zostavax vaccine powder and solvent for suspension for injection 0.65ml pre-filled syringes (Merck Sharp & Dohme (UK) Ltd)	1	1 pre-filled disposable injection
Folic acid 5mg tablets	One To Be Taken Each Day 4 months and then stop	112 tablet
Colecalciferol 20,000unit capsules	take one capsule twice a week for 7 weeks then use an over the counter supplement which can be bought from supermarkets or chemists from October to March	15 capsule
Doxycycline 100mg capsules	Two To Be Taken On The First Day Then One To Be Taken Each Day	56 capsule

Repeat

Drug	Dosage	Quantity	Last Issued On
Atorvastatin 40mg tablets	One To Be Taken Each Day	28 tablet	25-Jun-2026
Topiramate 50mg tablets	One To Be Taken Twice A Day	120 tablet	11-Jan-2024

Gliclazide 80mg tablets

Two To Be Taken 0.01 tablet
Daily With
Breakfast

Bempedoic acid 180mg tablets

One To Be Taken 28 tablet
Once Daily

Repeat Dispensing

Drug	Dosage	Quantity	Last Issued On
Ramipril 1.25mg capsules	take one daily to lower blood pressure and protect heart	56 capsule	25-Feb-2026

Allergies

Date	Description	Associated Text
12-Feb-2026	Penicillin adverse reaction	
12-Sep-2025	Allergy to cow's milk protein	
12-Aug-2025	No known allergy	
22-Feb-2023	Allergy to penicillin	
25-Dec-2021	Allergy to penicillin	