

PATIENT DETAILS:		REGISTERED GP DETAILS:
Surname: Surname	Forename: Given Name	Organisation Name Organisation Full Address (single line)
DoB: Date of Birth	Gender: Gender(full)	Practice Code: Organisation National Practice Code
Ethnicity: Ethnic Origin		Fax no: Organisation Fax Number
Address: Home Full Address (single line)		Telephone: Organisation Telephone Number
Hospital Number:		Practice Email: Organisation E-mail Address
NHS number: NHS Number		Date of Decision to refer: Free Text Prompt
Landline number: Patient Home Telephone		Date of Referral: Short date letter merged
Mobile number: Patient Mobile Telephone		Name of referring General Practice
Patient consents to be contacted by text on the above mobile? Y ☐ N ☐		Clinician: Free Text Prompt
Interpreter required? Y ☐ N ☐ First Language:		Name of Registered GP: Registered GP Full Name
Patient has capacity to consent? Y ☐ N ☐		Clinician Signature:

GP Declaration

- They have symptoms which may be caused by cancer
- I have informed the patient:
- That they are being referred to the rapid access suspected cancer clinic
- The nature of the tests likely to take place
- I have provided the patient with a 2 week wait information leaflet

FIT RESULT

1	ANY ADULT (16 YEARS OR OVER) PLEASE REFER FOR FIT TEST THE SAME TIME AS THE REFERRAL DO NOT WAIT FOR FIT RESULT	Tick if present
a.	Abdominal mass	☐
b.	Unexplained rectal mass	☐
c.	Anal ulceration/mass	☐

2	FIT POSITIVE PATHWAY Patients MUST be aged ≥ 40 years with a positive FIT ($\geq 10 \mu\text{g Hb/g}$) result and have one or more of the following:	Tick if present Must include the FIT value
a.	Rectal bleeding 2 or more episodes in a ≥ 4 week period	☐ FIT result: $\mu\text{g Hb/g}$
b.	Change in bowel habit Looser/more frequent stools for ≥ 6 weeks	☐ FIT result: $\mu\text{g Hb/g}$
c.	Weight loss Unexplained/Unintentional weight loss Either documented $>5\%$ loss in three months or with strong clinical suspicion	☐ FIT result: $\mu\text{g Hb/g}$
d.	Iron Deficiency Anaemia in men ($\text{Hb} < 130\text{g/L}$) or non-menstruating women ($\text{Hb} < 115\text{g/L}$) Unexplained and <u>un-investigated in the last 3 years</u>	☐ FIT result: $\mu\text{g Hb/g}$

3	FIT NEGATIVE patients with Iron Deficiency Anaemia In men or non-menstruating women aged ≥ 40 years with a negative FIT ($< 10 \mu\text{g Hb/g}$) Unexplained and un-investigated in the last 3 years Tick if present - Must include the FIT value and bloods below
---	---

4	All criteria must be fulfilled for a referral: (Tick below) ☐ Aged 40 years or over AND ☐ FIT NEGATIVE AND ☐ Ferritin $\leq 45\mu\text{g/L}$ AND ☐ ANAEMIA (Hb $< 130\text{g/L}$ in men or Hb $< 115\text{g/L}$ in non-menstruating women) If meeting criteria, please ensure all the following: ☐ Dipstick the urine. (If positive assess for renal cell cancer) ☐ Screen for Coeliac disease. (If positive refer to gastroenterology) ☐ Renal function (urea, creatinine, eGFR) (MUST be within 3 months) ☐ You have commenced iron treatment (Date commenced 31.3.2023)	FIT result: $\mu\text{g Hb/g}$ Hb g/l MCV fL Ferritin ng/mL TTG U/mL Urea mmol/L Creatinine $\mu\text{mol/L}$ eGFR $\text{ml/min/1.73m}^2 > 60$
For FIT NEGATIVE patients with ongoing NG12 symptoms/signs Please refer to the FIT negative flow chart to review your options.		

ENSURE UP TO DATE (WITHIN 3 MONTHS) BLOOD TESTS ARE AVAILABLE ON REFERRAL

ADDITIONAL HISTORY (or attach GP summary with the following details)	
Last consultation: see below Active problems: see below Current medication: see below Allergies and sensitives: Smoking status: see below Alcohol status: see below Pathology results – last 6 months: see below TTG (If FIT Negative) see below Urine Dipstick (If FIT Negative): Including FBC, Ferritin, U&Es (within 3 months), AND Urine dipstick, TTG if FIT negative	
* PLEASE COMPLETE FOR ALL REFERRALS:	
*WHO Performance status (see scale below, please tick one) 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐	
WHO Performance Status Scale:	
WHO Grade	Explanation of activity
0	Fully active, able to carry on all pre-disease performance without restriction
1	Restricted in physically strenuous activity but ambulatory and able to carry out work of a light or sedentary nature, e.g., light house work, office work
2	Ambulatory and capable of all self-care but unable to carry out any work activities. Up and about more

	than 50% of waking hours
3	Capable of only limited self-care, confined to bed or chair more than 50% of waking hours
4	Completely disabled. Cannot carry out any self-care. Totally confined to bed or chair

For 2ww office use only

Date referral received	Triage date	Consultant
------------------------	-------------	------------

Last consultation:
Consultations

Minimum Dataset: (recordings in last 6 months)

Blood Pressure	Single Code Entry: O/E - blood pressure reading		
Heart rate	Single Code Entry: Heart rate		
Height	Single Code Entry: Standing height	Smoking Status	Single Code Entry: Ex-smoker...
Weight	Single Code Entry: Body weight	Alcohol Intake	Single Code Entry: Alcohol consumption...
BMI	Single Code Entry: Body mass index	Exercise tolerance:	

TTG	Single Code Entry: Tissue transglutaminase IgG level	
------------	--	--

Blood Results (Last 3m):

FBC		SEE TABLE BELOW		
UE		SEE TABLE BELOW		
LFT		SEE TABLE BELOW		
CRP		Single Code Entry: Serum CRP (C reactive protein) level	ESR	Single Code Entry: Erythrocyte sedimentation rate
TFTs		SEE TABLE BELOW	INR	Single Code Entry: International normalised ratio
Bone		SEE TABLE BELOW		
Iron		Single Code Entry: Serum ferritin level...		
Vitamins		SEE TABLE BELOW		
Lipids		SEE TABLE BELOW		
Random Glucose		Single Code Entry: Plasma random glucose level...	Fasting Chol.	SEE TABLE BELOW
Fasting Glucose		Single Code Entry: Plasma fasting glucose level...	HbA1c	Single Code Entry: Haemoglobin A1c level - International Federation of Clinical Chemistry and Laboratory Medicine standardised...

Problems

Medication

Allergies

Investigations