

Referral to Ambulatory Clinic – Wound Clinic

Ulcer Location								Date this Ulcer first occurred:									
If recurrent, date leg ulcer originally occurred										How many recurrences							
Is the wound showing signs of healing?										Is this referral for a Doppler Test?							
If this referral is for a Doppler Test, is there an open wound?										Has compression hosiery grade 1 been tried?							
Is the patient able to manage hosiery application themselves?																	
History of Lymphoedema				Yes	☐	No	☐	Blood pressure		/ weeks)		mmHg (Taken in last 4					
Other relevant history:		VV	☐	DVT	☐	HT	☐	Phlebitis	☐	MI	☐	Angina	☐	CVA	☐	DM	☐
		RA		☐	Trauma / leg #		☐	CCF /LVF		☐	Blood Disorders		☐				
		Other	☐	(If other please state):													

* Denote Mandatory Field

Medication (include any antibiotic therapy): Please see attached.

Referrer	Free Text Prompt	Referrers Tel	Organisation Telephone Number
Designation	GP	Mobile No	
Base	Organisation Full Address (single line)	Email	Organisation E-mail Address

Transport:

*It is the responsibility of the referrer to ensure that patient is able to get transport to and from clinic
Transport is not provided by the clinic.*

If the patient has had an active ulcer for the past 6 weeks or longer please complete the following;

Grade of staff normally seen by		Average length of visit		Average No. Visits per week	
History of dressings used					

Primary Dressings

Name	Size	No. used (Per dressing)	Used for (No. weeks)

Secondary Dressings

Name	Size	No. used (Per dressing)	Used for (No. weeks)

Retention Bandage

Name	Size	No. used (Per dressing)	Used for (No. weeks)

Average No. of appointments to secondary care (Relating to the Ulcer):

Will the patient continue to be seen by the Practice Nurse until an Ambulatory Clinic appointment is offered to the patient?	Yes	No
	☐	☐

*Official Use Only	Designation				
Completed by (Print Name)		Signature		Date	
				Time	

Problems
Medication
Allergies
Values and Investigations

Send to: bltlap@mpft.nhs.uk