Status	Finished
Started	Thursday, 22 October 2026, 1:44 AM
Completed	Thursday, 22 October 2026, 1:51 AM
Duration	6 mins 14 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. read()
b. readline()
c. readlines() ✓
d. readlist()

The correct answer is: readlines()

Question **2**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Overwrites the file with "Adding new data"
b. Appends "Adding new data" to the end of the file ✓
c. Opens the file in read mode
d. Raises an error because the file is opened in append mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **3**

Incorrect

Mark 0.00 out of 1.00

How do you check if a file is closed in Python?

a. file.closed
b. file.isclosed() ✗
c. file.closed()
d. file.is_closed()

The correct answer is: file.closed

Question **4**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. space
b. \n ✓
c. ,
d. \t

The correct answer is:
\n

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. r+ ✓
b. w
c. a
d. r

The correct answer is: r+

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. wb ✓
b. w
c. r+
d. rb

The correct answer is: wb

Question **7**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. tells you the current position within the file ✓
b. tells you the file is opened or not
c. tells you the end position within the file
d. none of the mentioned

The correct answer is:
tells you the current position within the file

Question **8**

Incorrect

Mark 0.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "a")
b. outfile = open(file = "c:\\scores.txt", "w")
c. outfile = open(file = "c:\scores.txt", "w") ✗
d. outfile = open("c:\\scores.txt", "rw")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **9**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

- a. The buffer size for the file operations ✓
- b. The access mode of the file
- c. The file's read/write position
- d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **10**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

- a.
  - Move file pointer five characters behind from the current position.
- b.
  - Move file pointer five characters behind ahead from the end of a file.
- c.
  - Move file pointer five characters ahead from the current position. ✓
- d. Move file pointer five characters ahead from the beginning

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **11**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. fseek()
b. seek() ✓
c. ftell()
d. tell()

The correct answer is: seek()

Question **12**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. An empty string ✓
b. 0
c. None
d. EOFError

The correct answer is: An empty string

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. truncate() ✓
b. shrink()
c. resize()
d. reduce()

The correct answer is: truncate()

Question **14**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer five characters behind from the current position

b. moves the file pointer to the end of a file

c. move the file pointer five characters ahead from the current position ✓

d. move the file pointer to beginning of the file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **15**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

b. r+ is for read and write, w+ is for append only

c. r+ is for binary read and write, w+ is for text read and write

d. r+ is for read and append, w+ is for read and write

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating