

Muhamad Afifi



ORACLE SCM TRACK

Procurement Setup and Configuration

1. Manage Procurement Agents:

Setup Path:

Home Page > Setup and Maintenance > Procurement > Procurement Foundation > Manage Procurement Agents > Create > Fill Data > Save and Close

Here we define procurement agents and assign their permissions. Each procurement agent has specific privileges that others cannot access, unless explicitly granted.

Setup: Procurement

Functional Areas

- * Initial Users
- * Enterprise Profile
- * Legal Structures
- * Financial Reporting Structures
- * Organization Structures
- Workforce Structures
- * Users and Security
- * Purchasing Categories
- * Suppliers
- * Approval Management
- * Procurement Foundation**
- Items

Procurement Foundation

Task	Scope	Actions
Manage Procurement Agents		
Manage Payment Terms		
Manage Units of Measure		
Configure Procurement Business Function		
Configure Requisitioning Business Function		
Manage Procurement Agents	MA BU	

Manage Procurement Agents

Search

Procurement BU

Agent

Status

Search Results

Procurement BU	Agent	Default Requisitioning BU	Status
----------------	-------	---------------------------	--------

Create Procurement Agent ?

Save Save and Close Cancel

* Procurement BU MA BU

* Agent Afifi, Muhamad

Default Requisitioning BU MA BU

Default Printer

Status Active

Agent Access

Action	Allowed	Access to Other Agents' Documents
Manage Requisitions	☒	Full
Manage Purchase Orders	☒	Full
Manage Purchase Agreements	☒	Full
Manage Negotiations	☒	Full
Manage Sourcing Programs	☒	Full
Manage Catalog Content	☒	Not Applicable
Manage Suppliers	☒	Not Applicable
Manage Supplier Qualifications	☒	Full
Manage Compliance Checklists	☒	Full
Manage Approved Supplier List Entries	☒	Not Applicable
Analyze Spend	☒	Not Applicable

Additional Information

Context Prompt

- **Procurement BU:** The Business Unit on which the agent will be assigned procurement access.
- **Agent:** The procurement agent must be a person, and can be assigned across multiple BUs.
- **Default Requisitioning BU:** The BU assumed by the system when the agent creates a requisition or performs any requisition-related activity.
- **Action:** Determines the actions the agent is allowed to perform.
- **Access to other agents' documents:** Controls whether the agent can access documents of other agents:
 - **Full:** Can view, edit, and delete other agents' documents.
 - **None:** Cannot view or access other agents' documents.
 - **View:** Can only view documents without modification rights.


- **Modify:** Can edit other agents' documents but cannot delete them.

2. Manage Buyer Assignment Rules:

Setup Path:

Home Page > Setup and Maintenance > Procurement > Purchasing Foundation > Manage Buyer Assignment Rules > Add > Fill Data > Test Rule > Save and Close

This is used to define rules that determine which buyer will be automatically assigned to a Purchase Requisition.



The screenshot displays the Oracle Procurement Setup interface for managing buyer assignment rules. The top navigation bar includes the Oracle logo and various utility icons. The breadcrumb trail shows the path: Setup: Procurement > Purchasing Foundation > Manage Buyer Assignment Rules.

Functional Areas: A list of setup areas is shown on the left, with 'Purchasing Foundation' selected and highlighted. Other areas include Initial Users, Enterprise Profile, Legal Structures, Financial Reporting Structures, Organization Structures, Workforce Structures, Users and Security, Purchasing Categories, Suppliers, Approval Management, Procurement Foundation, Items, and Procurement Transaction Account Rules.

Purchasing Foundation Tasks: A table of tasks is displayed, with 'Manage Buyer Assignment Rules' selected and highlighted. The table includes columns for Task, Scope, and Actions.

Manage Buyer Assignment Rules: This section contains search filters for Requisitioning BU, Procurement BU, Commodity, and Buyer. Below the filters, a table shows search results for the selected criteria. The table has columns for Rule Sequence, Rule Set, Requisitioning BU, Commodity, Deliver-to Organization, Project, Cost Center, Supplier, Noncatalog Request, Exceeds Line Amount, Currency, and Assigned To. The current search results show 'No results found.'

Manage Buyer Assignment Rules

Save Save and Close Cancel

Last Saved 17/8/2025 06:57 AM

Search

Search Results

Actions View Format Add Remove Freeze Detach Wrap Test Rule Manage in Spreadsheet Rule Set

* Rule Sequence	Rule Set	** Requisition BU	** Commodity	Deliver to Organization	Project	Cost Center	Supplier	Noncatalog Request	Exceeds Line Amount	Currency	Procurement BU	Buyer	Assigned To
535	Default	MA BU		MA Inventory 1						USD	MA BU	Afifi, Muhamad	
537	Default	MA BU								USD	MA BU	Afifi, Muhamad	
536	Default	MA BU		MA Inventory 2						USD	MA BU	Afifi, Muhab	

- **Rule Sequence:** This is the order of rules that the system follows to determine the Buyer.
The system starts with Rule Sequence = 1, then 2, 3, and so on. The first rule that matches the PR or PO will stop the process, and the Buyer defined in that rule will be assigned.
- **Requisitioning BU:** Here we define the BU from which the PR will be created. It can be one BU or multiple BUs, and sometimes only one BU is responsible for Procurement.
- **Commodity:** This is the catalog. You can use it to make the system assign a Buyer for a specific catalog.
- **Deliver to Organization:** If the PR is specified to go to a certain Organization, you define it here.
- **Procurement BU:** Here we put the Procurement BU, which can be one or more depending on the setup.
- **Buyer:** The Buyer who will be assigned directly once all the above conditions are met.

Note: If you create a rule without specifying the **Deliver to Organization**, then in that case, if a PR is created for any Organization not included in the rules, the Buyer you defined will be responsible for those Organizations as well.

- **Test Rule:** Finally, we test the rule to confirm that the conditions we defined are working as expected.

3. Manage Procurement Document Numbering:

Setup Path:

Home Page > Setup and Maintenance > Procurement > Procurement Foundation > Manage Procurement Document Numbering > Add > Fill Data > Save and Close

This defines the numbering sequences for procurement documents (PR, PO, Agreements, Negotiations).

Setup: Procurement

Functional Areas

- * Initial Users
- * Enterprise Profile
- * Legal Structures
- * Financial Reporting Structures
- * Organization Structures
- Workforce Structures
- * Users and Security
- * Purchasing Categories
- * Suppliers
- * Approval Management
- * **Procurement Foundation**
- * Items

Procurement Foundation

Task	Scope	Actions
Manage Units of Measure		
Manage Carriers Lookups		
Manage Carriers		
Manage FOB Lookup		
Manage Freight Terms Lookup		
Manage Purchasing Profile Options		
Manage Procurement Document Numbering		
Manage Purchasing Line Types		
Manage Document Styles		
Configure Procurement Business Function		

Manage Procurement Document Numbering

Search

Search Results

Document Type	Determinant Type	* Determinant Value	Prefix	* Next Number	Suffix	Minimum Digits	Preview
Requisition	Requisitioning BU	MA BU	MA-	20250001		10	MA-0020250001

- **Document Type:** Here you specify which document the numbering sequence applies to, such as PR (Purchase Requisition), PO (Purchase Order), Negotiation, or Agreements. Each BU has its own numbering sequence even if it's the same document type. *Exception:* POs are controlled at the **Legal Entity** level, not just BU level.

- **Determinant Type:** This shows the level at which the sequence applies. It is system-controlled and cannot be modified.
- **Determinant Value:** The BU where the numbering sequence will be applied.
- **Prefix:** A fixed text or number (or both) that appears before the sequential number. It remains constant and does not change when the Next Number increases.
- **Next Number:** The number the system will assign to the next procurement document created (PR, PO, Agreement, etc.). In other words, it's the counter that tells the system: *"The next document will use this number."*
- **Suffix:** Similar to the Prefix, but it is added at the end of the document number.
- **Minimum Digits:** The minimum number of digits required for the numeric part of the document number. If the number is shorter, the system adds leading zeros to reach the required length.
- **Preview:** Displays the final format of the document number, showing how the first generated number will appear.

4. Manage Approval Group (BPM Worklist):

Setup Path:



Home Page > Setup and Maintenance > Procurement > Approval Management > Manage Approval Group > Add > Fill Data > Save and Close

- **Manage Approval Group:** This function allows you to create a group of approvers (users) who will participate in the approval workflow for procurement documents, such as Purchase


Requisitions or Purchase Orders. The group can include one or multiple employees, depending on business needs.

- **Purpose:**


1. To group approvers into one approval group instead of selecting them individually every time.
2. To simplify approval management — instead of building complex rules, you can directly reference a pre-defined approval group.
3. To provide flexibility — the same approval group can be reused across multiple rules.




Add +: This option lets you create a new approval group that can later be linked in the approval cycle. The group can even start with a single person, as we'll see next.



- After clicking the first **Add**, you need to give the group a **name**. In this example, I named it **MA-1000**, based on the rule that any expenses less than or equal to 1000 will be handled by this group.
- Once the group name is set, the second step is to **Add the user or another group** into it, as we'll see next.



- After clicking **Add**, I got the option to choose whether to add a **User** or an already existing **Approval Group**.
- Here, I selected **User** and started with the lowest level approver in the approval cycle. Then I clicked **Save**.
- Next, to extend the approval cycle, I repeated the same process and clicked **Add** again. This time, I created another group called **MA-3000**, which will handle approvals for any expenses **greater than 1000 and less than or equal to 3000**.
- Here, instead of only adding Users, I tried adding the **Approval Group** we just created along with another User. This is useful when a group contains many users, as it saves effort and time.



- As shown here, I selected the **Approval Group** first.
- After that, I clicked **Add** again to choose and add the specific **User** I wanted.

The screenshot shows a web interface for managing approvals. At the top, there's a 'Details' section with a 'Name' field containing 'MA-3000'. To the right are 'Save' and 'Revert' buttons. Below this is a 'Members' section with a '+', '-', and 'x' icon. In the center, a flowchart is displayed: a top box with a document icon points down to a box labeled 'MA-1000' (with a group icon), which points down to a box labeled 'shadyaffi1322' (with a user icon), which finally points down to a download icon. The 'MA-1000' and 'shadyaffi1322' boxes are highlighted with red rectangles.

- The **MA-3000 group** is responsible for handling purchases **greater than 1000 and less than or equal to 3000**.

- I can add approvers either by using **Users only** without a group, or by combining groups with users, both options are available depending on the requirement.


** There are also several other approval methods, which I'll cover in a separate topic.*

- After this, we'll start linking the **approval cycle** to either the **Purchase Requisition (PR)** or the **Purchase Order (PO)**, as needed.

5. Manage Requisition Approval Cycle:

Setup Path:

Home Page > Setup and Maintenance > Procurement > Approval Management > Manage Requisition Approvals > Select a Stage and Routing > Edit Rule > Create Rule > Add Condition > Add Action > Save > Deploy > Save and Close



Here, we'll start creating the **Approval Cycle** so that once the request is approved, it will automatically move to the **Procurement team** to fulfill the purchase request.

Manage Requisition Approvals				
Stage	Participant	Routing	Voting Regime	Enabled
Header Preapproval Stage	Requester FYI	FYI		
Header Preapproval Stage	Preapproval Header Consensus	Parallel	Consensus	
Header Preapproval Stage	Preapproval Header First Responder Wins	Parallel	First Responder Wins	
Header Preapproval Stage	Preapproval Header Hierarchy	Serial		
Header Stage	Header Hierarchy	Serial		✓
Header Stage	Header First Responder Wins	Parallel	First Responder Wins	
Header Stage	Header Consensus	Parallel	Consensus	✓
Header Stage	Header Hierarchy 2	Serial		
Header Stage	Header Hierarchy 3	Serial		
Header Postapproval Stage	Postapproval Header Consensus	Parallel	Consensus	
Header Postapproval Stage	Postapproval Header First Responder Wins	Parallel	First Responder Wins	
Header Postapproval Stage	Postapproval Header Hierarchy	Serial		
Header Postapproval Stage	Funds Override Approval	Parallel	Consensus	✓

- **Stage:** Here we define the stage that the business requires. Each stage has a different purpose, and the Approval Cycle can pass through multiple stages if needed. The stages are:

1. **Header Preapproval Stage:** This comes before the Header Stage, where approvers validate the overall eligibility of the request before it goes for formal approval.
2. **Header Stage:** The main approval stage. It can work as the only stage if no Preapproval stage is used.

3. **Header Postapproval Stage:** This stage comes after the Header Stage. It can be used to reconfirm the approval or to review/reject after the initial approval.

You can include whichever stages the business requires.

- **Routing:** This defines how the approval request is sent to users:

1. **Serial** → Sequential routing; the request goes one by one in the group order.
2. **Parallel** → Sent to all approvers at the same time.
3. **FYI** → Sent only as a notification, without the ability to approve or reject.

- **Voting Regime:** Defines how the decision is made:

1. **Consensus** → Approval must be unanimous; if one rejects, the request is rejected.
2. **First Responder Wins** → The first response decides the outcome (approve or reject).

- In this case, I will work with: **Header Stage – Serial – Consensus.** Then, I'll click **Edit Rules** to proceed.

Edit Approval Rules: Header Hierarchy ⓘ

Approval Task Requisition Approvals Routing Serial

Version 11.13.24.07.0

Stage Header Stage

Participant Header Hierarchy


Rules ⓘ

Actions View Format [Add] [Edit] [Delete] [Freeze] [Detach] [Wrap] [Disable]

Rule	Pri Conditions	Enabled
CRM Users and 100	M.. Overriding Approver Is blank AND Requisition Approval Amount Greater than or equal to 100 AND Requester Is in (Iyer, Arjun, Chen, Anya, Zhao, Davi, Ito, Hanuel, Lee, Yuna, Agrawal, ...)	✓
Requisition Supervisory 50K Approval	M.. Overriding Approver Is blank AND Requisition Approval Amount Greater than or equal to 50000 AND Requisitioning BU Is not in (Progress US Business Unit, Japan Business Unit, India ...)	✓
Japan and India BU Requisition under 1M Self Ap...	M.. Overriding Approver Is blank AND Requisition Approval Amount Less than 1000000 AND Requisitioning BU Is in (India Business Unit 01, Japan Business Unit)	✓
Requisition Self Approval under 50K	M.. Overriding Approver Is blank AND Requisition Approval Amount Less than 50000 AND Requisitioning BU Is not in (SAPS Business Unit, Japan Business Unit, India Business Unit, Progr...	✓
Requisition 50K and Override	M.. Requisitioning BU Is not in (SAPS Business Unit, India Business Unit, Japan Business Unit, Progress US Business Unit) AND Overriding Approver Is not blank AND Requisition Approval...	✓


Columns Hidden 1

- We'll click **Create**, then add the required **Conditions** and **Actions**.
- If you find the predefined rule **"Requisition Self Approval under ..."**, you can simply **duplicate** it and adjust as needed. In my case, I'll create a duplicate to work on.



The 'Create Rule' dialog box is shown. It has a title bar 'Create Rule'. Inside, there is a text field for 'Rule' with the value 'MA-1000', a dropdown for 'Priority' set to 'Medium', and a text field for 'Description' with the value 'MA-1000'. At the bottom right, there are 'OK' and 'Cancel' buttons.


Here, I'll link this step to the **first Approval Group** we created earlier, so that the approval cycle is connected to it.



The 'MA-1000: Details' page shows a 'Conditions' section. It has a toolbar with 'Add Condition' and 'Add Operator' buttons. Below is a table with the following conditions:

Condition
AND
Overriding Approver Is blank
Requisition Approval Amount Less than 50000 1
Requisitioning BU is not in (SA PS Business Unit, Japan Business Unit, India Business Unit, Progress US Business Unit) 2

- Now, we'll start modifying the **Conditions** and add what we need.
- **Overriding Approver is blank**: This means there's no override, so the system will follow the standard **Approval Rules**.



The 'Edit Condition' dialog box is shown. It has a title bar 'Edit Condition' and a red '1' in the top right. Inside, there is a dropdown for 'Type' set to 'Approval task attribute', a text field for 'Attribute' with the value 'Requisition Approval Amour', a dropdown for 'Operator' set to 'Less than or equal to', a dropdown for 'Value Type' set to 'Value', and a text field for 'Value' with the value '1,000'. At the bottom right, there are 'OK' and 'Cancel' buttons.

Here, I'll set the **Requisition Amount** condition to be **less than or equal to 1000**. This way, the system will route such requests to the **Approval Group** that is responsible for this range.

2

Type Approval task attribute

* Attribute Requisitioning BU

Operator Equals

Value Type Value

* Value MA BU

OK Cancel

Here, I specify **which Business Unit (BU)** the rule will apply to.

MA-1000: Details

Conditions

Actions View Format X Freeze Detach Wrap Add Condition Add Operator

Condition

- AND
- Overriding Approver Is blank
- Requisition Approval Amount Less than or equal to 1000
- Requisitioning BU Equals MA BU

Actions


Action 1

Action Type Automatic

Set Outcome To Approved

Add Action

Next, we start adding the **Actions** and link the selected **Approval Group** to the chosen **Stage**.



Here, we assigned the group that we created earlier in the **Approval Group** setup.

- After this, we will **duplicate the rule** for each group created for a specific **amount range**.
 - For example: if we are working with **MA-3000**, we'll add a new condition stating that the **amount must be greater than 1000**, then continue the rest of the setup as normal.
- Once everything is done, don't forget to **Save** and then **Deploy** — this is the most important step.

* Now we are ready to create a **Purchase Requisition (PR)**.

- I'll continue in **Part 3** with the rest of the setup so that we can move forward to creating the **Purchase Order (PO)**.