

ORACLE FUSION CLOUD APPLICATIONS

Oracle AI Agent

Receipt Creation Assistant

Configuration and Deployment Guide

Oracle Fusion Cloud SCM | Inventory Management and Receiving
AI Agent Studio • Guided Journeys • Visual Builder Studio

PREPARED BY
Mohamed Ramadan Abdelhamid

Version 1.0 | September 2026

Table of Contents

1. Overview..... 3
1.1 Solution Components..... 3
1.2 High-Level Process..... 3

2. Prerequisites..... 4
2.1 Profile Options..... 4
2.2 Roles for Administrators and Implementers..... 4
2.3 Roles and Privileges for End Users..... 5
2.4 Security Console Setup..... 5

3. Configuration Steps..... 7
Part A – Create the AI Agent Workflow..... 7
Part B – (Optional) Enable Arabic Language Support..... 10
Part C – Create the Guided Journey..... 11
Part D – Attach the Journey to the Expected Shipment Lines Page..... 15
Part E – Validate as an End User..... 17

4. Troubleshooting..... 19

1. Overview

This guide describes how to configure and deploy the Oracle-delivered Receipt Creation Assistant AI agent in Oracle Fusion Cloud Inventory Management. After deployment, receiving users can open the agent directly from the Redwood Expected Shipment Lines page and create receipts in natural language instead of entering them manually.

The agent supports receipts for the following source document types:

- Purchase Orders (PO)
- Transfer Orders (TO)
- Advance Shipment Notices (ASN)
- Return Material Authorizations (RMA)
- In-transit shipments

It also handles plain items as well as lot-controlled, serial-controlled, and lot-and-serial-controlled items.

1.1 Solution Components

The deployment consists of the following objects. Keep these names and codes consistent across environments.

Component	Name	Code
AI Agent Studio workflow	Receipt Creation Assistant _AI	`RECEIPT_CREATION_ASSISTANT_EMAIL_RECEIPT_CREATION_ASSISTANT_AI`
Guided journey	Receipt Creation Assistant	`RECEIPT_CREATION_ASSISTANT`
Guided journey task	Receipt AI Agent	`RECEIPT_AI_AGENT`
Host page (Redwood)	Expected Shipment Lines	—
Page property (VB Studio)	Set Guided Journey Code at the Page Level	`RECEIPT_CREATION_ASSISTANT`

1.2 High-Level Process

Part A – Create the AI agent workflow from the Oracle template and publish it.

Part B – (Optional) Enable Arabic language support in the agent prompts.

Part C – Create a guided journey with an Agent task that points to the workflow.

Part D – Attach the guided journey to the Expected Shipment Lines page using Visual Builder Studio.

Part E – Validate the agent as an end user.

2. Prerequisites

2.1 Profile Options

Set the following profile options before starting the configuration. Profile option changes take effect the next time users sign in.

Profile Option Code	Purpose	Level	Value	Setup Task
ORA_ASE_SAS_INTEGRATION_ENABLED	Enable Security Console External Application Integration. Required to enable permission groups on job roles for AI agents.	Site	Yes	Manage Administrator Profile Values
ORA_PER_JOURNEYS_ENABLED	Enables Journeys.	Site	Y	Manage Administrator Profile Values
ORA_PER_GUIDED_JOURNEYS_ENABLED	Enables Guided Journeys.	Site	Y	Manage Administrator Profile Values
ORA_PER_GUIDED_JOURNEYS_SETUP_REDWOOD_ENABLED	Enables guided journeys on Redwood pages.	Site	Y	Manage Administrator Profile Values
ORA_RCV_EXPECTED_SHIPMENTS_REDWOOD_ENABLED	Enables the Redwood Expected Shipment Lines page (host page for the agent).	Site	Yes	Manage Receiving Profile Options
ORA_RCV_INBOUND_SHIPMENTS_REDWOOD_ENABLED	Enables the Redwood Inbound Shipments page (recommended).	Site	Yes	Manage Receiving Profile Options

How to set a profile option: Navigator > My Enterprise > Setup and Maintenance > Search > enter the setup task name > search for the profile option code > set the Site value > Save and Close.

2.2 Roles for Administrators and Implementers

The user who builds and deploys the agent must be assigned a configured (custom) job role that contains the following roles.

Role Name	Role Code	Type	Where to Add / Purpose
SCM Intelligent Agent Management Duty	ORA_RCS_SCM_AI_AGENT_MANAGEMENT_DUTY	Duty	Role Hierarchy > Roles and Privileges. Manage SCM AI agents.
SCM Intelligent Agent Management Duty (HCM)	ORA_RCS_SCM_AI_AGENT_MANAGEMENT_DUTY_HCM	Duty	Role Hierarchy > Roles and Privileges. Required together with the role above.
Fai Genai Agent SCM Administrator Duty	ORA_DR_FAI_GENERATIVE_AI_AGENT_SCM_ADMINISTRATOR_DUTY	Duty	Role Hierarchy > Roles and Permission Groups. Access AI Agent Studio for SCM.

Role Name	Role Code	Type	Where to Add / Purpose
Fai Genai Agent Runtime Duty	ORA_DR_FAI_GENERATIVE_AI_AGENT_RUNTIME_DUTY	Duty	Roles and Permission Groups. Needed to test the agent on the page.
Manage All Intelligent Agents	ORA_FAI_MANAGE_ALL_AI_AGENTS	Privilege	Conditional: only if the user does not have Application Implementation Consultant.
Application Implementation Consultant	ORA_ASM_APPLICATION_IMPLEMENTATION_CONSULTANT_JOB	Job	Setup and Maintenance access (profile options, setup tasks).
Human Capital Management Application Administrator (or equivalent)	ORA_HRC_HUMAN_CAPITAL_MANAGEMENT_APPLICATION_ADMINISTRATOR_JOB	Job	Access to Journeys Setup > Guided Journey.
Application Developer (or equivalent)	ORA_FND_APPLICATION_DEVELOPER_JOB	Job	Access to Edit Page in Visual Builder Studio.

> **Note:** Job role names in the last three rows may differ in your security model. Any role that grants the same access (Setup and Maintenance, Journeys Setup, and Visual Builder Studio page editing) is acceptable. Confirm with your security administrator.

2.3 Roles and Privileges for End Users

Receiving users who will use the agent on the Expected Shipment Lines page need the following in their configured job role.

Role / Privilege Name	Code	Type
Fai Genai Agent Runtime Duty	ORA_DR_FAI_GENERATIVE_AI_AGENT_RUNTIME_DUTY	Duty (Roles and Permission Groups)
Receive Receiving Shipment Line	RCV_RECEIVE_RECEIVING_SHIPMENT_LINE_PRIV	Privilege
Receive Goods Using Responsive Receiving	RCV_RECEIVE_GOODS_USING_RESPONSIVE_RECEIVING_PWA_PRIV	Privilege
Put Away Receiving Receipt	RCV_PUT_AWAY_RECEIVING_RECEIPT_PRIV	Privilege
Create Receiving Receipt by Web Service	RCV_CREATE_RECEIVING_RECEIPT_WEB_SERVICE_PRIV	Privilege
Create Receipt with the Responsive Self Service Receiving Application	RCV_CREATE_RECEIPT_WITH_PWA_PRIV	Privilege
Base receiving job role (for example, Warehouse Manager)	ORA_INV_WAREHOUSE_MANAGER_JOB	Job (with inventory organization data access)

2.4 Security Console Setup

- Open Navigator > Tools > Security Console > Roles.

- Copy or create a configured job role. On the Basic Information step, select Enable Permission Groups.
- On Role Hierarchy > Roles and Privileges, add the Intelligent Agent Management duties and the receiving privileges.
- On Role Hierarchy > Roles and Permission Groups, add the Fai Genai Agent duty roles.
- Save the role and assign it to the required users. Users must sign out and sign in again.

Important: Without permission groups enabled on the job role that contains the Fai Genai Agent Runtime Duty, users will not be able to interact with the agent even if it is visible on the page.

3. Configuration Steps

Part A – Create the AI Agent Workflow

Step 1: Open AI Agent Studio

From the Navigator, expand Tools and select AI Agent Studio.




Figure 1: *Navigator > Tools > AI Agent Studio*

Step 2: Open the Agent Template Gallery

On the AI Agent Studio home page, select Marketplace from the left panel to open the list of Oracle-delivered agent templates.




Figure 2: *AI Agent Studio home page*

Step 3: Filter the Templates

In the search bar, filter by **Family = SCM** and **Product = Inventory Management**.




Figure 3: *Filter templates by Family and Product*

Step 4: Copy the Receipt Creation Assistant Template

Locate the **Receipt Creation Assistant** card and click **Copy Template**. Copying (rather than using) the template automatically adds a suffix to every artifact in the agent team and keeps the Oracle template unchanged.




Figure 4: *Copy the Receipt Creation Assistant template*

Step 5: Enter the Agent Team Suffix

Enter a suffix (for example, **Receipt Creation Assistant (AI)**) and click **Continue**. The copied agent team opens on the design canvas.




Figure 5: *Copy Template dialog*

Step 6: Publish the Workflow

Review the canvas and save. Then open **Workflows** from the left panel. Edits are saved as a **Draft** version; to make them live, click the edit (pencil) icon on the Draft row and click **Publish**. Confirm that the status is **Published**.




Figure 6: *Workflows list showing the published workflow*

> **Note:** Only the Published version is used at runtime. If a Draft row exists, it contains unpublished changes.

Part B – (Optional) Enable Arabic Language Support

The underlying language model generally understands Arabic. To make responses consistent and to protect system values (document numbers, item numbers, codes), add language instructions to the workflow prompts.

Step 7: Update the Read Input Node

- Open the workflow in Draft mode from Workflows (pencil icon).
- On the canvas, select the **Read Input** node (type LLM). This node reads the user message and determines the document type.
- Append the following text to the end of its prompt:

```
Language handling:
- The user may write in Arabic or English. Understand both.
- Extract the same values regardless of the user's language.
- All output values MUST be in English exactly as the workflow expects.
  Never output these values in Arabic.
- Keep document numbers, item numbers, organization codes and UOM exactly
  as written in the system. Never translate them.
- If the user writes numbers in Arabic digits, convert them to English digits.
```

> **Important:** The If Condition nodes after Read Input compare exact English values (for example, the document type). Make sure the prompt still returns those exact values, otherwise the workflow will route to the wrong branch.

Step 8: Update the Response Nodes

For the LLM node that composes the final message to the user, append:

```
Always reply in the same language the user used (Arabic or English).
```

Agent nodes in the branches (PO, TO, ASN, RMA, In-transit) cannot be edited from the canvas. If needed, edit their instructions from the Agents list in AI Agent Studio. If an agent is Oracle-delivered and locked, duplicate it, edit the copy, and re-point the node to the copy. Save and publish the workflow.

Part C – Create the Guided Journey

Step 9: Open Guided Journey Setup

Navigate to **My Client Groups > Show More > Journeys Setup** and select **Guided Journey**. Alternatively, use Setup and Maintenance and search for the Guided Journeys task.




Figure 7: *Journeys Setup > Guided Journey*

Step 10: Create a New Guided Journey

Click **Create**.




Figure 8: *Guided Journey list*

Step 11: Enter the Journey Details

Enter the following values and click Create Draft.

Field	Value
Creation Method	New

Field	Value
Name	Receipt Creation Assistant
Code	RECEIPT_CREATION_ASSISTANT
Allow access for external users	Off




Figure 9: *New Journey panel*

Note: Record the journey code. It is required later in Visual Builder Studio.

Step 12: Add a Task

In the **Tasks** section, click **Add**. Do not use the Add button under Background image.




Figure 10: *Add a task to the guided journey*

Step 13: Enter the Task Details

Field	Value
Task Name	Receipt AI Agent
Task Description	AI agent to create receipts for PO, TO, ASN, RMA and In-transit shipments
Date From / Date To	Leave blank
Status	Active
Sequence	1
Code	`RECEIPT_AI_AGENT`
Instructions (optional)	Enter the PO, Transfer Order, ASN or RMA number you want to receive.




Figure 11: *New Task – Overview*

Step 14: Link the Task to the Workflow Agent

Field	Value
Task Type	Agent
Agent Type	Workflow Agent
Workflow Agent	Receipt Creation Assistant _AI (the published workflow from Part A)




Figure 12: *Task Type, Agent Type and Workflow Agent*

Important: Do not select RAG Agent. A RAG agent only answers from documents and cannot create receipts. Also leave Owner and Owner Responsibility Type blank; they are not required for this task.

Click **Save**.

Step 15: Activate the Journey

Click **Activate** at the top right of the journey page.




Figure 13: *Activate the guided journey*

Confirm that the journey status is **Active**.




Figure 14: *Guided journey in Active status*

Part D – Attach the Journey to the Expected Shipment Lines Page

Step 16: Open the Expected Shipment Lines Page

Open **Inventory Management**, click **Show More** under Actions, search for **EXP**, and select **Expected Shipment Lines**.




Figure 15: *Open Expected Shipment Lines from Inventory Management*

> **Note:** Only Redwood pages can be extended with Visual Builder Studio. If the page opens in the classic user interface, set ORA_RCV_EXPECTED_SHIPMENTS_REDWOOD_ENABLED to Yes, then sign out and sign in again.

Step 17: Open Visual Builder Studio

Click the user avatar to open **Settings and Actions** and select **Edit Page in Visual Builder Studio**.




Figure 16: *Settings and Actions > Edit Page in Visual Builder Studio*

Step 18: Set the Guided Journey Code

- Make sure **Express** mode is selected (Advanced mode is not supported).
- In **Page Properties**, locate **Set Guided Journey Code at the Page Level** and enter `RECEIPT_CREATION_ASSISTANT`.
- Leave Set Guided Journey Task Codes at the Page Level empty to display all tasks in the journey.
- The Receipt AI Agent card appears in the page preview.




Figure 17: *Page Properties in Visual Builder Studio*

Step 19: Publish the Page Extension

Click **Publish**, enter a short comment describing the change, and click **Publish** again.




Figure 18: *Publish the page extension*

Part E – Validate as an End User

Step 20: Test the Agent

- Sign in as a receiving user who has the roles listed in section 2.3.
- Open Inventory Management > Expected Shipment Lines and refresh the page (Ctrl + F5).
- On the **Receipt AI Agent** card, click **Ask Oracle**. The Receipt Creation Assistant chat panel opens.




Figure 19: *Receipt Creation Assistant running on Expected Shipment Lines*

Sample prompts:

```
Receive purchase order PO-12345 line 1, quantity 10
Create a receipt for ASN ASN-5678
Receive transfer order TO-2001 into subinventory STORES
Receive RMA 30045 for item A100, quantity 2
```

After a successful receipt, the agent displays the receipt details and a link to the Received Lines page for review.

4. Troubleshooting

Issue	Likely Cause	Resolution
Agent card does not appear on the page	Journey not Active, code not set, or page extension not published	Verify the journey status, the page property value, and publish the VB Studio changes. Refresh with Ctrl + F5.
Edit Page in Visual Builder Studio is missing	Classic page or missing privileges	Enable the Redwood page profile option and confirm the user has page editing access.
Agent appears but user cannot chat	Runtime duty missing or permission groups disabled	Add Fai Genai Agent Runtime Duty and enable permission groups on the configured job role.
Changes to the workflow are not reflected	Changes saved as Draft only	Open the Draft version from Workflows and click Publish.
Workflow not listed under Workflow Agent	Workflow not published or wrong Agent Type	Publish the workflow and set Agent Type to Workflow Agent.
Agent routes to the wrong document type	Prompt returns translated or unexpected values	Ensure Read Input returns the exact English values expected by the If Condition nodes.
Receipt fails with a security error	User lacks receiving privileges or organization access	Add the receiving privileges in section 2.3 and inventory organization data access.
Agent visible on the wrong page	Journey code entered on another page	Remove the journey code from that page's properties and publish.