




REACT NATIVE TOOLBOX

01 - 18

©NIR CHEN



SYLLABUS



- **-01 Expo**
- 00 Debug
- 01 APK Creation and google play
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation v6
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking
- 17-1 Maps
- 17 Fingerprint authentication
- 18 Async Storage
- 19 Images

EXPO

- הכי מהיר זה לעבוד ב-LOCALHOST כאשר המכשיר וגם המחשב מחוברים על אותה רשת WIFI.
- ניתן לחבר את המכשיר למחשב עם כבל USB ולאחר מכן ("איתור באגים של USB") דרך ה-USB ב"אפשרויות למפתחים"



SYLLABUS

- **00 Debug**
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

DEBUG

Go to Home

Disable Fast Refresh

Debug Remote JS

Show Performance Monitor

Show Element Inspector


1. לשקש \לנענע\לנער את המכשיר ואז לבחור בתפריט את "Debug JS Remotely"
2. יפתח הכרום בצורה אוטומטית ואז יש ללחוץ F12
3. יש לבחור את הטעב של Sources
4. כאשר נגיע לPOINT BREAKPOINT הקוד יעצר בשורה המתאימה ואז אפשר לדאגג רגיל.

```
function btnPush() {
  debugger;
  console.log(1);
  let num=7;
```

©NIR CHEN


```
9   function btnPush() {
L0  L1   debugger;
L2  L3   console.log(1);
L4  L5   let num=7;
L6  L7   console.log(num);
      }
      function txtName(n, e) {
```

▼ Call Stack
btnPush
C:\Users\Nir\I
Button._this.han
C:\Users\Nir\I
_performTransit
C:\Users\Nir\I



DEBUG IN VS CODE

- <https://github.com/Microsoft/vscode-react-native/blob/master/doc/expo.md>
- נירן להתקין תוסף שמאפשר לדאג במקום בכרום בתוך ה- `visual code` עצמו.
- להתקין את התוסף `react native tools`
- יתכן ותתבקשו להכניס שם ISO סמך של EXPO



• לבחור

Expo QR Code - rn - fingerprint - Visual Studio Code

Edit Selection View Go Debug Terminal Help

DEBUG AND ... JS App.js X

VARIABLES JS App.js > App > render

WATCH

CALL STACK

```
59 title={ 60   this.state.authent 61     ? 'Reset and beg 62     : 'Begin Authent 63   } 64   onPress={() => [ 65     this.clearState(); 66     if (Platform.OS == 67       this.setModalVis 68     } else { 69       this.scanFingerP 70     } 71   } 72   /> 73 74   {this.state.authentica
```

Expo is running. Open your Expo app at
<exp://uv-3h7.nirc.rn---fingerprint.exp.direct:80>
or scan QR code below:




PROBLEMS OUTPUT DEBUG CONSOLE ... React Native

Loading dependency graph, done.

master* ⑧ 0 Δ 0 ▶ Debug in Exponent (rn - fingerprint) React Native Packager Started

DEBUG IN VS CODE

- חיב להיות שרת אחד רגיל שרגע ברקע!
- לחכות למסר שייציג QR לסריקה – לוקח זמן, סבלנות😊
- ברגע שמסתים – לشكشك את המכשיר ולבחר את האופציה " JS Debug Remotely"



"Remotely

- לדאג😊

SYLLABUS

- 00 Debug
- 01 APK Creation and google play
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

APK CREATION AND GOOGLE PLAY

אם רוצים את האפליקציה על המכשיר אבל בתוך האפליקציה של EXPO ניתן רק לעשות PUBLISH.

- אם רוצים אפליקציה נפרדת יש ליצור APK
- <https://www.youtube.com/watch?v=IlveG3Qp0no>


npm install -g exp-cli

©NIR CHEN

```
PS C:\Users\Nir\Desktop\try1> expo build:android  
? Choose the build type you would like: » - Use arr  
> apk  
Build a package to deploy to the store or insta  
app-bundle
```

APK CREATION CONT'

```
You can monitor the build at  
https://expo.io/accounts/nirc/projects/try1/builds/08382cb3-c95f-053bd6  
Waiting for build to complete.  
You can press Ctrl+C to exit. It won't cancel the build, you'll b
```




expo login .2
npm start .3

4. לאחר הריצה לסגור את השרת ע"י `Ctrl+c`
5. `expo build:android`

6. לוקח הרבה זמן ~יותר מעשר דקות
7. ניתן לראות את הסטטוס ע"י `exp build:status` וכן ניתן גם
לראות את הסטטוס דרך האתר שלהם ע"י הLINK
שמקבלים.

APK CREATION CONT'

8. ברגע שישתים (לקח הרבה זמן...) תוכל להוריד מהאתר APK!



9. נותר להתקין על הטלפון

- א) פשוט לחבר את הטלפון ב-USB, להעתיק ל- DOWNLOADS וaz בטלפון ללחוץ עליו ולהתקין. תצטרכו לאשר התקינה של צד שלישי.
- ב) ע"י למשל התוכנה ייעודיות של התקנת APK.

UPLOAD TO GOOGLE PLAY


- בסרטון הבא ניתן לראות כיצד להעלות את ה APK שיצרתם לחנות של גוגל
 - <https://www.youtube.com/watch?v=7K6I3Jxi6SE>

SYLLABUS

- 00 Debug
- 01 APK Creation
- **02 React Native Material UI**
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

REACT NATIVE MATERIAL UI

- <https://www.npmjs.com/package/react-native-material-ui>
- npm install react-native-material-ui –save
- npm i react-native-cli
- react-native link react-native-vector-icons
- copy from : ./node_modules/react-native-vector-icons/Fonts/MaterialIcons.ttf
to : assets/fonts



REACT NATIVE MATERIAL UI

- This project uses Roboto as the main font for text. Make sure to add Roboto to your project

The image consists of three side-by-side screenshots. The left screenshot shows the Google Fonts interface with 'Roboto' selected. The middle screenshot shows a 'Family Selected' dialog box with 'Roboto' checked, displaying 'Embed' and 'Customize' options, and a code snippet for embedding the font. The right screenshot shows a file tree with 'assets' and 'fonts' directories, containing various Roboto font files in different styles (e.g., Roboto-Regular.ttf, Roboto-ThinItalic.ttf).

REACT NATIVE MATERIAL UI

- Warp every thing in <ThemeProvider>
- import { Button, ThemeProvider } from 'react-native-material-ui';
- onPress

```
btnPrimaryPress(){
  alert("primary pressed!");
}

render() {
  return (
    <ThemeProvider>
      <View style={styles.container}>
        <Text>Open up App.js to start working on your app!7 {new Date().to
        <Button primary text="Primary" onPress={this.btnPrimaryPress} />
        <Button accent text="Accent" />
      </View>
    </ThemeProvider>
  );
}
```

REACT NATIVE MATERIAL UI

- link to demo site: <https://github.com/xotahal/react-native-material-ui-demo-app/tree/master/src>
- Icons list: <https://blog.foswiki.org/System/MaterialIcons>
- react-native-material-design is similar BUT tested only for android and not for IOS!!!

SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- **03 Fetch**
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

FETCH

- נעשה אותו דבר כמו בReact רגיל. עובד רגיל בEXPRESS
- דוגמאות ל לקריאות ל WEB API ו גם ל WEB SERVICE

SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- **04 Geolocation**
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

GEOLOCATION

- מתוך האתר יש ל-API כל מיני יכולות

```
navigator.geolocation.getCurrentPosition(  
  (position) => {  
    const output=  
      'latitude=' + position.coords.latitude +  
      '\nlongitude=' + position.coords.longitude +  
      '\naltitude=' + position.coords.altitude +  
      '\nheading=' + position.coords.heading +  
      '\nspeed=' + position.coords.speed  
  
    alert(output);  
  },  
  (error) => alert(error.message),  
  { enableHighAccuracy: true, timeout: 20000, maximumAge: 1000 }  
);
```

SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- **05 Camera**
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

```

import { Camera } from 'expo-camera';
...
const [hasPermission, setHasPermission] = useState(null);
const [type, setType] = useState(Camera.Constants.Type.back);
const [camera, setCamera] = useState(null); ←
const [picUri, setPicUri] = useState('https://reactjs.org/logo-og.png');

```

```

useEffect(() => {
  (async () => {
    const { status } = await Camera.requestCameraPermissionsAsync();
    setHasPermission(status === 'granted');
  })();
}, []);
...

```

```

<Camera style={styles.camera}
  ref={ref => setCamera(ref)}
  type={type}>
  <View style={styles.buttonContainer}>

```

```

...
onPress={async () => {
  if (camera) {
    const data = await camera.takePictureAsync(null); ←
    console.log(data.uri)
    setPicUri(data.uri);
  }
}
...

```

```

onPress={() => {
  setType( type === Camera.Constants.Type.back ? Camera.Constants.Type.front : Camera.Constants.Type.back
});...

```

expo install expo-camera

```

<Drawer.Screen name="CameraPage" component={CameraPage}
  options={{
    drawerLabel: 'CameraPage', unmountOnBlur: true
  }} />

```

CAMERA-HOOKS



Reload at 22:37:48

BTN PIC FROM OUTSIDE



• ⟲ ⟳ ⟷ ⟸ ⟹


©NIR CHEN

```
import { Camera } from 'expo-camera';
...
this.state = {
  hasCameraPermission: null,
  type: Camera.Constants.Type.back,
  picUri: 'https://facebook.github.io/react-native/docs/assets/favicon.png'
};
...
async componentWillMount() {
  const { status } = await Camera.requestPermissionsAsync(); ←
  this.setState({ hasCameraPermission: status === 'granted' });
}

btnPic = async () => {
  debugger;
  let photo2 = await this.camera.takePictureAsync(); ←
  //alert(photo2.uri);
  this.setState({ picUri: photo2.uri });
  Vibration.vibrate();
}
...
onPress={() => {this.setState({
  type: this.state.type === Camera.Constants.Type.back ? Camera.Constants.Type.front : Camera.Constants.Type.back
});}
...
<Camera
```

expo install expo-camera

CAMERA



→

SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- **06 Navigation**
- 07 Image Upload
- 08 Push Notification

NAVIGATOR

<https://reactnavigation.org/>

• V6 •

- npm install @react-navigation/native
- expo install react-native-screens react-native-safe-area-context
- npm install @react-navigation/native-stack
- npm install @react-navigation/material-bottom-tabs react-native-paper react-native-vector-icons
- npm install @react-navigation/drawer
- expo install react-native-gesture-handler react-native-reanimated

```
import React from 'react';
import { View, Text } from 'react-native';
import { NavigationContainer } from '@react-navigation/native';
import { createNativeStackNavigator } from '@react-navigation/native-stack';

import FirstPage from './Pages/FirstPage';
import SecondPage from './Pages/SecondPage';
import TabbedPageNavigator from './Pages/TabbedPage';
import MaterialTabbedPage from './Pages/MaterialTabbedPage';

const Stack = createNativeStackNavigator();
function App() {
  return (
    <NavigationContainer>
      <Stack.Navigator initialRouteName="FirstPage">
        <Stack.Screen name="FirstPage" component={FirstPage} />
        <Stack.Screen name="SecondPage" component={SecondPage} />
        <Stack.Screen name="TabbedPageNavigator" component={TabbedPageNavigator} />
        <Stack.Screen name="MaterialTabbedPage" component={MaterialTabbedPage} />
      </Stack.Navigator>
    </NavigationContainer>
  );
}
export default App;
```

STACK NAVIGATOR

```
<TouchableOpacity onPress={() => {
  props.navigation.navigate('SecondPage');
}}>
  <Text style={{ ... }}>
    Goto Second Page!
  </Text>
</TouchableOpacity>
```

```
import React from 'react';
import { createMaterialBottomTabNavigator } from '@react-navigation/material-bottom-tabs';
import MaterialCommunityIcons from 'react-native-vector-icons/MaterialCommunityIcons';
import FirstTabPage from './FirstTabPage';
import SecondTabPage from './SecondTabPage';
import { Text } from 'react-native';
const Tab = createMaterialBottomTabNavigator();

export default function MaterialTabbedPageNavigator() {
  return (
    <Tab.Navigator
      initialRouteName="FirstTabPage"
      activeColor="#55ff00"
      inactiveColor='black'
      barStyle={{ backgroundColor: '#694fad' }}
    >
      <Tab.Screen
        name="FirstTabPage"
        component={FirstTabPage}
        options={{
          tabBarLabel: <Text style={{fontSize: 9, fontWeight: '700', color: 'white'}}> My Tickets </Text>,
          tabBarIcon: ({ color }) => (
            <MaterialCommunityIcons name="bell" color={color} size={25} />
          ),
        }}
      />
    
```

MATERIAL BOTTOM TABBED NAVIGATOR

There is also MaterialTopTabNavigator

```
<Tab.Screen
  name="SecondTabPage"
  component={SecondTabPage}
  options={{
    tabBarLabel: 'Second Page',
    tabBarIcon: ({ color }) => (
      <MaterialCommunityIcons name="baseball" color={color} size={25} />
    ),
  }}
/>
</Tab.Navigator>
);
}
```

MATERIAL BOTTOM TABBED NAVIGATOR CONT

There is also MaterialTopTabNavigator

```
import { createDrawerNavigator } from '@react-navigation/drawer';
const Drawer = createDrawerNavigator();


function MyDrawer() {
  return (
    <Drawer.Navigator initialRouteName="FirstPage">
      <Drawer.Screen
        name="FirstPage"
        component={FirstPage}
        options={{ drawerLabel: 'FirstPage' }}
      />
      <Drawer.Screen...
    </Drawer.Navigator>
  );
}

//pay attention that the stack navigator screens must match the drawer screens!
const Stack = createNativeStackNavigator();
function App() {
  return (
    <NavigationContainer>
      <MyDrawer>
        <Stack.Navigator initialRouteName="FirstPage">
          <Stack.Screen name="FirstPage" component={FirstPage} />
...
          <Stack.Screen name="MaterialTabbedPageNavigator" component={MaterialTabbedPageNavigator} />
        </Stack.Navigator>
      </MyDrawer>
    </NavigationContainer>
  );
}
```


DRAWER NAVIGATOR

To finalize installation of `react-native-gesture-handler`, add the following at the **top** (make sure it's at the top and there's nothing else before it) of your entry file, such as `index.js` or `App.js`:

```
import 'react-native-gesture-handler';
```



```
JS App.js M B babel.config.js M X ⚡ TryPage.jsx U ⚡ Fin
B babel.config.js > ...
1 module.exports = function(api) {
2   ...
3   api.cache(true);
4   return {
5     presets: ['babel-preset-expo'],
6     plugins: ['react-native-reanimated/plugin'],
7   };
8 }
```



SEND INFO BETWEEN PAGES PARAMS

```
this.props.navigation.navigate('SecondPage', { user: 'Lucy' + new Date().getSeconds() });
```

Sending •

```
props.route.params != undefined ?  
    props.route.params.user : ''
```

recieving •

NAVIGATION EVENTS – REFRESH PAGE THROUGH NAVIGATION - HOOKS

```
import { useFocusEffect } from '@react-navigation/native';

export default function SecondPage({ route }) {

  useFocusEffect(
    React.useCallback(() => {
      // Do something when the screen is focused
      console.log('focus');

      return () => {
        // Do something when the screen is unfocused
        // Useful for cleanup functions
        console.log('unfocus');
      };
    }, [])
  );

  return (
    <View>
      <Text>Second Page</Text>
    </View>
  );
}
```

בגלל שהארועים הללו רצים
פעם אחת אין בעיה לקרוא
ל setState בפנים. הוא יקרא
רק פעם אחת.

- בצד לאפשר הרצת קוד
במעבר בין עמודים.
- נוכל לדעת מאייפה הגענו
ועם איזה מידע ולהריץ
 setState

NAVIGATION EVENTS – REFRESH PAGE THOUGH NAVIGATION

```
componentDidMount() {  
  this._unsubscribeFocus = this.props.navigation.addListener('focus', (payload) => {  
    console.log('will focus', payload);  
    this.setState({stam:'stam'});  
  });  
  this._unsubscribeBlur = this.props.navigation.addListener('blur', (payload) => {  
    console.log('will blur', payload)  
  });  
}  
  
componentWillUnmount() {  
  this._unsubscribeFocus();  
  this._unsubscribeBlur();  
}
```

בגלל שהאירועים הללו רצים
פעם אחת אין בעיה לקרוא
� setState בפנים. הוא יקרא
רק פעם אחת.

- ב כדי לאפשר הרצת קוד
במעבר בין עמודים.
- נוכל לדעת מאייפה הגענו
ועם איזה מידע ולהריץ
למשל setState


SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- **07 Image Upload**
- 08 Push Notification

@NIR-CHEN

WEB SERVICE

IMAGE UPLOAD – FETCH, CLIENT SIDE



- תמונה מהצלמה: נצלם תמונה כרץ של ביטים בסיס 64 ונסלח אותו לשרת כמחוזת אורך בלויי השם של התמונה.
- תמונה מהאינטרנט: נשלח לשרת את הURL ואת השם של התמונה והשרות ב C# יוריד את התמונה ויישמור אותה אצלו.

```
let photo = await this.camera.takePictureAsync({  
    quality: 0.1,  
    base64: true,  
});  
this.setState({  
    pic64base: photo.base64,  
    picName64base: 'image1_' + new Date().getTime() + '.jpg',  
    picUri: `data:image/gif;base64,${photo.base64}`,  
});
```

להקטין את גודל התמונה
שצולמה. 1 מילימום 0
מינימום

חשוב!!! בRN כאשר מזמינים תמונה היא נשמרת תחת השם
שלה ב CACHE וכך אם מזמינים תמונה עם אותו שם תופיע
התמונה הראשונה שוב פעם. לכן כאשר נעלמת התמונה
לשרת נדרש ליצור לה שם חדש בכל פעם. פה אני מייצר את
שם החדש. השם החדש מורכב מתחלית אשר ביקשנו ועוד
מספר שמנצ' מהטייקים של המחשב.

WEB SERVICE

IMAGE UPLOAD – FETCH, CLIENT SIDE

```
uploadBase64ToASMX = () => {
  this.setState({ animate: true });
  let urlAPI =
    'http://ruppinmobile.tempdomain.co.il/site01/webservice.asmx/ImgUpload'; ←

  fetch(urlAPI, {
    method: 'POST',
    body: JSON.stringify({
      base64img: this.state.pic64base, ←
      base64imgName: this.state.picName64base, ←
    }),
  });
}
```

WEB SERVICE


IMAGE UPLOAD – C#, SERVER SIDE

```
[WebMethod]
public string ImgUpload(string base64img, string base64imgName)
{
    //for example - pay attention the first '/' is part of the image!
    //
    //File.AppendAllText(Server.MapPath("images/file1.txt"), base64imgName + "\r\n");
    File.WriteAllBytes(Server.MapPath("images/" + base64imgName), Convert.FromBase64String(base64img)); ←

    return new JavaScriptSerializer().Serialize(new { res = "OK" });
}
```

WEB API

IMAGE UPLOAD – FETCH, CLIENT SIDE



```
...  
let photo = await this.camera.takePictureAsync({quality : 0.7});  
...  
imageUpload = (imgUri, picName) => {  
  let urlAPI = "http://.../site01/uploadpicture";  
  let data1 = new FormData();  
  data1.append('picture', {  
    uri: imgUri,  
    name: picName,  
    type: 'image/jpg'  
});
```

להקטין את גודל התמונה
שצולמה. 1 מקסימום 0
מינימום

מקום הקוד של צד השרת

IMAGE UPLOAD – FETCH, CLIENT SIDE

```
const config = {  
  method: 'POST',  
  body: data,  
}  
  
fetch(urlAPI, config)  
  .then((res) => {  
    if (res.status === 201) {return res.json();}  
    else {return "err";}  
  })  
  .then((responseData) => {  
    if (responseData !== "err") {  
      let picNameWOExt = picName.substring(0, picName.indexOf("."));  
      let imageNameWithGUID = responseData.substring(responseData.indexOf(picNameWOExt),  
responseData.indexOf(".jpg") + 4);  
      this.setState({  
        uploadedPicUri: { uri: this.uploadedPicPath + imageNameWithGUID },  
      });  
      console.log("img uploaded successfully!");  
    }  
    else {alert('error uploading ...');}  
  })  
  .catch(err => {alert('err upload= ' + err);});
```

חשוב!!! בRN כאשר מזמינים תמונה היא נשמרת תחת השם שלו ב CACHE ולבן אם מזמינים תמונה עם אותו שם תופיע התמונה הראשונה שוב פעם. לכן כאשר נעלם את התמונה לשרת נצטרך ליצור לה שם חדש בכל פעם. זאת ניתן לעשות בצד השירות. ולקבל את השם החדש לצד הלקוח. פה אני מחלץ את השם החדש. השם החדש מורכב מתחילה אשר ביקשנו כאשר שלחנו את התמונה לשרת ועוד GUID שנוצר בשרת

IMAGE UPLOAD – C# WEB API, SERVER SIDE

```
[EnableCors(origins: "*", headers: "*", methods: "*")]
public class ValuesController : ApiController
{
...
[Route("uploadpicture")]
public Task<HttpResponseMessage> Post()
{
    string outputForNir="start---";
    List<string> savedFilePath = new List<string>();
    if (!Request.Content.IsMimeMultipartContent())
    {
        throw new HttpResponseException(HttpStatusCode.UnsupportedMediaType);
    }
    string rootPath = HttpContext.Current.Server.MapPath("~/uploadFiles");
    var provider = new MultipartFileStreamProvider(rootPath);
    var task = Request.Content.ReadAsMultipartAsync(provider).
        ContinueWith<HttpResponseMessage>(t =>
    {
        if (t.IsCanceled || t.IsFaulted)
        {
            Request.CreateErrorResponse(HttpStatusCode.InternalServerError, t.Exception);
        }
    });
}
```

IMAGE UPLOAD – C# WEB API, SERVER SIDE

```
foreach (MultipartFileData item in provider.FileData)
{
    try
    {
        outputForNir += " ---here";
        string name = item.Headers.ContentDisposition.FileName.Replace("\\\"", "");
        outputForNir += " ---here2=" + name;

        //need the guid because in react native in order to refresh an inamge it has to have a new name
        string newFileName = Path.GetFileNameWithoutExtension(name) + "_" + Guid.NewGuid() +
Path.GetExtension(name);
        //string newFileName = name + "" + Guid.NewGuid();
        outputForNir += " ---here3" + newFileName;

        //delete all files begining with the same name
        string[] names = Directory.GetFiles(rootPath);
        foreach (var fileName in names)
        {
            if (Path.GetFileNameWithoutExtension(fileName).IndexOf(Path.GetFileNameWithoutExtension(name)) != -1)
            {
                File.Delete(fileName);
            }
        }

        //File.Move(item.LocalFileName, Path.Combine(rootPath, newFileName));
        File.Copy(item.LocalFileName, Path.Combine(rootPath, newFileName), true);
        File.Delete(item.LocalFileName);
        outputForNir += " ---here4";
    }
}
```

IMAGE UPLOAD – C# WEB API, SERVER SIDE

```
Uri baseuri = new Uri(Request.RequestUri.AbsoluteUri.Replace(Request.RequestUri.PathAndQuery, string.Empty));
    outputForNir += " ---here5" ;
    string fileRelativePath = "~/uploadFiles/" + newFileName;
    outputForNir += " ---here6 imageName=" + fileRelativePath;
    Uri fileFullPath = new Uri(baseuri, VirtualPathUtility.ToAbsolute(fileRelativePath));
    outputForNir += " ---here7" + fileFullPath.ToString();
    savedFilePath.Add(fileFullPath.ToString());
}
catch (Exception ex)
{
    outputForNir += " ---exception=" + ex.Message;
    string message = ex.Message;
}
}

return Request.CreateResponse(HttpStatusCode.Created, "nirchen " + savedFilePath[0] + "!" + provider.FileData.Count + "!" + outputForNir + ":)");
});
return task;
}
```

IMAGE UPLOAD – C# WEB API, SERVER SIDE TESTING

POST http://localhost:62256/upload... ● + ...

Untitled Request

POST http://localhost:62256/uploadpicture

Params Authorization Headers (9) **Body** ● Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL BETA

KEY	VALUE
<input checked="" type="checkbox"/> file	A10F15eF22P51.jpg X
Key	Value

Body Cookies Headers (10) Test Results

Pretty Raw Preview Visualize BETA JSON ▾

```
1 "nirchen http://localhost:62256/uploadFiles/A10F15eF22P51_20_10_2019_15-22-55.jpg!1!start--- ---here ---here2=A10F15eF22P51.jpg  
---here5 ---here6 imageName=~/_uploadFiles/A10F15eF22P51_20_10_2019_15-22-55.jpg ---here7http://localhost:62256/uploadFiles,
```

SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification



PUSH NOTIFICATION

- נעשה שימוש בספריה של EXPO בכך לקלוט ICLOUD של PN עבור ANDROID ו- IOS באותו קוד. כמו כן לא צריך ליצור משתמש של APPLE.
- <https://docs.expo.io/versions/latest/guides/push-notifications>
- שימוש לב שציר לאפשר את ההתראות במכשיר. בחלק ממכシリ ה- ANDROID לא הצלחתי לאפשר זאת ויכול להיות שציר לחפש "לשחק" הכן מאפשרים את ההתראות.
- אין צורך לפתוח חשבון בשירות ענן כלשהו. EXPO כבר מבצעים הכל עבורינו.
- בכך לשלוח הודעה כל מה שציר הוא לשלוח הודעה POST לשרת של EXPO שמעביר את הודעה לשירות ענן בכך לשלוח PN.

יש מערכת ששולחת הודעות ישירות מהאתר של EXPO בכך לבחון את הקוד בצד לקוח

חשוב!!!

חייבים להיות מחוברים לEXPO גם בטלפון עצמוני!!!
וגם ב-code ע"י expo login והכנסת שם וסיסמה!!!

Play sound

JSON DATA

```
{"grade": 100, "name": "avi"}
```

<https://expo.io/dashboard/notifications>

PN – CLIENT SIDE REGISTRATION

```
import Constants from 'expo-constants';
import * as Notifications from 'expo-notifications';
import { Platform } from 'react-native';

export default async function registerForPushNotificationsAsync() {
  let token;
  if (Constants.isDevice) {
    const { status: existingStatus } = await Notifications.getPermissionsAsync(); ←
    let finalStatus = existingStatus;
    if (existingStatus !== 'granted') {
      const { status } = await Notifications.requestPermissionsAsync();
      finalStatus = status;
    }
    if (finalStatus !== 'granted') {
      alert('Failed to get push token for push notification!');
      return;
    }
    token = (await Notifications.getExpoPushTokenAsync()).data; ←
    console.log(token);
  } else {
    alert('Must use physical device for Push Notifications');
  }

  if (Platform.OS === 'android') {
    Notifications.setNotificationChannelAsync('default', {
      name: 'default',
      importance: Notifications.AndroidImportance.MAX,
      vibrationPattern: [0, 250, 250, 250],
      lightColor: '#FF231F7C',
    });
  }
  return token;
}
```

©NIR CHEN

- npm i expo-notifications
- npm i expo-constants
- פה צריך לדאוג ל:

• קבלת הרשאה ליכולת קבלת התראות

• קבלת מספר ייחודי מזהה של מכשיר הטלפון

PN – CLIENT SIDE RECEIVING MSG

```
import * as Notifications from 'expo-notifications';
import React, { useState, useEffect, useRef } from 'react';
import { Text, View, Button } from 'react-native';
import registerForPushNotificationsAsync from './registerForPushNotificationsAsync';
```

```
Notifications.setNotificationHandler({
  handleNotification: async () => {
    shouldShowAlert: true,
    shouldPlaySound: false,
    shouldSetBadge: false,
  },
});
```

```
export default function PushPage() {
  const [expoPushToken, setExpoPushToken] = useState("");
  const [notification, setNotification] = useState(false);
  const notificationListener = useRef();
  const responseListener = useRef();
```

- פה נעשה רישום של פונקציה לקבלת התראה
- יש אפשרות לראות בהתראה עצמה בין היתר TITLE, BODY, DATA
- באפליקציה -

PN – CLIENT SIDE RECEIVING MSG


```
useEffect(() => {
  registerForPushNotificationsAsync().then(token => setExpoPushToken(token));

  // This listener is fired whenever a notification is received while the app is foregrounded
  notificationListener.current = Notifications.addNotificationReceivedListener(notification => {
    console.log(notification);
    setNotification(notification);
  });

  //This listener is fired whenever a user taps on or interacts with a notification (works when app is foregrounded, backgrounded, or killed)
  responseListener.current = Notifications.addNotificationResponseReceivedListener(response => {
    console.log(response);
    setNotification(response.notification);
  });

  return () => {
    Notifications.removeNotificationSubscription(notificationListener.current);
    Notifications.removeNotificationSubscription(responseListener.current);
  };
}, []);
```

```
// Can use this function below, OR use Expo's Push Notification Tool-> https://expo.dev/notifications
async function sendPushNotification(expoPushToken) {
  const message = {
    to: expoPushToken,
    sound: 'default',
    title: 'Original Title',
    body: 'And here is the body!',
    data: { name: "nir", seconds: new Date().getSeconds() }
  };
}
```

- פה נעשה רישום של פונקציה לקבלת התראה
- יש אפשרות לראות בהתראה עצמה בין היתר TITLE, BODY,
- באיךון - BADGE -
- באפליקציה - DATA -

PN – CLIENT SIDE RECEIVING MSG

```
await fetch('https://exp.host/--/api/v2/push/send', {  
  method: 'POST',  
  headers: {  
    Accept: 'application/json',  
    'Accept-encoding': 'gzip, deflate',  
    'Content-Type': 'application/json',  
  },  
  body: JSON.stringify(message),  
});  
  
return (  
  <View  
    style={{  
      flex: 1,  
      alignItems: 'center',  
      justifyContent: 'space-around',  
    }}>  
    <Text>Your expo push token: {expoPushToken}</Text>  
    <View style={{ alignItems: 'center', justifyContent: 'center' }}>  
      <Text>Title: {notification && notification.request.content.title} </Text>  
      <Text>Body: {notification && notification.request.content.body}</Text>  
      <Text>Data: {notification && JSON.stringify(notification.request.content.data)}</Text>  
    </View>  
    <Button  
      title="Press to Send Notification"  
      onPress={async () => {  
        await sendPushNotification(expoPushToken);  
      }}  
    />    ©NIR CHEN  
  </View>  
);  
};
```

- פה נעשה רישום של פונקציה לקבלת התראה
- יש אפשרות לראות בהתראה עצמה בין היתר TITLE, BODY, BADGE -
- בא"קן DATA -

PN – SERVER SIDE SENDING MSG C# WEB API

```
[Route("sendpushnotification")]
public string Post([FromBody]PushNotData pnd)
{
    // Create a request using a URL that can receive a post.
    WebRequest request = WebRequest.Create("https://exp.host/--/api/v2/push/send");
    // Set the Method property of the request to POST.
    request.Method = "POST";
    // Create POST data and convert it to a byte array.
    var objectToSend = new
    {
        to = pnd.to,
        title = pnd.title,
        body = pnd.body,
        badge = pnd.badge,
        data = pnd.data//new { name = "nir", grade = 100 }
    };
    string postData = new JavaScriptSerializer().Serialize(objectToSend);
    byte[] byteArray = Encoding.UTF8.GetBytes(postData);
    // Set the ContentType property of the WebRequest.
    request.ContentType = "application/json";
    // Set the ContentLength property of the WebRequest.
    request.ContentLength = byteArray.Length;
    // Get the request stream.
    Stream dataStream = request.GetRequestStream();
```

- כל מה שנוטר זה רק לקרוא לפונקציה זו או מהשרת או מהלך ע"י fetch

PN – SERVER SIDE SENDING MSG C# WEB API – CONT'

```
// Write the data to the request stream.  
dataStream.Write(byteArray, 0, byteArray.Length);  
// Close the Stream object.  
dataStream.Close();  
// Get the response.  
WebResponse response = request.GetResponse();  
// Display the status.  
string returnStatus = ((HttpWebResponse)response).StatusDescription;  
//Console.WriteLine(((HttpWebResponse)response).StatusDescription);  
// Get the stream containing content returned by the server.  
dataStream = response.GetResponseStream();  
// Open the stream using a StreamReader for easy access.  
StreamReader reader = new StreamReader(dataStream);  
// Read the content.  
string responseFromServer = reader.ReadToEnd();  
// Display the content.  
//Console.WriteLine(responseFromServer);  
// Clean up the streams.  
reader.Close();  
dataStream.Close();  
response.Close();  
  
return "success:) --- " + responseFromServer + "," + returnStatus;  
}
```

SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- **09 Compass**
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib


COMPASS

```
import * as Location from 'expo-location';
...
btnHeading = async () => {
  let { status } = await Location.requestPermissionsAsync();
  if (status !== 'granted') {
    alert('Permission to access location was denied');
  }
  let heading = await Location.getHeadingAsync({});
  this.setState({ heading });
};
```

©NIR CHEN

- expo install expo-location
- ניתן לקבל מידע לקבול הכוון שהטלפון מופנה אליו.
- כיוון אמיתי וכיוון מגנטי

magHeading:275.7325439453125
trueHeading :280.5465393066406



SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- **10 Geocoding**
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib

GEOCODING


```
import * as Location from 'expo-location';
...
btnLocation = async () => {
  let { status } = await Location.requestPermissionsAsync();
  if (status !== 'granted') {
    this.setState({errorMessage: 'Permission to access location was denied', });
  }
  let location = await Location.getCurrentPositionAsync({});
  this.setState({ location });
};

btnReverseGC = async () => {
  let { status } = await Location.requestPermissionsAsync();
  if (status !== 'granted') {
    this.setState({ errorMessage: 'Permission to access location was denied', });
  }
  if (this.state.location) {
    let reverseGC = await Location.reverseGeocodeAsync(this.state.location.coords);
    this.setState({ reverseGC });
  }else{
    alert('You must push the Location button first in order to get the location! You can get the reverse geocode for the latitude and longitude!');
  }
};
```



תוגמה
מ של
נובת

- ניתן לקבל מידע אודiot כתובות עברור נ.צ. קיימים.
 - ניתן לקבל גם הפור - נ.צ. עברור כתובות (לא בדוגמה הזו)



מחקטי מהדוגמה
את הפרטים של
הנ.צ. והכתובת

SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN


- 09 Compass
- 10 Geocoding
- **11 Facebook**
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib

- צריך ליצור פרויקט ב API FB בצדך לקבל appId

- <https://docs.expo.io/versions/latest/sdk/facebook/>
- rRW++LUjmZZ+58EbN5DVhGANkX4=
- host.exp.Exponent

• The Expo client app

- Add `host.exp.Exponent` as an iOS *Bundle ID*. Add `rRW++LUjmZZ+58EbN5DVhGANkX4=` as an Android *key hash*. Your app's settings should end up including the following under "Settings > Basic":



```


import * as Facebook from 'expo-facebook';
...
async function btnFBLogin() {
  try {
    await Facebook.initializeAsync('[YOUR APPID]');
    const { type, token, expires, permissions, declinedPermissions, } = await Facebook.logInWithReadPermissionsAsync({
      permissions: ['public_profile'],
    });
    if (type === 'success') {
      // Get the user's name using Facebook's Graph API
      const response = await fetch(`https://graph.facebook.com/me?fields=id,name,email,picture&access_token=${token}`);
      let res = await response.json();
      Alert.alert('Logged in!', `Hi NAME: ${res.name}!\nEMAIL: ${res.email}\nPICTURE: ${res.picture.data.url}`);
      //Alert.alert('Logged in!', `Hi NAME: ${res.name}!\nEMAIL: ${res.email}\nPICTURE: ${res.picture}\nRES:${JSON.stringify(res)}`);
    } else if (type === 'cancel')
    } catch ({ message }) {
      alert(`Facebook Login Error: ${message}`);
    }
  }
}

```

FB

- צריך לקבל token ייחודי בצד*יכן* לעבוד עם ה API שלהם.
- פה אני מקבל שם, מייל, מספר ID ...

מחקתי מהדוגמא
את הפרטים
האישיים



FB

```
btnFetch_PersonPicture = () => {
  // POST adds a random id to the object sent
  fetch(`https://graph.facebook.com/me?fields=picture&access_token=${this.state.token}`, {
    method: 'POST',
    body: '',
    headers: {
      "Content-type": "application/json; charset=UTF-8"
    }
  })
  .then(response => response.json())
  .then(json => {
    if (json != null) {
      this.setState({ photoUrl: json.picture.data.url });
      alert(`picture= ${json.picture}\npicture.data.url= ${json.picture.data.url}\nRES=${JSON.stringify(json)}`);
    } else {
      this.setState({ lblErr: true });
    }
  });
}
```

©NIR CHEN

- פה אני מקבל תמונה



SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- **12 Image gallery**
- 13 Sms
- 14 React Elements UI Lib


IMAGE GALLERY

• טין לבחור תמונה מהגלריה

- expo install expo-image-picker

```
import * as ImagePicker from 'expo-image-picker';
...
btnOpenGalery = async () => {
  let result = await ImagePicker.launchImageLibraryAsync({
    //allowsEditing: true,
    //aspect: [4, 3],
  });

  if (!result.cancelled) {
    this.setState({ image: result.uri });
  }
};
```



SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification


©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- **13 Sms**
- 14 React Elements UI Lib

SMS

```
import * as SMS from 'expo-sms';
...
btnSendSms = async () => {
  const isAvailable = await SMS.isAvailableAsync();
  if (isAvailable) {
    //alert('send');
    const { result } =
      await SMS.sendSMSAsync(
        [this.state.txtTel1, this.state.txtTel2],
        this.state.txtTextValue);
    // alert(result);
    this.setState({ txtTextValue: result });
  } else {
    alert('misfortune... there\'s no SMS available on this device');
  }
};
```

- ניתן לפתח את מסך הוסעת SMS עם רשימת טלפונים והודעה מוכנה מהאפליקציה עצמה שלנו.
- זה לא שולח מהאפליקציה עצמה שלנו אלה רק פותח את אפליקציית SMS-ים הקיימת
- expo install expo-sms



SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 **React Elements UI Lib**

REACT NATIVE ELEMENTS UI

```
import { Button } from '@rneui/base';

const MyApp = () => {
  return (
    <Button
      title="HOME"
      iconRight
      icon={{
        name: 'home',
        type: 'font-awesome',
        size: 35,
        color: 'black',
      }}
      iconContainerStyle={{ marginRight: 10 }}
      titleStyle={{ fontWeight: '700' }}
      buttonStyle={{
        backgroundColor: 'rgba(90, 154, 230, 1)',
        borderColor: 'transparent',
        borderWidth: 0,
        borderRadius: 30,
      }}
      containerStyle={{
        width: 200,
        marginHorizontal: 50,
        marginVertical: 10,
      }}
    />
  );
};

©NIR CHEN
```

- <https://react-native-training.github.io/react-native-elements/>
- npm install @rneui/themed @rneui/base
- npm install react-native-vector-icons
- npx react-native link react-native-vector-icons
- npm install react-native-safe-area-context
- npx react-native link react-native-safe-area-context



SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking

```

import * as Linking from 'expo-linking';
import * as WebBrowser from 'expo-web-browser';
Linking.openURL('https://expo.io');
WebBrowser.openBrowserAsync('https://expo.io');

...
Linking.openURL('mailto:support@expo.io?subject=Congrats Snoopy&body=Enjoy your
stay,%0ARegards');

...
Linking.openURL('tel:+123456789');

....
Linking.openURL('sms:+123456789');

...
//this will open the app through whatsapp
//1. need to publish the app first!
//2. when clicked in whatsapp this will go to the published page on expo.io
// then you can open the app in the expo if installed.

btnWhatsapp = () => {
  let text = "hello ";
  text = 'https://expo.io/@nirc/get-a-ride-demo';
  let phoneNumber = '+972523333333';
  Linking.openURL(`whatsapp://send?text=${text}&phone=${phoneNumber}`);
}

```

©NIR CHEN

Open a url

LINKING

Send mail


stay,%0ARegards');

- כל מה שקשר ליצירת קשר עם אפליקציות חיצונית

Open dialer

Send sms

Send
whatsapp




LINKING

```
import { ... , Share } from 'react-native';
btnShare = () => {
  //let text = Expo.Linking.makeUrl();
  let text = 'https://expo.io/@nirc/get-a-ride-demo';
  Share.share({
    message: "Click Here to View More! " + text,
    url: text,
    title: 'nir has invited you to join this activity',
  })
  .then((result) => {
    console.log(result)
    if (result === 'dismissedAction') {
      return
    }
  })
  .catch((error) => console.log(error))
}
```

Open all sharable
apps

- כל מה שקשר ליצירת קשר עם אפליקציות חיצונית



SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking
- 17-1 Maps

```
import { StyleSheet, Text, View, Dimensions } from 'react-native';
import MapView from 'react-native-maps';
import { Marker } from 'react-native-maps';
...
<View style={styles.container}>
  <MapView
    style={{flex: 0.7, width: Dimensions.get('window').width - 30,}}
    region={{
      latitude: 32.157154,
      longitude: 34.843893,
      latitudeDelta: 0.0122,
      longitudeDelta: 0.0121,
    }} >
    <Marker
      coordinate={{
        latitude: 32.15715,
        longitude: 34.843893
      }}
      title='my place:'
      description='here i am'
      //image={require('../assets/icon.png')}
    />
  </MapView>
</View>
```



MAPS

- expo install react-native-maps
- <https://github.com/react-native-community/react-native-maps>

SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking
- 17-1 Maps
- **17 Fingerprint authentication**

FINGERPRINT AUTHENTICATION

```
import * as LocalAuthentication from 'expo-local-authentication';

scanFingerPrint = async () => {
  try {
    let results = await LocalAuthentication.authenticateAsync();
    if (results.success) {
      this.setState({
        modalVisible: false,
        authenticated: true,
        failedCount: 0,
      });
    } else {
      this.setState({
        failedCount: this.state.failedCount + 1,
      });
    }
  } catch (e) {
    console.log(e);
  }
};
```

- expo install expo-local-authentication

SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking
- 17-1 Maps
- 17 Fingerprint authentication
- **18 Async Storage**

ASYNC STORAGE SET

```
import AsyncStorage from '@react-native-async-storage/async-storage';

//opt1 – with async-await
const storeData = async (value) => {
  try {
    const jsonValue = JSON.stringify(value)
    await AsyncStorage.setItem('@storage_Key', jsonValue)
  } catch (e) {
    // saving error
  }
}

//opt2 – WO async-await
const storeData = (value) => {
  try {
    const jsonValue = JSON.stringify(value)
    AsyncStorage.setItem('@storage_Key', jsonValue , () => { do something after the async was done... });
  } catch (e) {
    // saving error
  }
}
```

- כמו localStorage בJS רק בRN
- יש לשים לב שזה אכן אסינכרוני!!!
- <https://react-native-async-storage.github.io/async-storage/>
- npm install @react-native-async-storage/async-storage
- שומר רק מחרוזת – תמיד ניתן להשתמש בעצמך `JSON.stringify`

ASYNC STORAGE

GET

```
import AsyncStorage from '@react-native-async-storage/async-storage';

//opt1 – with async-await
const getData = async () => {
  try {
    const jsonValue = await AsyncStorage.getItem('@storage_Key') ←
    return jsonValue != null ? JSON.parse(jsonValue) : null;
  } catch(e) {
    // error reading value
  }
}

//opt2 – WO async-await
const getData = () => {
  try {
    AsyncStorage.getItem('@storage_Key', (err, result) =>{ ←
      do something with result which is the value stored after the async was done...
      return result != null ? JSON.parse(result) : null;
    })
  } catch(e) {
    // error reading value
  }
}
```

IMAGES

```
<Image source={require('../assets/cp.jpg')}  
      style={{ width: 150, height: 100, borderWidth: 1, borderColor: 'red', margin: 10 }} />  
<Image source={require('../imgs/cp2.jpg')}  
      style={{ width: 150, height: 100, borderWidth: 1, borderColor: 'red', margin: 10 }} />  
<Image  
      source={{ uri:  
'https://upload.wikimedia.org/wikipedia/commons/2/25/Coldplay_%28282842037407%29.jpg' }}  
      style={{ width: 150, height: 100, borderWidth: 1, borderColor: 'red', margin: 10 }} />
```

MORE EXPO CAPABILITIES!!!

SDK API REFERENCE

Introduction

Accelerometer

Admob

Amplitude

AppLoading

ART

Asset

Audio

AuthSession ←

AV

BarCodeScanner

BlurView

Branch

Brightness

Calendar

Camera

Constants

©NIR CHEN

Contacts

DeviceMotion

DocumentPicker

ErrorRecovery

FacebookAds

Facebook ←

FaceDetector ←

FileSystem

Fingerprint

Font

GestureHandler

GLView

Google

Gyroscope

ImageManipulator

ImagePicker

IntentLauncherAndroid

KeepAwake

LinearGradient

Localization

Localization

Location

Lottie

Magnetometer

MailComposer

MapView ←

Notifications

Payments

Pedometer

Permissions

Print

registerRootComponent

ScreenOrientation

SecureStore

Segment

Speech

SQLite

Svg

takeSnapshotAsync

Updates

Video

WebBrowser