




# REACT NATIVE TOOLBOX

01 - 18

©NIR CHEN



# SYLLABUS



- **-01 Expo**
- 00 Debug
- 01 APK Creation and google play
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking
- 17-1 Maps
- 17 Fingerprint authentication
- 18 Async Storage

# EXPO

- הכי מהיר זה לעבוד ב-LOCALHOST כאשר המחשב וגם המחשב מחוברים על אותה רשת WIFI.
- ניתן לחבר את המחשב למחשב עם כבל USB ולאחר מכן ב"אפשרויות למפתחים" באגים של USB דרך הUSB ב"אפשרויות למפתחים"



# SYLLABUS

- **00 Debug**
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

# DEBUG

Go to Home

Disable Fast Refresh

Debug Remote JS

Show Performance Monitor

Show Element Inspector


1. לשקש \לנענע\לנער את המכשיר ואז לבחור בתפריט את "Debug JS Remotely"
2. יפתח הכרום בצורה אוטומטית ואז יש ללחוץ F12
3. יש לבחור את הטעב של Sources
4. כאשר נגיע לPOINT BREAKPOINT הקוד יעצר בשורה המתאימה ואז אפשר לדאגג רגיל.

```
function btnPush() {  
    debugger;  
    console.log(1);  
    let num=7;
```

©NIR CHEN


```
9  
10 function btnPush() {  
11     debugger;  
12     console.log(1);  
13     let num=7;  
14     console.log(num);  
15 }  
16  
17 function txtName(n, e) {
```

▼ Call Stack  
btnPush  
C:\Users\Nir\I  
Button.\_this.han  
C:\Users\Nir\I  
\_performTransit  
C:\Users\Nir\I



# DEBUG IN VS CODE

- <https://github.com/Microsoft/vscode-react-native/blob/master/doc/expo.md>
- נירן להתקין תוסף שמאפשר לדאבג במקום בכרום בתוך ה- **visual code** עצמו.
- להתקין את התוסף **react native tools**
- יתכן ותתבוקשו להכניס שם ISO-SMA של **EXPO**



• **לבחירה**

Expo QR Code - rn - fingerprint - Visual Studio Code

Edit Selection View Go Debug Terminal Help

DEBUG AND ... JS App.js X

VARIABLES JS App.js > App > render

WATCH

CALL STACK

```
59 title={ 60   this.state.authent 61     ? 'Reset and beg 62     : 'Begin Authent 63   } 64   onPress={() => [ 65     this.clearState(); 66     if (Platform.OS == 67       this.setModalVis 68     } else { 69       this.scanFingerP 70     } 71   } 72   /> 73 74   {this.state.authentica
```

Expo is running. Open your Expo app at  
<exp://uv-3h7.nirc.rn---fingerprint.exp.direct:80>  
or scan QR code below:




PROBLEMS OUTPUT DEBUG CONSOLE ... React Native

Loading dependency graph, done.

master\* ⑧ 0 Δ 0 ▶ Debug in Exponent (rn - fingerprint) React Native Packager Started

# DEBUG IN VS CODE

- חייב להיות שרת אחד רגיל שרגע ברקע!
- לחכמת למסר שיציג QR לסריקה – לוקח זמן, סבלנות😊
- ברגע שמסתים – לشكشك את המחשב ולבחר את האופציה " JS Debug Remotely"



"Remotely"

- לדאג😊

# SYLLABUS

- 00 Debug
- 01 APK Creation and google play
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

# APK CREATION AND GOOGLE PLAY

אם רוצים את האפליקציה על המכשיר אבל בתוך האפליקציה של EXPO ניתן רק לעשות **PUBLISH**.

- אם רוצים כAPPLICATION נפרדת יש ליצור APK
- <https://www.youtube.com/watch?v=IlveG3Qp0no>


npm install -g exp-cli

©NIR CHEN

```
PS C:\Users\Nir\Desktop\try1> expo build:android  
? Choose the build type you would like: » - Use arr  
> apk  
Build a package to deploy to the store or insta  
app-bundle
```

## APK CREATION CONT'

```
You can monitor the build at  
https://expo.io/accounts/nirc/projects/try1/builds/08382cb3-c95f-053bd6  
Waiting for build to complete.  
You can press Ctrl+C to exit. It won't cancel the build, you'll b
```




expo login .2  
npm start .3

4. לאחר הריצה לסגור את השרת ע"י **Ctrl+c**  
5. expo build:android

6. לוקח הרבה זמן ~יותר מעשר דקות  
7. ניתן לראות את הסטטוס ע"י **exp build:status** וניתן גם  
לראות את הסטטוס דרך האתר שלהם ע"י הLINK  
שמקבלים.

# APK CREATION CONT'

8. ברגע שישתים (לקח הרבה זמן...) תוכל להוריד מהאתר APK!



9. נותר להתקין על הטלפון

- א) פשוט לחבר את הטלפון ב-USB, להעתיק ל-DOWNLOADS ואז בטלפון ללחוץ עליי ולהתקין. תצטרכו לאשר התקינה של צד שלישי.
- ב) ע"י למשל התוכנה ייעודיות של התקנת APK.

# UPLOAD TO GOOGLE PLAY


- בסרטון הבא ניתן לראות כיצד להעלות את ה APK שיצרתם לחנות של גוגל
  - <https://www.youtube.com/watch?v=7K6I3Jxi6SE>

# SYLLABUS

- 00 Debug
- 01 APK Creation
- **02 React Native Material UI**
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification



# REACT NATIVE MATERIAL UI

- <https://www.npmjs.com/package/react-native-material-ui>
- npm **install** react-native-material-ui –save
- npm i react-native-cli
- react-native link react-native-vector-icons
- copy from : ./node\_modules/react-native-vector-icons/Fonts/MaterialIcons.ttf  
to : assets/fonts



# REACT NATIVE MATERIAL UI

- This project uses Roboto as the main font for text. Make sure to add Roboto to your project



# REACT NATIVE MATERIAL UI

- Warp every thing in <ThemeProvider>
- import { Button, ThemeProvider } from 'react-native-material-ui';
- onPress

```
btnPrimaryPress(){
  alert("primary pressed!");
}

render() {
  return (
    <ThemeProvider>
      <View style={styles.container}>
        <Text>Open up App.js to start working on your app!7 {new Date().to
        <Button primary text="Primary" onPress={this.btnPrimaryPress} />
        <Button accent text="Accent" />
      </View>
    </ThemeProvider>
  );
}
```

# REACT NATIVE MATERIAL UI

- link to demo site: <https://github.com/xotahal/react-native-material-ui-demo-app/tree/master/src>
- Icons list: <https://blog.foswiki.org/System/MaterialIcons>
- react-native-material-design is similar BUT tested only for android and not for IOS!!!

# SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- **03 Fetch**
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

# FETCH

- נעשה אותו דבר כמו בReact רגיל. עובד רגיל בEXPRESS
- דוגמאות לקריאות לWEB API ו גם לWEB SERVICE

# SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- **04 Geolocation**
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

# GEOLOCATION

- מטור האתר יש ל-API כל מיני יכולות

```
navigator.geolocation.getCurrentPosition(  
  (position) => {  
    const output=  
      'latitude=' + position.coords.latitude +  
      '\nlongitude=' + position.coords.longitude +  
      '\naltitude=' + position.coords.altitude +  
      '\nheading=' + position.coords.heading +  
      '\nspeed=' + position.coords.speed  
  
    alert(output);  
  },  
  (error) => alert(error.message),  
  { enableHighAccuracy: true, timeout: 20000, maximumAge: 1000 }  
);
```

# SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- **05 Camera**
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

```
import { Camera } from 'expo-camera';
...
this.state = {
  hasCameraPermission: null,
  type: Camera.Constants.Type.back,
  picUri: 'https://facebook.github.io/react-native/docs/assets/favicon.png'
};
...
async componentWillMount() {
  const { status } = await Camera.requestPermissionsAsync(); ←
  this.setState({ hasCameraPermission: status === 'granted' });
}

btnPic = async () => {
  debugger;
  let photo2 = await this.camera.takePictureAsync(); ←
  //alert(photo2.uri);
  this.setState({ picUri: photo2.uri });
  Vibration.vibrate();
}
...
onPress={() => {this.setState({
  type: this.state.type === Camera.Constants.Type.back ? Camera.Constants.Type.front : Camera.Constants.Type.back
});}
...
<Camera
```

expo install expo-camera

# CAMERA



Reload at 22:37:48

BTN PIC FROM OUTSIDE



# SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- **06 Navigation**
- 07 Image Upload
- 08 Push Notification

# NAVIGATOR

<https://reactnavigation.org/>

• V5 •

- npm install @react-navigation/native
- expo install react-native-gesture-handler react-native-reanimated react-native-screens react-native-safe-area-context @react-native-community/masked-view
- npm install @react-navigation/stack
- npm install @react-navigation/bottom-tabs
- expo install @expo/vector-icons
- npm install @react-navigation/material-bottom-tabs react-native-paper
- npm install @react-navigation/drawer

```
import React from 'react';
import { View, Text } from 'react-native';
import { NavigationContainer } from '@react-navigation/native';
import { createStackNavigator } from '@react-navigation/stack';

import FirstPage from './Pages/FirstPage';
import SecondPage from './Pages/SecondPage';
import TabbedPageNavigator from './Pages/TabbedPage';
import MaterialTabbedPage from './Pages/MaterialTabbedPage';

const Stack = createStackNavigator();
function App() {
  return (
    <NavigationContainer>
      <Stack.Navigator initialRouteName="FirstPage">
        <Stack.Screen name="FirstPage" component={FirstPage} />
        <Stack.Screen name="SecondPage" component={SecondPage} />
        <Stack.Screen name="TabbedPageNavigator" component={TabbedPageNavigator} />
        <Stack.Screen name="MaterialTabbedPage" component={MaterialTabbedPage} />
      </Stack.Navigator>
    </NavigationContainer>
  );
}
export default App;
```

# STACK NAVIGATOR

```
<TouchableOpacity onPress={() => {
  this.props.navigation.navigate('SecondPage');} >
<Text style={{ ... }} >
  Goto Second Page! </Text>
</TouchableOpacity>
```

```
import { createMaterialBottomTabNavigator } from '@react-navigation/material-bottom-tabs';
import MaterialCommunityIcons from 'react-native-vector-icons/MaterialCommunityIcons';
...
const Tab = createMaterialBottomTabNavigator();

function MaterialTabbedPageNavigator() {
  return (
    <Tab.Navigator
      initialRouteName="TabbedSecondAlternatePage"
      activeColor="#55ff00"
      inactiveColor='black'
      barStyle={{ backgroundColor: '#694fad' }}
    >
      <Tab.Screen
        name="TabbedAlternatePage"
        component={TabbedAlternatePage}
        options={{
          tabBarLabel: 'Alternate',
          tabBarIcon: ({ color }) => (
            <MaterialCommunityIcons name="bell" color={color} size={26} />
          ),
        }}
      />
      <Tab.Screen...
        </Tab.Navigator>
    );
}
```

# MATERIAL BOTTOM TABBED NAVIGATOR

There is also Material[TopTabNavigator](#)

# TABBED NAVIGATOR

```
import MaterialCommunityIcons from 'react-native-vector-icons/MaterialCommunityIcons';
import { createBottomTabNavigator } from '@react-navigation/bottom-tabs';
...
const Tab = createBottomTabNavigator();
export default function TabbedPage() {
  return (
    <Tab.Navigator
      initialRouteName="Feed"
      tabBarOptions={{
        //activeTintColor: '#e91e63',
        activeTintColor: 'purple',
      }}
    >
      <Tab.Screen
        name="TabbedAlternatePage"
        component={TabbedAlternatePage}
        options={{
          tabBarLabel: 'Alternate Page',
          tabBarIcon: ({ color, size }) => (
            <MaterialCommunityIcons name="home" color={color} size={size} />
          ),
        }}
      />
      <Tab.Screen...
        ...
      </Tab.Navigator>
    );
}
```

```
import { createDrawerNavigator } from '@react-navigation/drawer';
const Drawer = createDrawerNavigator();

function MyDrawer() {
  return (
    <Drawer.Navigator initialRouteName="FirstPage">
      <Drawer.Screen
        name="FirstPage"
        component={FirstPage}
        options={{ drawerLabel: 'FirstPage' }}
      />
      <Drawer.Screen...
    </Drawer.Navigator>
  );
}

//pay attention that the stack navigator screens must match the drawer screens!
const Stack = createStackNavigator();
function App() {
  return (
    <NavigationContainer>
      <MyDrawer>
        <Stack.Navigator initialRouteName="FirstPage">
          <Stack.Screen name="FirstPage" component={FirstPage} />
...
          <Stack.Screen name="MaterialTabbedPageNavigator" component={MaterialTabbedPageNavigator} />
        </Stack.Navigator>
      </MyDrawer>
    </NavigationContainer>
  );
}
```

# DRAWER NAVIGATOR

# SEND INFO BETWEEN PAGES PARAMS

```
this.props.navigation.navigate('SecondPage', { user: 'Lucy' + new Date().getSeconds() });
```

Sending •

```
this.props.route.params != undefined ?  
    this.props.route.params.user : '...'
```

recieving •

# NAVIGATION EVENTS – REFRESH PAGE THOUGH NAVIGATION

```
componentDidMount() {  
  this._unsubscribeFocus = this.props.navigation.addListener('focus', (payload) => {  
    console.log('will focus', payload);  
    this.setState({stam:'stam'});  
  });  
  this._unsubscribeBlur = this.props.navigation.addListener('blur', (payload) => {  
    console.log('will blur', payload)  
  });  
}  
  
componentWillUnmount() {  
  this._unsubscribeFocus();  
  this._unsubscribeBlur();  
}
```

בגלל שהאירועים הללו רצים  
פעם אחת אין בעיה לקרוא  
� setState בפנים. הוא יקרא  
רק פעם אחת.


- בצד לאפשר הרצת קוד  
במעבר בין עמודים.
- נוכל לדעת מאייפה הגענו  
ועם איזה מידע ולהריץ  
למשל setState

# SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- **07 Image Upload**
- 08 Push Notification

# WEB SERVICE

## IMAGE UPLOAD – FETCH, CLIENT SIDE



- תמונה מהצלמה: נצלם תמונה כרץ של ביטים בסיס 64
- ושלח אותו לשרת כמחרוזת אורך בלויי השם של התמונה.
- תמונה מראינטןט: נשלח לשרת את הURL ואת השם של התמונה והשרת ב C# יוריד את התמונה ויישמור אותה אצלך.

```
let photo = await this.camera.takePictureAsync({  
    quality: 0.1,  
    base64: true,  
});  
this.setState({  
    pic64base: photo.base64,  
    picName64base: 'image1_' + new Date().getTime() + '.jpg',  
    picUri: `data:image/gif;base64,${photo.base64}`,  
});
```

להקטין את גודל התמונה  
שצולמה. 1 מקסימום 0  
מינימום

חשוב!!! בRN כאשר מזמינים תמונה היא נשמרת תחת השם  
שלה ב CACHE וכך אם מזמינים תמונה עם אותו שם תופיע  
התמונה הראשונה שוב פעם. לכן כאשר נעלמת התמונה  
לשרת נדרש ליצור לה שם חדש בכל פעם. פה אני מייצר את  
שם החדש. השם החדש מורכב מתחילה אשר ביקשנו ועוד  
מספר שנותר מהתייקים של המחשב.

# WEB SERVICE

## IMAGE UPLOAD – FETCH, CLIENT SIDE

```
uploadBase64ToASMX = () => {
  this.setState({ animate: true });
  let urlAPI =
    'http://russianmobile.tempdomain.co.il/site01/webservice.asmx/ImgUpload'; ←

  fetch(urlAPI, {
    method: 'POST',
    body: JSON.stringify({
      base64img: this.state.pic64base, ←
      base64imgName: this.state.picName64base, ←
    }),
  });
}
```

# WEB SERVICE


## IMAGE UPLOAD – C#, SERVER SIDE

```
[WebMethod]
public string ImgUpload(string base64img, string base64imgName)
{
    //for example - pay attention the first '/' is part of the image!
    //
    //File.AppendAllText(Server.MapPath("images/file1.txt"), base64imgName + "\r\n");
    File.WriteAllBytes(Server.MapPath("images/" + base64imgName), Convert.FromBase64String(base64img)); ←

    return new JavaScriptSerializer().Serialize(new { res = "OK" });
}
```

# WEB API

## IMAGE UPLOAD – FETCH, CLIENT SIDE



```
...  
let photo = await this.camera.takePictureAsync({quality : 0.7});  
...  
imageUpload = (imgUri, picName) => {  
  let urlAPI = "http://.../site01/uploadpicture";  
  let data1 = new FormData();  
  data1.append('picture', {  
    uri: imgUri,  
    name: picName,  
    type: 'image/jpg'  
});
```

להקטין את גודל התמונה  
שצולמה. 1 מקסימום 0  
מינימום

מקום הקוד של צד השרת

# IMAGE UPLOAD – FETCH, CLIENT SIDE

```
const config = {  
  method: 'POST',  
  body: data,  
}  
  
fetch(urlAPI, config)  
  .then((res) => {  
    if (res.status === 201) {return res.json();}  
    else {return "err";}  
  })  
  .then((responseData) => {  
    if (responseData !== "err") {  
      let picNameWOExt = picName.substring(0, picName.indexOf("."));  
      let imageNameWithGUID = responseData.substring(responseData.indexOf(picNameWOExt),  
responseData.indexOf(".jpg") + 4);  
      this.setState({  
        uploadedPicUri: { uri: this.uploadedPicPath + imageNameWithGUID },  
      });  
      console.log("img uploaded successfully!");  
    }  
    else {alert('error uploading ...');}  
  })  
  .catch(err => {alert('err upload= ' + err);});
```

חשיבות!!! בRN כאשר מזמינים תמונה היא נשמרת תחת השם שלה ב CACHE ולבסוף מזמינים אותה עם אותו שם תופיע התמונה הראשונה שוב פעם. לכן כאשר נעלמת את התמונה לשרת נצטרך ליצור לה שם חדש בכל פעם. זאת ניתן לעשות בצד השירות. ולקבל את השם החדש לצד הליקו. פה אני מחלץ את השם החדש. השם החדש מורכב מתחילה אשר ביקשנו כאשר שלחנו את התמונה לשרת ועוד GUID שנוצר בשרת

# IMAGE UPLOAD – C# WEB API, SERVER SIDE

```
[EnableCors(origins: "*", headers: "*", methods: "*")]
public class ValuesController : ApiController
{
...
[Route("uploadpicture")]
public Task<HttpResponseMessage> Post()
{
    string outputForNir="start---";
    List<string> savedFilePath = new List<string>();
    if (!Request.Content.IsMimeMultipartContent())
    {
        throw new HttpResponseException(HttpStatusCode.UnsupportedMediaType);
    }
    string rootPath = HttpContext.Current.Server.MapPath("~/uploadFiles");
    var provider = new MultipartFileStreamProvider(rootPath);
    var task = Request.Content.ReadAsMultipartAsync(provider).
        ContinueWith<HttpResponseMessage>(t =>
    {
        if (t.IsCanceled || t.IsFaulted)
        {
            Request.CreateErrorResponse(HttpStatusCode.InternalServerError, t.Exception);
        }
    });
}
```

# IMAGE UPLOAD – C# WEB API, SERVER SIDE

```
foreach (MultipartFileData item in provider.FileData)
{
    try
    {
        outputForNir += " ---here";
        string name = item.Headers.ContentDisposition.FileName.Replace("\\\"", "");
        outputForNir += " ---here2=" + name;

        //need the guid because in react native in order to refresh an inamge it has to have a new name
        string newFileName = Path.GetFileNameWithoutExtension(name) + "_" + Guid.NewGuid() +
Path.GetExtension(name);
        //string newFileName = name + "" + Guid.NewGuid();
        outputForNir += " ---here3" + newFileName;

        //delete all files begining with the same name
        string[] names = Directory.GetFiles(rootPath);
        foreach (var fileName in names)
        {
            if (Path.GetFileNameWithoutExtension(fileName).IndexOf(Path.GetFileNameWithoutExtension(name)) != -1)
            {
                File.Delete(fileName);
            }
        }

        //File.Move(item.LocalFileName, Path.Combine(rootPath, newFileName));
        File.Copy(item.LocalFileName, Path.Combine(rootPath, newFileName), true);
        File.Delete(item.LocalFileName);
        outputForNir += " ---here4";
    }
}
```

# IMAGE UPLOAD – C# WEB API, SERVER SIDE

```
Uri baseuri = new Uri(Request.RequestUri.AbsoluteUri.Replace(Request.RequestUri.PathAndQuery, string.Empty));
    outputForNir += " ---here5" ;
    string fileRelativePath = "~/uploadFiles/" + newFileName;
    outputForNir += " ---here6 imageName=" + fileRelativePath;
    Uri fileFullPath = new Uri(baseuri, VirtualPathUtility.ToAbsolute(fileRelativePath));
    outputForNir += " ---here7" + fileFullPath.ToString();
    savedFilePath.Add(fileFullPath.ToString());
}
catch (Exception ex)
{
    outputForNir += " ---exception=" + ex.Message;
    string message = ex.Message;
}
}

return Request.CreateResponse(HttpStatusCode.Created, "nirchen " + savedFilePath[0] + "!" + provider.FileData.Count + "!" + outputForNir + ":)");
});
return task;
}
```

# IMAGE UPLOAD – C# WEB API, SERVER SIDE TESTING

POST http://localhost:62256/upload... ● + ...

Untitled Request

POST http://localhost:62256/uploadpicture

Params Authorization Headers (9) **Body** ● Pre-request Script Tests Settings

none  form-data  x-www-form-urlencoded  raw  binary  GraphQL BETA

KEY	VALUE
<input checked="" type="checkbox"/> file	A10F15eF22P51.jpg X
Key	Value


Body Cookies Headers (10) Test Results

Pretty Raw Preview Visualize BETA JSON ▾

```
1 "nirchen http://localhost:62256/uploadFiles/A10F15eF22P51_20_10_2019_15-22-55.jpg!1!start--- ---here ---here2=A10F15eF22P51.jpg  
---here5 ---here6 imageName=~/_uploadFiles/A10F15eF22P51_20_10_2019_15-22-55.jpg ---here7http://localhost:62256/uploadFiles,
```

# SYLLABUS

- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification



# PUSH NOTIFICATION

- נעשה שימוש בספריה של EXPO בכך לקלוט ICLOUD של PN עבור ANDROID ו-IOS באותו קוד. כמו כן לא צריך ליצור משתמש של APPLE.
- <https://docs.expo.io/versions/latest/guides/push-notifications>
- שימוש לב שציר לאפשר את ההתראות במכשיר. במקרה ממכשיר ה- ANDROID לא הצלחתי לאפשר זאת ויכול להיות שציר לחפש "לשחק" הכן מאפשרים את ההתראות.
- אין צורך לפתוח חשבון בשירות ענן כלשהו. EXPO כבר מבצעים הכל עבורינו.
- בכך לשלוח הודעה כל מה שציר הוא לשלוח הודעה POST לשרת של EXPO שמעביר את הודעה לשירות ענן בכך לשלוח PN.

יש מערכת שלוחת הודעה ישירות מהאתר של EXPO בכך לבחון את הקוד בצד לקוח

חשוב!!!

חייבים להיות מחוברים לEXPO גם בטלפון עצמו!!!  
וגם ב-code visual code ע"י expo login והכנסת שם וסיסמה!!!

Play sound

JSON DATA

```
{"grade": 100, "name": "avi"}
```

<https://expo.io/dashboard/notifications>

# PN – CLIENT SIDE REGISTRATION

```
import { Notifications } from 'expo';
import * as Permissions from 'expo-permissions';
export default async function registerForPushNotificationsAsync() {
  const { status: existingStatus } = await Permissions.getAsync(
    Permissions.NOTIFICATIONS
  );
  let finalStatus = existingStatus;

  // only ask if permissions have not already been determined, because iOS won't necessarily prompt the user a second time.
  if (existingStatus !== 'granted') {
    // Android remote notification permissions are granted during the app install, so this will only ask on iOS
    const { status } = await Permissions.askAsync(Permissions.NOTIFICATIONS);
    finalStatus = status;
  }

  // Stop here if the user did not grant permissions
  if (finalStatus !== 'granted') {
    return;
  }

  // Get the token that uniquely identifies this device
  let token = await Notifications.getExpoPushTokenAsync(); ←
  //alert(token);
  // POST the token to your backend server from where you can retrieve it to send push notifications.
  return (
    ©NIR CHEN
    token
  );
}
```

- פה צריך לדאוג ל:
- קבלת הרשות ליכולה לקבלת התראות
- קבלת מספר ייחודי מזהה של מכשיר הטלפון

# PN – CLIENT SIDE RECEIVING MSG

```
import { Notifications } from 'expo';
import registerForPushNotificationsAsync from './registerForPushNotificationsAsync';

export default class App extends React.Component {
  constructor(props) {
    super(props);
    this.state = {
      notification: {},
    };
  }

  componentDidMount() {
    registerForPushNotificationsAsync() ←
      .then((token) => {
        this.setState({ token });
        this._notificationSubscription = Notifications.addListener(this._handleNotification);
      });
  }

  _handleNotification = (notification) => { ←
    this.setState({ notification: notification });
  };

  render() {
    return (
      <Text>Origin: {this.state.notification.origin}</Text> ←
      <Text>Data: {JSON.stringify(this.state.notification.data)}</Text> ←
    );
  }
}
```

- פה נעשה רישום של פונקציה לקבלת התראה
- יש אפשרות לראות בהתראה עצמה בין היתר TITLE, BODY, BADGE - או DATA - באפליקציה

# PN – CLIENT SIDE SENDING MSG

```
btnPushFromClient = () => {
  let per = {
    to: this.state.token,
    title: 'title from client',
    body: "body from client side",
    badge: 3,
    data: { name: "nir", seconds: new Date().getSeconds() }
  };

  // POST adds a random id to the object sent
  fetch('https://exp.host/--/api/v2/push/send', {
    method: 'POST',
    body: JSON.stringify(per),
    headers: {
      "Content-type": "application/json; charset=UTF-8"
    }
  })
  .then(response => response.json())
  .then(json != null) {
    console.log(`
      returned from server\n
      json.data= ${JSON.stringify(json.data)}`);
  } else {
    alert('err json => {
      if (json);
    }
  });
}
```

# PN – SERVER SIDE SENDING MSG C# WEB API

```
[Route("sendpushnotification")]
public string Post([FromBody]PushNotData pnd)
{
    // Create a request using a URL that can receive a post.
    WebRequest request = WebRequest.Create("https://exp.host/--/api/v2/push/send");
    // Set the Method property of the request to POST.
    request.Method = "POST";
    // Create POST data and convert it to a byte array.
    var objectToSend = new
    {
        to = pnd.to,
        title = pnd.title,
        body = pnd.body,
        badge = pnd.badge,
        data = pnd.data//new { name = "nir", grade = 100 }
    };
    string postData = new JavaScriptSerializer().Serialize(objectToSend);
    byte[] byteArray = Encoding.UTF8.GetBytes(postData);
    // Set the ContentType property of the WebRequest.
    request.ContentType = "application/json";
    // Set the ContentLength property of the WebRequest.
    request.ContentLength = byteArray.Length;
    // Get the request stream.
    Stream dataStream = request.GetRequestStream();
```

- כל מה שנוטר זה רק לקרוא לפונקציה זו או מהשרת או מהלך ע"י fetch

# PN – SERVER SIDE SENDING MSG C# WEB API – CONT'

```
// Write the data to the request stream.  
dataStream.Write(byteArray, 0, byteArray.Length);  
// Close the Stream object.  
dataStream.Close();  
// Get the response.  
WebResponse response = request.GetResponse();  
// Display the status.  
string returnStatus = ((HttpWebResponse)response).StatusDescription;  
//Console.WriteLine(((HttpWebResponse)response).StatusDescription);  
// Get the stream containing content returned by the server.  
dataStream = response.GetResponseStream();  
// Open the stream using a StreamReader for easy access.  
StreamReader reader = new StreamReader(dataStream);  
// Read the content.  
string responseFromServer = reader.ReadToEnd();  
// Display the content.  
//Console.WriteLine(responseFromServer);  
// Clean up the streams.  
reader.Close();  
dataStream.Close();  
response.Close();  
  
return "success:) --- " + responseFromServer + "," + returnStatus;  
}
```

# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- **09 Compass**
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib

# COMPASS


```
import * as Location from 'expo-location';
...
btnHeading = async () => {

  let { status } = await Location.requestPermissionsAsync();
  if (status !== 'granted') {
    alert('Permission to access location was denied');
  }

  let heading = await Location.getHeadingAsync({});
  this.setState({ heading });
};
```

©NIR CHEN

- expo install expo-location
- ניתן לקבל מידע לקבול הכוון שהטלפון מופנה אליו.
- כיוון אמיתי וכיוון מגנטי



# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- **10 Geocoding**
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib

# GEOCODING


```
import * as Location from 'expo-location';
...
btnLocation = async () => {
  let { status } = await Location.requestPermissionsAsync();
  if (status !== 'granted') {
    this.setState({errorMessage: 'Permission to access location was denied', });
  }
  let location = await Location.getCurrentPositionAsync({});
  this.setState({ location });
};

btnReverseGC = async () => {
  let { status } = await Location.requestPermissionsAsync();
  if (status !== 'granted') {
    this.setState({ errorMessage: 'Permission to access location was denied', });
  }
  if (this.state.location) {
    let reverseGC = await Location.reverseGeocodeAsync(this.state.location.co
      this.setState({ reverseGC });
    }else{
      alert('You must push the Location button first in order to get the loc
can get the reverse geocode for the latitude and longitude!');
    }
};
```



יזמה  
מ של  
נובת

- `expo install expo-location`
  - ניתן לקבל מידע אודוט כתובת עבר נ.צ. קיימ.
  - ניתן לקבל גם הפור - נ.צ. עבר כתובת (לא בדוגמה הזו)



מחקתי מהדוגמה  
את הפרטים של  
הנ.צ. והכתבת

# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN


- 09 Compass
- 10 Geocoding
- **11 Facebook**
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib

- צריך ליצור פרויקט ב API FB בצדך לקבל appId

- <https://docs.expo.io/versions/latest/sdk/facebook/>
- rRW++LUjmZZ+58EbN5DVhGANkX4=
- host.exp.Exponent

• The Expo client app

- Add `host.exp.Exponent` as an iOS *Bundle ID*. Add `rRW++LUjmZZ+58EbN5DVhGANkX4=` as an Android *key hash*. Your app's settings should end up including the following under "Settings > Basic":



```

import * as Facebook from 'expo-facebook';
...
async function btnFBLogin() {
  try {
    await Facebook.initializeAsync('[YOUR APPID]');
    const { type, token, expires, permissions, declinedPermissions, } = await Facebook.logInWithReadPermissionsAsync({
      permissions: ['public_profile'],
    });
    if (type === 'success') {
      // Get the user's name using Facebook's Graph API
      const response = await fetch(`https://graph.facebook.com/me?fields=id,name,email,picture&access_token=${token}`);
      let res = await response.json();
      Alert.alert('Logged in!', `Hi NAME: ${res.name}!\nEMAIL: ${res.email}\nPICTURE: ${res.picture.data.url}`);
      //Alert.alert('Logged in!', `Hi NAME: ${res.name}!\nEMAIL: ${res.email}\nPICTURE: ${res.picture}\nRES:${JSON.stringify(res)}`);
    } else if (type === 'cancel' ) {
    } catch ({ message }) {
      alert(`Facebook Login Error: ${message}`);
    }
  }
}

```

©NIR CHEN


FB



- צריך לקבל token ייחודי בצד*יכן* לעבוד עם ה API שלהם.

...מספר ID , מייל , שם

מחקתי מהדוגמא  
את הפרטים  
האישיים



# FB

```
btnFetch_PersonPicture = () => {
  // POST adds a random id to the object sent
  fetch(`https://graph.facebook.com/me?fields=picture&access_token=${this.state.token}`, {
    method: 'POST',
    body: '',
    headers: {
      "Content-type": "application/json; charset=UTF-8"
    }
  })
  .then(response => response.json())
  .then(json => {
    if (json != null) {
      this.setState({ photoUrl: json.picture.data.url });
      alert(`picture= ${json.picture}\npicture.data.url= ${json.picture.data.url}\nRES=${JSON.stringify(json)}`);
    } else {
      this.setState({ lblErr: true });
    }
  });
}
```

©NIR CHEN

FaceEBook Page PG



rUpper

Go to Home Page ←



FB LOGIN - GET THE TOKEN 🔒

FB GET PICTURE - USING THE TOKEN 📸



• פה אני מקבל תמונה

# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- **12 Image gallery**
- 13 Sms
- 14 React Elements UI Lib


# IMAGE GALLERY

• טין לבחור תמונה מהגלריה

- expo install expo-image-picker

```
import * as ImagePicker from 'expo-image-picker';
...
btnOpenGalery = async () => {
  let result = await ImagePicker.launchImageLibraryAsync({
    //allowsEditing: true,
    //aspect: [4, 3],
  });

  if (!result.cancelled) {
    this.setState({ image: result.uri });
  }
};
```



# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN


- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- **13 Sms**
- 14 React Elements UI Lib

# SMS

- ניתן לפתח את מסך הוסעת SMS עם רשימת טלפונים והודעה מוכנה מהאפליקציה עצמה שלנו.
- זה לא שולח מהאפליקציה עצמה שלנו אלה רק פותח את אפליקציית SMS-ים הקיימת

- expo install expo-sms

```
import * as SMS from 'expo-sms';
...
btnSendSms = async () => {
  const isAvailable = await SMS.isAvailableAsync();
  if (isAvailable) {
    //alert('send');
    const { result } =
      await SMS.sendSMSAsync(
        [this.state.txtTel1, this.state.txtTel2],
        this.state.txtTextValue);
    // alert(result);
    this.setState({ txtTextValue: result });
  } else {
    alert('misfortune... there\'s no SMS available on this device');
  }
};
```



# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 **React Elements UI Lib**

# REACT NATIVE ELEMENTS UI

```
import { Button, ThemeProvider } from 'react-native-elements';
import Icon from 'react-native-vector-icons/FontAwesome';
```

```
const MyApp = () => {
  return (
    <ThemeProvider> ←
    <Button
      icon={[
        <Icon
          name="arrow-right"
          size={15}
          color="white"
        />
      ]}
      iconRight
      title="Button with right icon"
    />
  </ThemeProvider>
);
```

- <https://react-native-training.github.io/react-native-elements/>
- npm install react-native-vector-icons
- npx react-native link react-native-vector-icons
- npm install react-native-safe-area-context
- npx react-native link react-native-safe-area-context
- npm install --save react-native-elements



# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking

```

import * as Linking from 'expo-linking';
import * as WebBrowser from 'expo-web-browser';
Linking.openURL('https://expo.io');
WebBrowser.openBrowserAsync('https://expo.io');

...
Linking.openURL('mailto:support@expo.io?subject=Congrats Snoopy&body=Enjoy your
stay,%0ARegards');

...
Linking.openURL('tel:+123456789');

....
Linking.openURL('sms:+123456789');

...
//this will open the app through whatsapp
//1. need to publish the app first!
//2. when clicked in whatsapp this will go to the published page on expo.io
// then you can open the app in the expo if installed.

btnWhatsapp = () => {
  let text = "hello ";
  text = 'https://expo.io/@nirc/get-a-ride-demo';
  let phoneNumber = '+972523333333';
  Linking.openURL(`whatsapp://send?text=${text}&phone=${phoneNumber}`);
}

```

©NIR CHEN

Open a url

# LINKING


Send mail

- כל מה שקשר ליצירת קשר עם אפליקציות חיצונית

Open dialer

Send sms

Send  
whatsapp




# LINKING

```
import { ... , Share } from 'react-native';
btnShare = () => {
  //let text = Expo.Linking.makeUrl();
  let text = 'https://expo.io/@nirc/get-a-ride-demo';
  Share.share({
    message: "Click Here to View More! " + text,
    url: text,
    title: 'nir has invited you to join this activity',
  })
  .then((result) => {
    console.log(result)
    if (result === 'dismissedAction') {
      return
    }
  })
  .catch((error) => console.log(error))
}
```

Open all sharable  
apps

- כל מה שקשר ליצירת קשר עם אפליקציות חיצונית



# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking
- **17-1 Maps**

```
import { StyleSheet, Text, View, Dimensions } from 'react-native';
import MapView from 'react-native-maps';
import { Marker } from 'react-native-maps';
...
<View style={styles.container}>
  <MapView
    style={{flex: 0.7, width: Dimensions.get('window').width - 30,}}
    region={{
      latitude: 32.157154,
      longitude: 34.843893,
      latitudeDelta: 0.0122,
      longitudeDelta: 0.0121,
    }} >
    <Marker
      coordinate={{
        latitude: 32.15715,
        longitude: 34.843893
      }}
      title='my place:'
      description='here i am'
      //image={require('../assets/icon.png')}
    />
  </MapView>
</View>
```



# MAPS

- expo install react-native-maps
- <https://github.com/react-native-community/react-native-maps>

# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking
- 17-1 Maps
- **17 Fingerprint authentication**

# FINGERPRINT AUTHENTICATION

```
import * as LocalAuthentication from 'expo-local-authentication';

scanFingerPrint = async () => {
  try {
    let results = await LocalAuthentication.authenticateAsync();
    if (results.success) {
      this.setState({
        modalVisible: false,
        authenticated: true,
        failedCount: 0,
      });
    } else {
      this.setState({
        failedCount: this.state.failedCount + 1,
      });
    }
  } catch (e) {
    console.log(e);
  }
};
```

©NIR CHEN

- expo install expo-local-authentication

# SYLLABUS

- -01 Expo
- 00 Debug
- 01 APK Creation
- 02 React Native Material UI
- 03 Fetch
- 04 Geolocation
- 05 Camera
- 06 Navigation
- 07 Image Upload
- 08 Push Notification

©NIR CHEN

- 09 Compass
- 10 Geocoding
- 11 Facebook
- 12 Image gallery
- 13 Sms
- 14 React Elements UI Lib
- 15 Linking
- 17-1 Maps
- 17 Fingerprint authentication
- **18 Async Storage**

# ASYNC STORAGE SET

```
import AsyncStorage from '@react-native-async-storage/async-storage';

//opt1 – with async-await
const storeData = async (value) => {
  try {
    const jsonValue = JSON.stringify(value)
    await AsyncStorage.setItem('@storage_Key', jsonValue)
  } catch (e) {
    // saving error
  }
}

//opt2 – WO async-await
const storeData = (value) => {
  try {
    const jsonValue = JSON.stringify(value)
    AsyncStorage.setItem('@storage_Key', jsonValue , () => { do something after the async was done... });
  } catch (e) {
    // saving error
  }
}
```

- כמו localStorage בJS רק בRN
- יש לשים לב שזה אcn אסינכרוני!!!
- <https://react-native-async-storage.github.io/async-storage/>
- npm install @react-native-async-storage/async-storage
- שומר רק מחרוזת – תמיד ניתן להשתמש בעצמך JSON.stringify

# ASYNC STORAGE

## GET

```
import AsyncStorage from '@react-native-async-storage/async-storage';

//opt1 – with async-await
const getData = async () => {
  try {
    const jsonValue = await AsyncStorage.getItem('@storage_Key') ←
    return jsonValue != null ? JSON.parse(jsonValue) : null;
  } catch(e) {
    // error reading value
  }
}

//opt2 – WO async-await
const getData = () => {
  try {
    AsyncStorage.getItem('@storage_Key', (err, result) =>{ ←
      do something with result which is the value stored after the async was done...
      return result != null ? JSON.parse(result) : null;
    })
  } catch(e) {
    // error reading value
  }
}
```

# MORE EXPO CAPABILITIES!!!

## SDK API REFERENCE

Introduction

Accelerometer

Admob

Amplitude

AppLoading

ART

Asset

Audio

AuthSession ←

AV

BarCodeScanner

BlurView

Branch

Brightness

Calendar

Camera

Constants

Contacts

©NIR CHEN

DeviceMotion

DocumentPicker

ErrorRecovery

FacebookAds

Facebook ←

FaceDetector ←

FileSystem

Fingerprint

Font

GestureHandler

GLView

Google

Gyroscope

ImageManipulator

ImagePicker

IntentLauncherAndroid

KeepAwake

LinearGradient

Localization

Localization

Location

Lottie

Magnetometer

MailComposer

MapView ←

Notifications

Payments

Pedometer

Permissions

Print

registerRootComponent

ScreenOrientation

SecureStore

Segment

Speech

SQLite

Svg

takeSnapshotAsync

Updates

Video

WebBrowser