

***ANUDIP FOUNDATION***

A Project Report on

**GAS BOOKING SYSTEM**

By

Batch: ANP-D0453

Student ID: AF0477088

Name: Nirjala Madgal

**Under the Guidance of**

Mrs. Rajshri Chandrabhan Thete

# GAS BOOKING SYSTEM

The Gas Booking System is a web-based application designed to streamline the process of booking gas cylinders and managing deliveries. It aims to provide a convenient and efficient platform for customers to order gas cylinders online, track their bookings, make payments, and receive timely delivery. The system is developed using a combination of HTML, CSS, Bootstrap, Hibernate, MySQL, and Java to ensure a responsive, user-friendly experience with a robust back-end infrastructure.

## Entities:

- ❖ Admin
- ❖ Gas
- ❖ Customers
- ❖ Booking
- ❖ Payments
- ❖ Delivery

## VARIOUS ENTITIES:

### 1. Admin

- Admin\_id(primary key)
- Admin\_name
- Admin\_password

### 2. Gas

- gas\_id(Primary Key)
- gas\_name
- gas\_price

### 3. Customers

- customer\_id(Primary key)
- customer\_name
- customer\_mobile
- customer\_email
- customer\_address
- password

#### **4. Bookings**

- booking\_id(Primary Key)
- gas\_id(fk)
- customer\_id(fk)
- booking\_date


#### **5. Payments**

- payment\_id(Primary Key)
- customer\_id(fk)
- payment\_date
- payment\_amount


#### **6. Delivery**

- delivery\_id(Primary Key)
- customer\_id(fk)
- delivery\_address
- delivery\_date

# ENTITY RELATIONSHIP DIAGRAM – GAS BOOKING SYSTEM



## CLASS DIAGRAM OF GAS BOOKING SYSTEM:



## DATABASES:

Enter password: \*\*\*\*\*

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 10

Server version: 8.0.41 MySQL Community Server - GPL

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;

Database
anp_d0453
ecommerce
employeemanagementsystem
gasbookingsystem
information_schema
mysql
performance_schema
sakila
studentmanagementsystem
sys

```
| world |
```

```
+-----+
```

11 rows in set (0.00 sec)

```
mysql> use gasbookingsystem;
```

Database changed

```
mysql> show tables;
```

```
+-----+
```

```
| Tables_in_gasbookingsystem |
```

```
+-----+
```

```
| admin |
```

```
| booking |
```

```
| customer |
```

```
| delivery |
```

```
| gas |
```

```
| payment |
```

```
+-----+
```

6 rows in set (0.01 sec)

```
mysql> desc admin;
```

```
+-----+-----+-----+-----+-----+-----+
```

```
| Field | Type | Null | Key | Default | Extra |
```

```
+-----+-----+-----+-----+-----+-----+
```

```
| admin_id | int | NO | PRI | NULL | auto_increment |
```

```
| admin_name | varchar(100) | YES | | NULL | |
```

```
| admin_password | varchar(100) | YES | | NULL | |
```

```
+-----+-----+-----+-----+-----+-----+
```

3 rows in set (0.02 sec)

```
mysql> desc Customer;
```

```
+-----+-----+-----+-----+-----+-----+
```

```
| Field | Type | Null | Key | Default | Extra |
```

```

+-----+-----+-----+-----+-----+
| cust_id | int | NO | PRI | NULL | auto_increment |
| cust_name | varchar(100) | YES | | NULL | |
| cust_mobNo | varchar(15) | YES | UNI | NULL | |
| cust_email | varchar(100) | YES | UNI | NULL | |
| cust_address | text | YES | | NULL | |

```

```

+-----+-----+-----+-----+-----+

```

5 rows in set (0.00 sec)

mysql> desc Gas;

```

+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| gas_id | int | NO | PRI | NULL | auto_increment |
| gas_name | varchar(100) | YES | | NULL | |
| gas_price | decimal(10,2) | YES | | NULL | |

```

```

+-----+-----+-----+-----+-----+

```

3 rows in set (0.00 sec)

mysql> desc Booking;

```

+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| booking_id | int | NO | PRI | NULL | auto_increment |
| cust_id | int | YES | MUL | NULL | |
| gas_id | int | YES | MUL | NULL | |
| booking_date | date | YES | | NULL | |

```

```

+-----+-----+-----+-----+-----+

```

4 rows in set (0.00 sec)

mysql> desc Delivery;

```

+-----+-----+-----+-----+-----+

```



Field	Type	Null	Key	Default	Extra
delivery_id	int	NO	PRI	NULL	auto_increment
booking_id	int	YES	MUL	NULL	
delivery_address	text	YES		NULL	
delivery_date	date	YES		NULL	

4 rows in set (0.00 sec)

mysql> desc Payment;

Field	Type	Null	Key	Default	Extra
pay_id	int	NO	PRI	NULL	auto_increment
booking_id	int	YES	MUL	NULL	
pay_date	date	YES		NULL	
pay_amount	decimal(10,2)	YES		NULL	

4 rows in set (0.00 sec)

## CONCLUSION:

The Gas Booking System effectively addresses customer challenges by providing a seamless platform for booking gas cylinders, making payments, and tracking deliveries. With the integration of HTML, CSS, Bootstrap, Java, Hibernate, and MySQL, the system offers a scalable and user-friendly experience. Administrators have full control over gas inventory, bookings, and payments, while customers benefit from a streamlined process. Future expansions, such as automated alerts and real-time tracking, can further enhance the system's functionality. Overall, the project highlights the power of modern web technologies in simplifying everyday services like gas cylinder delivery.