NIRMAYEE S. KADAM PRN-25070521134 SECTION-C1

EXPERIMENT-7.1.1 INVERTED STAR PATTERN

ALGORITHM:

Step 1: Start

Step 2: Input an integer value a

Step 3: Check the condition a > 0

Step 4: If the condition is true, print "*" repeated a times

Step 5: Decrease the value of a by 1

a = a − 1

Step 6: Go back to Step 3 and check the condition again

Step 7: If the condition a > 0 becomes false, stop the loop

Step 8: End

FLOWCHART:



CODE:


CODETANTRA
Home
nirmayee.kadam.batch2025@sitnagpur.siu.edu.in
Support
Logout
7.1.1. Inverted Star Pattern
02:22
Write a Python program to print an inverted right-angled triangle star pattern.
For a given number n, the program should print n rows of stars where the first row contains n stars, the second row contains $n-1$ stars, and each subsequent row has one less star than the previous row, ending with 1 star in the last row.
All rows should be left-aligned with no spaces between the stars.
Input Format:
• Single line contains an integer n representing the number of rows
Output Format:
• Print an inverted right-angled triangle star pattern with n rows
Note:
• Refer to sample test cases for better understanding.
Sample Test Cases
Explorer
starPrint.py
Submit
Debugger
n = int(input())
for i in range(n, 0, -1):
print("*" * i)
Average time
0.006 s
5.67 ms
Maximum time
0.015 s
15.00 ms
3 out of 3 shown test case(s) passed
3 out of 3 hidden test case(s) passed
Test case 1
15 ms
Debug
Expected output
Actual output
3
***
**
*
Test case 2
4 ms
Terminal
Test cases