NIRMAYEE S. KADAM PRN:25070521134 SEC-C1

5.1.2- STUDENT GRADE BASED ON AGGREGATE

ALGORITHM:

- **Start.**
- **Input:** Read four integer values (marks) for the four subjects.
- **Calculation:**
- **Total Marks:** Add the marks of all four subjects together (Total = m1 + m2 + m3 + m4).
- **Aggregate Percentage:** Divide the Total Marks by the number of subjects (4) to find the average (Aggregate = Total / 4).
- **Display Results:** Print the **Total Marks** and the **Aggregate Percentage** (rounded to two decimal places).
- **Grade Decision (The Ladder):**
- **If** Aggregate is greater than **75**, set Grade to **"Distinction"**.
- **Else If** Aggregate is between **60 and 75**, set Grade to **"First Division"**.
- **Else If** Aggregate is between **50 and 60**, set Grade to **"Second Division"**.
- **Else If** Aggregate is between **40 and 50**, set Grade to **"Third Division"**.
- **Else** (If Aggregate is below 40), set Grade to **"Fail"**.
- **Output:** Print the determined **Grade**.
- **Stop**

Act
Go t

FLOWCHART:


Start
Input
a,b,c,d
total = a+b+c+d
percent =
(total/400)*100
Print
total and percent
if percent > 75
True
False
Print
Distinction
elif
percent >=60
and
percent <75
True
False
print
First Division
elif
percent >=50
and
percent < 60
True
False
print
Second Division
elif
percent >=40
and
percent <50
True
False
print
Third Division
print
Fail
Stop

CODE:


CODETANTRA
Home
nirmayee.kadam.batch2025@sitnagpur.siu.edu.in
Support
Logout
5.1.2. Student Grade Based on Aggregate
10:13
Write a program to calculate the total marks, aggregate percentage, and grade of a student based on marks in four subjects. The grade is determined as follows:
• Aggregate > 75%: Distinction
• Aggregate >= 60% and < 75%: First Division
• Aggregate >= 50% and < 60%: Second Division
• Aggregate >= 40% and < 50%: Third Division
• Aggregate < 40%: Fail
Input Format:
• Four space-separated integers representing the marks in four subjects.
Output Format:
• The first line should print the total marks.
• The second line should print the aggregate percentage with two decimal places.
Sample Test Cases
Explorer
studentG...
Submit
Debugger
m1, m2, m3, m4 = map(int, input().split())
total = m1 + m2 + m3 + m4
aggregate = total / 4
Average time
0.004 s
4.00 ms
Maximum time
0.008 s
8.00 ms
5 out of 5 shown test case(s) passed
5 out of 5 hidden test case(s) passed
Test case 1
4 ms
Debug
Expected output
Actual output
85 90 78 88
341
85.25
Distinction
Test case 2
8 ms
Terminal
Test cases