

RUN DATE: [REDACTED] PAGE 1
RUN TIME: [REDACTED] Specimen Inquiry
RUN USER: [REDACTED]

PATIENT: [REDACTED] ACCT #: [REDACTED] LOC: [REDACTED] U #: [REDACTED]
REG DR: [REDACTED] AGE/SX: [REDACTED] ROOM: [REDACTED] REG: [REDACTED]
DOB: [REDACTED] BED: [REDACTED] DIS: [REDACTED]
STATUS: [REDACTED] TLOC: [REDACTED]

SPEC #: [REDACTED] RECD: [REDACTED] STATUS: [REDACTED] PERFORMED AT: [REDACTED]
COLL: [REDACTED] TIME IN FORMALIN: [REDACTED]

UUID:1FFDD2E3-02D5-4C38-B6E9-1261EB57835A
TCGA-LL-A441-01A-PR

Redacted

CLINICAL INFORMATION:

Pre-Op Diagnosis: Right breast cancer

Remarks:

- Specimen(s): A. Right breast needle localized lumpectomy
B. Axillary contents
C. Sentinel node

ICD-O3
carcinoma, infiltrating ductal, NOS
8500/3

Site: breast, NOS

C50.9 8/23/12
20

MICROSCOPIC DIAGNOSIS

A. RIGHT BREAST TISSUE, NEEDLE LOCALIZED LUMPECTOMY:

- INFILTRATING DUCTAL CARCINOMA
- MODIFIED NOTTINGHAM HISTOLOGIC GRADE 3 OF 3: TUBULAR FORMATION SCORE 3 OF 3, MITOTIC SCORE 3 OF 3 (10 MITOTIC FIGURES PER SQ MM)
- DUCTAL CARCINOMA IN SITU, HIGH-GRADE WITH SOLID PATTERN, NOT EXTENSIVE
- INVASIVE TUMOR MEASURES 12 MM (pT1c)
- SURGICAL MARGINS FREE OF INVASIVE CARCINOMA WITH NEAREST MARGIN 3 MM, SUPERIOR MARGIN
- DUCTAL CARCINOMA IN SITU IS FOCALLY PRESENT AT SUPERIOR MARGIN
- SEE COMMENT FOR SYNOPTIC REPORT

B. RIGHT AXILLARY CONTENTS, LYMPHADENECTOMY:

- NO TUMOR SEEN IN ANY OF TWO LYMPH NODES

C. RIGHT AXILLARY SENTINEL LYMPH NODES, LYMPHADENECTOMY:

- NO TUMOR SEEN IN ANY OF TWO LYMPH NODES

COMMENT(S)

SURGICAL PATHOLOGY CANCER CASE SUMMARY - CAP APPROVED

Procedure: Excision with wire-guided localization
Lymph Node Sampling: Sentinel lymph node(s), axillary dissection
Special Laterality: Right
Histologic Type of Invasive Carcinoma: Invasive ductal carcinoma
Tumor Size: Greatest dimension of largest focus of invasion: 12 mm
Histologic Grade (Nottingham): Glandular/Tubular Differentiation: Score 3
Nuclear Pleomorphism: Score 3
Mitotic Rate: Score 3
Overall Grade: Grade 3

** CONTINUED ON NEXT PAGE **

Criteria	Yes	No
Diagnosis Discrepancy		X
Primary Tumor Site Discrepancy		X
HIPAA Discrepancy		X
Prior Malignancy History		X
Dual/Synchronous Primary Notes		X
Case (circle):	QUALIFIED	DISQUALIFIED
Reviewed by:	8/17/12	

RUN DATE: [REDACTED]
RUN TIME: [REDACTED]
RUN USER: [REDACTED]

Specimen Inquiry
PCI User: [REDACTED]

PAGE 2

SPEC #: [REDACTED]

PATIENT: [REDACTED]

(Continued)

COMMENT(S)

(Continued)

Tumor Focality:
Ductal Carcinoma In Situ:
Margins:

Single focus of invasive carcinoma
DCIS is present
Invasive Carcinoma: Margins uninvolved by invasive carcinoma

Distance from closest margin: 3 mm; superior
DCIS: Margins positive for DCIS; superior

Lymph Nodes:

Number of sentinel lymph nodes examined: 2
Total number of lymph nodes examined (sentinel and nonsentinel): 4
Number of lymph nodes with macrometastases (>2 mm): 0
Number of lymph nodes with micrometastases (>0.2 mm to 2 mm and/or >200 cells): 0
Number of lymph nodes with isolated tumor cells (<0.2 mm and <200 cells): 0
Number of lymph nodes without tumor cells identified: 4

Pathologic Staging:

Primary Tumor: pT1c
Regional Lymph Nodes: pN0
Distant Metastasis: Not applicable

Ancillary Studies:

ER: Negative (<1% of tumor cells with nuclear positivity)
PR: Negative (<1% of tumor cells with nuclear positivity)
Immunoperoxidase Studies: Negative (Score 1+)

GROSS DESCRIPTION:

The specimen is received in three parts.

A. This specimen is received in the fresh state from the operating room for immediate gross evaluation and consist of an excision of breast tissue which measures 8 x 6 x 4 cm. A needle is present in the specimen. I have applied ink to the margins as follows: yellow is superior; blue is deep; black is anterior; red is inferior. Sections reveal a firm, tan tumor measuring 12 mm located 4 mm from the nearest margin, the anterior margin. A representative section of the tumor is submitted for tumor banking. Additional sectioning reveals fibrotic tissue associated with the biopsy site nearer to the anterior margin. Fibrotic breast tissue is present near the inferior margin, also. Representative sections are submitted as blocks A1 through A6.

B. This is a portion of adipose tissue which measures 4 x 4 x 2 cm. Two soft, tan and yellow lymph nodes are present measuring up to 1.5 cm. The following sections are submitted:

B1 - one lymph node totally submitted
B2,3 - one lymph node totally submitted

C. This is a portion of adipose tissue which measures 3 x 3 x 1 cm. Within this are three

** CONTINUED ON NEXT PAGE **

RUN DATE: [REDACTED]

RUN TIME: [REDACTED]

RUN USER: [REDACTED]

Specimen Inquiry

PAGE 3

SPEC #:

PATIENT:

(Continued)

GROSS DESCRIPTION: (Continued)

lymph nodes measuring up to 1 cm. One of the lymph nodes measuring 7 mm in grossly suspicious for tumor containing a firm area measuring 3 mm. A second lymph node measures 6 mm and contains a 6 mm area suspicious for metastatic tumor. A third lymph node measures 8 mm and is soft. The following sections are submitted:

- C1 - one suspicious lymph node totally submitted
- C2 - second suspicious lymph node totally submitted
- C3 - unremarkable lymph node totally submitted

INTRAOPERATIVE CONSULTATION:

IMMEDIATE GROSS EVALUATION A (LUMPECTOMY):

- CARCINOMA PRESENT IN SPECIMEN
- SURGICAL MARGINS APPEAR FREE OF TUMOR
- TUMOR PROCESSED FOR TUMOR BANKING

Signed ____ (signature on file) ____

** END OF REPORT **