


UUID:0BB6CAC8-CE26-461F-A9FE-46E28E96A368
TCGA-EW-A423-01A-PR

Redacted

Laboratory



Name: XXXX

Case #: xxxx

Gender: F

Collected: xx

MRN: XXX

Received: xx

Location: XXX

Reported: xx

Physician: XXX

Copy To:

Pathologic Interpretation:

A. LEFT BREAST NEEDLE LOCALIZATION LUMPECTOMY:

INVASIVE LOBULAR CARCINOMA with pleomorphic features, Nottingham grade 2 (3+2+2=7), measuring 2 cm.

PLEOMORPHIC LOBULAR CARCINOMA IN SITU is present.

Prior biopsy site present.

The invasive carcinoma is 0.1 cm from inferior and lateral margins (green, orange).

B. HOT SPOT #1, AXILLA I, CT-xxx:

One lymph node, negative for carcinoma (0/1).

ICD-O-3

Carcinoma, infiltrating, lobular, NOS

C. HOT SPOT #1, AXILLA I CT -xxx:

One lymph node, negative for carcinoma (0/1).

Site: breast, NOS

8520/3

C80.9

Note: Receptor studies and keratin stains to follow. See Tumor Summary.

7-24-12 20

Surgical Pathology Cancer Case Summary

Procedure: Excision with wire-guided localization

Lymph Node Sampling: Sentinel lymph nodes

Specimen Integrity: Single intact specimen (margins can be evaluated)

Specimen Size (for excisions less than total mastectomy):

Greatest dimension: 5 cm

Additional dimensions: 4.5 x 3.5 cm

Specimen Laterality: Left

Tumor Size: Size of Largest Invasive Carcinoma:

Greatest dimension of largest focus of invasion: 2 cm

Tumor Focality: Single focus of invasive carcinoma

Macroscopic and Microscopic Extent of Tumor:

Skin: Skin is not present

Skeletal Muscle: No skeletal muscle present

Ductal Carcinoma in Situ (DCIS): No DCIS is present

Lobular Carcinoma in Situ (LCIS): Present (pleomorphic type)

Histologic Type of Invasive Carcinoma: Invasive lobular carcinoma (pleomorphic type)

Histologic Grade: Nottingham Histologic Score:

Glandular (Acinar)/Tubular Differentiation

Score 3: < 10% of tumor area forming glandular/tubular structures

Nuclear Pleomorphism

Score 2: Cells larger than normal with open vesicular nuclei, visible nucleoli, and moderate variability in both size and shape

Mitotic Count: Score 2

Overall Grade: Grade 2

Margins:

Margins uninvolved by invasive carcinoma

Distance from closest margin: 1 mm

Distance from superior margin: > 5 mm

Distance from inferior margin: 1 mm

Distance from anterior margin: > 5 mm

Distance from posterior margin: > 5 mm

Distance from medial margin: 4 mm

Distance from lateral margin: 1 mm

Treatment Effect: Response to Presurgical (Neoadjuvant) Therapy:

In the Breast: No known presurgical therapy

Lymph-Vascular Invasion: Not identified

Lymph Nodes:

Number of sentinel lymph nodes examined: 2

Total number of lymph nodes examined (sentinel and nonsentinel): 2

Number of lymph nodes with macrometastases (> 0.2 cm): 0

Number of lymph nodes with micrometastases (> 0.2 mm to 0.2 cm and/or > 200 cells): 0

Number of lymph nodes with isolated tumor cells (≤ 0.2 mm and ≤ 200 cells): 0

Method of Evaluation of Sentinel Lymph Nodes:

Hematoxylin and eosin (H&E), one level

Pathologic Staging (pTNM):

Primary Tumor (pT):

pT2: Tumor > 20 mm but ≤ 50 mm in greatest dimension.

Regional Lymph Nodes (pN):

pN0: No regional lymph node metastasis identified histologically

Distant Metastasis (pM):

Not applicable

Ancillary Studies (performed on another specimen: xxxx):

Estrogen Receptor: POSITIVE (> 50%)

Progesterone Receptor: NEGATIVE (less than 1% immunoreactive cells present)

HER2/neu Immunoperoxidase Studies: NEGATIVE (CISH: NOT AMPLIFIED)

Electronically Signed Out By

NOTE: Some immunohistochemical antibodies are analyte specific reagents (ASRs) validated by our laboratory (Her 2, Parvo, H. pylori, HBcore). These ASRs are clinically useful indicators that do not require FDA approval. These clones are used: ID5=ER, PgR 636=PR, A485=HER2, H-11=EGFR, CCH2/DDG9=CMV, F39.4.1=AR and HPV by ISH. All immunohistochemical stains are used with formalin or molecular fixed, paraffin embedded tissue. Detection is by LSAB. The results are read by a pathologist as positive or negative.

XXX

Procedures/Addenda

Addendum

Date Ordered: xx

Status: Signed Out

Date Complete: xx

Date Reported: xx

Addendum Diagnosis

A. LEFT BREAST NEEDLE LOCALIZATION LUMPECTOMY:

Immunohistochemical studies were performed on formalin fixed tissue with the following results for [invasive carcinoma/DCIS/metastatic carcinoma] (block xx):

Estrogen receptor

[illegible]

Progesterone Receptor x 1, CERbB2, HER2/neu x 1

B: Hot spot #1, axilla I, CT-356 H&E, Initial x 1, unstained x 1, unstained x 1, unstained x 1, unstained x 1, Desmin 33 x 1

C: Hot spot #1, axilla I CT -473 H&E, Initial x 1, unstained x 1, unstained x 1, unstained x 1, unstained x 1, Cytokeratin Cocktail (KER) x 1

Gross Description:

- A. Received fresh and labeled "Left breast lumpectomy" is a yellow-tan irregular-shaped lumpectomy, measuring 5.0 x 4.5 x 3.5 cm and weighing 35.0 grams. The specimen is inked as follows: superior margin inked blue, inferior margin inked green, medial margin inked red, lateral margin inked orange, anterior/superficial margin inked yellow and deep margin inked black. Sections reveal an ill-defined area with firm to hard consistency, 2.0 x 2.0 x 1.5 cm. This area is located toward the medial to posterior resection margin at 0.2 to 0.3 cm from the deep resection margin (nearest), 0.3 cm from the inferior resection margin, 3.0 cm from lateral resection margin, 2.0 cm from the superior resection margin, 1.0 cm from the superficial resection margin. The remainder of the specimen is homogeneous, yellow-tan, grossly unremarkable adipose tissue. No other suspicious lesions are present. The specimen is submitted in nine cassettes, as follows:

Cassette #1-3: Tissue with clip in toto
Cassette #4: Perpendicular section superior margin
Cassette #5: Perpendicular section inferior margin
Cassette #6: Perpendicular section medial margin
Cassette #7: Perpendicular section lateral margin
Cassette #8: Perpendicular section superficial margin
Cassette #9: Perpendicular section deep margin

- B. Received in formalin and labeled "Hot spot #1, axilla I, ct xx" is a yellow-tan irregular-shaped soft tissue fragment, 3.5 x 3.0 x 1.0 cm. Sections reveal one lymph node, 1.5 x 1.0 x 1.0 cm. The lymph node is bisected and submitted in toto in one cassette.

- C. Received in formalin and labeled "Hot spot #1, axilla I, ct xx" is a yellow-tan irregular-shaped soft tissue fragment, 2.8 x 2.0 x 1.0 cm. Sections reveal one lymph node, 1.5 x 1.0 x 1.0 cm. the lymph node is bisected and submitted in toto in one cassette.

XXX

Criteria	Yes	No
Diagnosis Discrepancy		
Primary Tumor Site Discrepancy		
HIPAA Discrepancy		
Prior Malignancy History		
Dual/Synchronous Primary, Noted		
Case is (circle): QUALIFIED / DISQUALIFIED		
Reviewer Initials	Date Reviewed: 1/17/12	

H 2/1/12