

Redacted

ICD-0-3

carcinoma infiltrating duct, NOS 8500/3
Site: breast, NOS C50.9

Breast, left, wide-local excision: Invasive ductal adenocarcinoma, Nottingham grade III (of III), forming a mass 2.3 x 2.0 x 2.0 cm (AJCC pT2). Ductal carcinoma in-situ, high nuclear grade, solid type comprises 10% of the tumor. The surgical margins are negative for tumor.

Lymph nodes, left axillary sentinel, excision: A single (1) left axillary sentinel lymph node is positive for tumor (AJCC pN1mi). No blue dye identified.

Lymph nodes, left axillary, excision: Multiple (3) left axillary lymph nodes are negative for tumor (AJCC pN0).

Estrogen: Positive, > 10% nuclear staining

Progesterone: Focally Positive, 1-10% nuclear staining

ER (Estrogen Receptor) test was developed and its performance characteristics determined by . It has not been cleared or approved by the U.S. Food and Drug Administration.

Criteria	Yes	No
Diagnosis Discrepancy		X
Primary Tumor Site Discrepancy		X
HIPAA Discrepancy		X
Prior Malignancy History		X
Dual/Synchronous Primary Listed		X
Case is (circle): <u>QUALIFIED</u> / DISQUALIFIED		
Reviewer Initials: <u>ms</u> Date Reviewed: <u>9/1/10</u>		