



Collection Date:

FINAL DIAGNOSIS:

PART 1: LEFT BREAST, TOTAL MASTECTOMY -

- A. INVASIVE LOBULAR CARCINOMA UP TO 1.8 CM, NOTTINGHAM SCORE 6/9 (TUBULES 3, NUCLEAR 2, MITOSES 1), NOTTINGHAM GRADE 2, LOCATED AT THE UPPER OUTER AND LOWER OUTER QUADRANTS.
- B. EXTENSIVE ATYPICAL LOBULAR HYPERPLASIA AND LOBULAR CARCINOMA IN SITU ADMIXED AND AWAY FROM INVASIVE CARCINOMA.
- C. LYMPHOVASCULAR SPACE INVOLVEMENT NOT SEEN.
- D. INVASIVE TUMOR IS 0.4 CM FROM ANTERIOR MARGIN.
- E. MARGINS FREE OF TUMOR.
- F. MICROSCOPIC FOCUS OF DUCTAL CARCINOMA IN SITU, NUCLEAR GRADE 3, MICROPAPILLARY TYPE, ASSOCIATED WITH RADIAL SCAR AND ATYPICAL DUCTAL EPITHELIAL HYPERPLASIA.
- G. CHANGES CONSISTENT WITH BIOPSY SITE.
- H. FIBROCYSTIC CHANGES WITH SCLEROSING ADENOSIS.
- I. NIPPLE NEGATIVE FOR PAGET'S DISEASE.

PART 2: LEFT AXILLA, SENTINEL LYMPH NODE #2, EXCISION -

LYMPH NODE WITH RARE KERATIN POSITIVE CELLS (SEE MICROSCOPIC DESCRIPTION).

PART 3: LEFT AXILLA, SENTINEL LYMPH NODE #1, PALPABLE, EXCISION -

ONE LYMPH NODE NEGATIVE FOR TUMOR.

COMMENT:

There is a microscopic focus of lobular carcinoma in situ with 1.0 mm of invasive carcinoma in section 1A (section of the nipple). This focus is highlighted by immunostain, e-cadherin and p120, (see Microscopic Description).

Sentinel lymph node #2 shows rare keratin positive cells. Lymph node #1 (Part 3), is almost completely replaced by fat.

Estrogen / progesterone receptors and HER-2/neu done in the previous core biopsy [REDACTED] are reported as follows: ER positive, PR positive, HER-2/neu negative, score 1+.

CASE SYNOPSIS:

SYNOPTIC - PRIMARY INVASIVE CARCINOMA OF BREAST

LATERALITY:

Left

PROCEDURE:

Simple mastectomy

LOCATION:

Upper outer quadrant

Lower outer quadrant

SIZE OF TUMOR:

Maximum dimension invasive component: 18 mm

MULTICENTRICITY/MULTIFOCALITY OF INVASIVE FOCI:

Yes

TUMOR AGGREGATE SIZE:

Sum of the sizes of multiple invasive tumors: 19 mm

TUMOR TYPE (invasive component):

Infiltrating lobular carcinoma

Classical

HISTOLOGIC TYPE:

NOTTINGHAM SCORE:

Nuclear grade: 2

Tubule formation: 3

Mitotic activity score: 1

Total Nottingham score: 6

Nottingham grade (1, 2, 3): 2

ANGIOLYMPHATIC INVASION:

No

DERMAL LYMPHATIC INVASION:

No

CALCIFICATION:

No

TUMOR TYPE, IN SITU:

Micropapillary

DCIS present outside of invasive carcinoma component

LCIS

SURGICAL MARGINS INVOLVED BY INVASIVE COMPONENT:

No

Distance of invasive tumor to closest margin: 4.0 mm

SURG MARGINS INVOLVED BY IN SITU COMPONENT:

No

PAGET'S DISEASE OF NIPPLE:

No

LYMPH NODES POSITIVE:

0

LYMPH NODES EXAMINED:

2

METHOD(S) OF LYMPH NODE EXAMINATION:

H/E stain, Keratin stain

ONLY KERATIN POSITIVE CELLS ARE PRESENT:

Yes

SKIN INVOLVED (ULCERATION):

No

NON-NEOPLASTIC BREAST TISSUE: ADH, ALH, Radial scar

T STAGE, PATHOLOGIC:

pT1c

N STAGE MODIFIER:

(sn)

N STAGE, PATHOLOGIC:

pN0(i+)

M STAGE:

Not applicable

ESTROGEN RECEPTORS:

positive

PROGESTERONE RECEPTORS:

positive

HER2/NEU:

1+

ICD-O-3
Carcinoma, lobular infiltrating NOS
Site 04 Breast NOS
8520/3
250.9
11/24/13

Criteria	Yes	No
Diagnosis Discrepancy		
Primary Tumor Site Discrepancy		
IPAA Discrepancy		
Minor Malignancy History		
Local/Synchronous Primary Node		
Case is (circle):		
Reviewer Initials	DATE	DISQUALIFIED
Date Reviewed:	11/21/13	