

Department of Cancer Pathology

copy No.

Date: _____

Examination: Histopathological examination

Internal invoice No.

Cost of diagnostic procedure

Examination No.:

Patient: XXX

PESEL: XXX

Age:

Gender: F

Material: **Multiple organ resection – right breast.**

ICD-0-3

Unit in charge:

Carcinoma, infiltrating duct, NOS 8500/3
Site: breast, NOS C50.9
for 4/12/11

Physician in charge:

Material collected on

Material received on:

Expected time of examination: **up to 8 working days**Clinical diagnosis: **Bifocal cancer of the right breast.**

Examination performed on:

Results of immunohistochemical examination: Tumour 1

No estrogen receptors found in neoplastic cell nuclei. No progesterone receptors found in neoplastic cell nuclei. HER2 protein stained using rabbit antibody Ventana PATHWAY HER-2/neu (4B5). Positive reaction in invasive cancerous cells (Score = 3+)

Tumour 2

No estrogen receptors found in neoplastic cell nuclei. No progesterone receptors found in neoplastic cell nuclei. HER2 protein stained using rabbit antibody Ventana PATHWAY HER-2/neu (4B5). Positive reaction in invasive cancerous cells (Score = 3+)

validated by: _____

Examination performed on: _____

Macroscopic description:

Right breast sized 26 x 19 x 5 cm with axillary tissues sized 11 x 8 x 2 and a skin flap of 24 x 2.5 cm.

Tumour sized 1.6 x 1.5 x 1.3 cm found on the boundary of lower quadrants, located 1.3 cm from the lower boundary, 1 cm from the base and 4 cm from the skin.

The other tumour present in the upper outer quadrant, sized 1.6 x 1.5 x 1.2 cm, removed by 0.1 cm from the base, 0.6 cm from the skin and 3 cm from the upper boundary.

Microscopic description:

Both tumours: Carcinoma ductale invasivum NHG3 (3+3+2/ 12 mitoses /10 HPF, visual area diameter: 0.55mm). Few foci of carcinoma ductale in situ (DCIS) (papillary type, with medium nuclear atypia and comedo necrosis of 5% of the tumour).

In situ lesions of the type carcinoma intraductale mamillae.

Glandular tissue showing parenchymal atrophy.

AXILLARY LYMPH NODES: Metastases carcinomatosae in lymphonodis (No III/X).

UUID: 99050E48-8DFE-4405-B8D8-7649CE2C9CFF
TCGA-D8-A1XT-01A-PR



Criteria	Yes	No
Diagnosis Discrepancy		X
Primary Tumor Site Discrepancy		X
HIPAA Discrepancy		X
Prior Malignancy History		X
Dual/Synchronous Primary/Noted		X
Case Circled	QUALIFIED	DISQUALIFIED
Reviewer Initials	_____	_____
Date Reviewed:	4/12/11	

Examination: Histopathological examination

Examination No.:

Patient: XXX

PESEL: XXX

Gender: F

Examination performed on:

Infiltratio telae perinodalis.

Test result:

Carcinoma ductale invasivum bifocale et ductale in situ mammae dextrae. Invasive bifocal ductal carcinoma and ductal carcinoma in situ of the right breast. Metastases carcinomatosae in lymphonodis axillae (No III/X). Cancer metastases in axillary lymph nodes (NHG3, pT1c, pN1a).

Compliance validated by: _____

CONTACT YOUR DOCTOR WITH THIS REPORT!