

Redacted



Specimen:

Received:

Status:

Spec Type: SURGICAL P

Subm Dr:

PREOPERATIVE DIAGNOSIS

LEFT BREAST CANCER INVASIVE

OPERATION PERFORMED

DATE:

DOCTOR(S):

PROCEDURE: MASTECTOMY MODIFIED RADICAL

1C503
carcinoma, infiltrating duct, NOS 8500/3
site: LQCF- breast, NOS C50.9
path: breast, upper outer quadrant C50.4

5-23-12
RD

TISSUE REMOVED

- A. LT BREAST AND AXILLARY TISSUE
- B. ADDITIONAL LYMPH NODES LT AXILLA

GROSS DESCRIPTION

PART A RECEIVED FRESH LABELED [REDACTED] LEFT BREAST AND AXILLARY CONTENTS SUTURE AT 12 O'CLOCK, AND CONSISTS OF A MODIFIED RADICAL MASTECTOMY SPECIMEN WITH OVERALL DIMENSIONS OF 31 X 20.5 X 5.8 CM. THE NIPPLE IS UNREMARKABLE AND SITS WITHIN A SKIN ELLIPSE MEASURING 21 X 12.3 CM. THERE IS A 3.5 CM IN LENGTH WELL-HEALED PERIAREOLAR SCAR EXTENDING FROM 12 TO 2 O'CLOCK. THERE IS A PALPABLE MASS IN THE UPPER OUTER QUADRANT. THE SUPERFICIAL ASPECT IS MARKED WITH BLUE INK, THE DEEP ASPECT WITH BLACK INK. THE AXILLARY TAIL IS REMOVED AND EXAMINED FOR LYMPH NODES, OF WHICH MULTIPLE ARE IDENTIFIED. SECTIONS ARE SUBMITTED AS FOLLOWS: A1--NIPPLE SKIN AND SCAR; A2--FIVE NODES; A3--FIVE NODES; A4--THREE NODES, EACH BISECTED; A5--THREE NODES, EACH BISECTED; A6--SECTION OF ONE NODE; A7--SECTION OF ONE NODE; A8--SECTION OF ONE NODE; A9--SECTION OF ONE NODE; A10--SECTION OF ONE NODE. NOTE THAT A6 THROUGH A10 ARE MIRROR IMAGES OF PROTOCOL SECTIONS. A11--TWO NODES, EACH BISECTED; A12--ONE NODE BISECTED; A13--ONE NODE BISECTED; A14--ONE NODE BISECTED. SECTIONING THE BREAST REVEALS THE UPPER OUTER QUADRANT TO BE A ROUNDED PINK-TAN SOFT MASS WHICH IS CENTRALLY CYSTIC. IT MEASURES 4 X 3.7 X 2.8 CM. GROSSLY, THIS ABUTS THE DEEP MARGIN. IMMEDIATELY SUPERFICIAL TO THIS MASS IS A SECOND NODULE WITH A COIL CLIP MEASURING 1.5 X 1.2 X 1.0 CM. MEDIAL AND CENTRAL TO THE BREAST, THE SPECIMEN HAS A TAN FIBROUS BAND WHICH EXTENDS 9 CM FROM SUPERIOR TO INFERIOR AND THERE IS TAN FIBROUS TISSUE CENTRAL WITHIN THE BREAST. THIS IS SURROUNDED BY A PERIMETER OF BLAND YELLOW FATTY TISSUE. SECTIONS ARE SUBMITTED AS FOLLOWS: A15 AND 16--MASS IN DEEP MARGIN; A17--SECTION OF THE MASS AND THE ADJACENT MORE SUPERFICIAL NODULE; A18, 19 AND 20--SECTIONS OF MASS CORRESPONDING TO SECTIONS FROM THE SUBMITTED PER PROTOCOL, WITH A20 REPRESENTING THE ADJACENT FIBROUS TISSUE; A21--AN ADDITIONAL SECTION OF THE SUPERFICIAL LESION (MIRROR IMAGE TO PROTOCOL); A22--UPPER OUTER QUADRANT; A23--UPPER INNER QUADRANT; A24--LOWER INNER QUADRANT; A25--LOWER OUTER QUADRANT (A22 THROUGH A25 ARE MIRROR IMAGE SECTIONS TO PROTOCOL); A26--TISSUE FROM SUPERIOR PORTION OF BREAST.

THE AXILLARY TAIL IS REEXAMINED FOR LYMPH NODES AFTER FIXATION TIME IN ACETIC FORMALIN. ADDITIONAL NODES ARE THEN SUBMITTED AS FOLLOWS:

(Continued)

Specimen:

Received:

Status:

Spec Type: SURGICAL P

Subm Dr:

GROSS DESCRIPTION

(Continued)

A27--FIVE NODES; A28--TWO NODES, EACH BISECTED.

PART B RECEIVED FRESH LABELED [REDACTED] ADDITIONAL LYMPH NODES LEFT AXILLA (LEVEL 2), IS YELLOW-PINK FATTY TISSUE MEASURING 2.4 X 1.6 X 0.8 CM. THIS IS BISECTED REVEALING NO DISTINCT NODAL TISSUE AND SUBMITTED ENTIRELY LABELED B1 AND 2.

PATH PROCEDURES

PROCEDURES:

88309, A BLK/26, B BLK/2

FINAL DIAGNOSIS

PART A LEFT MODIFIED RADICAL MASTECTOMY:

1. POORLY DIFFERENTIATED INFILTRATING DUCT CARCINOMA, NUCLEAR GRADE III/III WITH A HIGH MITOTIC INDEX, 4.0 CM IN MAXIMUM GROSS DIMENSION. THE TUMOR IS LOCATED 1 MM FROM THE DEEP MARGIN OF THE SPECIMEN.
2. METASTATIC CARCINOMA IDENTIFIED IN 1 INTRAMAMMARY LYMPH NODE (MARKED WITH A COIL CLIP CONFIRMING A PREVIOUS BIOPSY SITE).
3. NO EVIDENCE OF METASTATIC DISEASE IN 37 AXILLARY LYMPH NODES.
4. PERIDUCTAL CHRONIC MASTITIS IN SECTIONS OF BREAST TISSUE AWAY FROM THE PRIMARY TUMOR SITE.

1DC 3/3/3
4cm

1/1 Intramamm

0/37 ALN

PART B LEFT AXILLARY BIOPSY: ADIPOSE TISSUE CONTAINING SECTIONS OF 1 SMALT. LYMPH NODE WITH NO EVIDENCE OF METASTATIC DISEASE.

0/1 Level 2

COMMENT

THE ADDITION OF THE AJCC STAGING MANUAL DOES SPECIFICALLY NOT ADDRESS STAGING FOR POSITIVE INTRAMAMMARY NODES IN THE ABSENCE OF AXILLARY METASTATIC DISEASE, HOWEVER THE PATIENT WILL BE STAGED AS HAVING N1 DISEASE.

CODE

1

Signed

(prelim.)

(signature on file)

S IN

Specimen:

Received:

Status:

Spec Type: CA SUMMARY

Subm Dr:

CANCER SUMMARY

Breast Pathology Summary:

Macroscopic:

Breast procedure: mastectomy, modified radical
Lymph node procedure:
Sentinel (yes/no): no
Axillary (yes/no): yes
Specimen size (greatest dimension) (xy,n/a) cm: 31
Neoadjuvant therapy (yes/no): no
Laterality: left
Tumor site: upper outer quadrant
Multifocal (yes/no): no
Multicentric (yes/no): no

Microscopic:

Size of invasive component (xy,n/a) mm: 40
Size of DCIS (xy,n/a) mm: n/a
Histologic type:
Atypical: n/a
In situ: n/a
Invasive: infiltrating duct
Histologic grade :
Tubule formation (0-3,n/a): 3
Nuclear pleomorphism (0-3,n/a): 3
Mitotic count (0-3,n/a): 3
Nottingham Score: 9
Nottingham Grades based on total score:
Grade I 3-5 points
Grade II 6-7 points
Grade III 8-9 points
Venous/lymphatic invasion (yes/no): no
Closest margin size (xy,n/a) mm: 1
If less than 2 mm then:
Single focus of invasive tumor (yes/no): yes
Single focus of DCIS (yes/no): no
Multifocal invasive tumor (yes/no): no
Multifocal DCIS (yes/no): no
Nodes:
Sentinel- number examined (xy,n/a): 0
Sentinel- number involved (xy,n/a): n/a
Regional- number examined (xy,n/a): 39
Regional- number involved (xy,n/a): 1

Markers:

ER (xy%,n/a): 95

Patient: [REDACTED]		(Continued)	
Specimen:	Received:	Status:	Req#:
	Spec Type: CA SUMMARY	Subm Dr: T	
CANCER SUMMARY (Continued)			
PR (xy%,n/a): 0 Her-2/neu (0-3+,n/a): 1 Ki-67 (xy%,n/a): 95 Summary TNM: ----- T: pT2 pN: pN1 Summary stage: 2B ----- Signed _____ _____ (signature on file) _____) (prelim.)			

Criteria	Yes	No
Synoptic Incompleteness		/
Primary Tumor Site Discrepancy		/
IPAA Discrepancy		/
Prior Malignancy History		/
Local/Synchronous Primary Noted		/
Case is (circle): <u>QUALIFIED</u>		
Reviewer Initials: <u>WV</u>	Date Reviewed: <u>5/10/12</u>	

12/5/12