

UUID: 8652E026-9C4D-4AB6-AADE-29DA3345892E
TCGA-EW-A3U0-01A-PR

Redacted



Name:
DOB: Age:
Gender: F
MRN:
Location:
Physician:

Case #:
Collected:
Received:
Reported:
Copy To:

Pathologic Interpretation:

A. SPECIMEN LABELED SENTINEL NODE # 1 COUNT LEFT BREAST:
One lymph node, negative for carcinoma (0/1).

B. SPECIMEN LABELED SENTINEL NODE # 2 COUNT LEFT BREAST:
METASTATIC DUCTAL CARCINOMA in one lymph node (1/1), measuring 0.5 cm in linear dimension.

C. SPECIMEN LABELED SENTINEL NODE #3 COUNT) LEFT BREAST:
One lymph node, negative for carcinoma (0/1).

D. SPECIMEN LABELED "NON-SENTINEL LYMPH NODE LEFT BREAST":
One lymph node, negative for carcinoma (0/1).

E. LEFT BREAST EXCISION:

INVASIVE DUCTAL CARCINOMA, moderately differentiated, Nottingham grade 2 (3+2+1=6), 8.5 cm in greatest dimension, associated with calcifications.

Nearest margins: Posterior, 1 mm (E2); medial, 3mm (E16); anterior, 5 mm (E4); lateral, inferior and superior, >5mm.

Negative for lymphovascular invasion.

DUCTAL CARCINOMA IN SITU, intermediate nuclear grade, solid and cribriform type, DIN II, associated with necrosis and calcifications, present is 8 out of 17 slides.

Nearest margins: inferior <1mm (E7); medial 1mm (E12); posterior 2mm (E2); anterior 5mm, superior and lateral >5mm.

Extensive intraductal component negative.

Note: Immunohistochemistry stains on a prior specimen were:

ER NEGATIVE (<1%)
PR NEGATIVE (<1%)
HER2 NEGATIVE (0)

F. SPECIMEN LABELED "ADDITIONAL ANTERIOR MARGIN, LEFT BREAST":
Negative for carcinoma.

Skin with no specific pathologic changes.

ICD-O-3
carcinoma, ductal,
infiltrating
8500/3
site: breast, NOS
C50.9
4-6-12
RD

G. LEFT LYMPH NODE DISSECTION, AXILLA:

Two lymph nodes, negative for carcinoma (0/2).

H. LEFT LYMPH NODE DISSECTION, AXILLA:

Nineteen lymph nodes, negative for carcinoma (0/19).

Pathology Cancer Case Summary:

INVASIVE CARCINOMA OF THE LEFT BREAST:

Specimen Type: Partial breast

Procedure: Excision with wire-guided localization

Lymph Node Sampling:

Sentinel lymph node(s)

Axillary dissection (partial or complete dissection)

Other lymph nodes (eg, location not identified)

Specimen Integrity: Multiple designated specimens (eg, main excision and identified margins)

Specimen Size: Greatest dimension: 9.0 cm

Additional dimensions: 6.5 x 3.8 cm

Specimen Laterality: Left

Tumor Size: Size of Largest Invasive Carcinoma: Greatest dimension of largest focus of invasion over 0.1 cm: 8.5 cm

Additional dimensions: 6.0 x 3.3 cm

Tumor Focality: Single focus of invasive carcinoma

Macroscopic and Microscopic Extent of Tumor:

Skin: Skin is not present

Nipple: DCIS does not involve the nipple epidermis

Skeletal Muscle: No skeletal muscle present

Ductal Carcinoma in Situ: DCIS is present

Extensive intraductal component (EIC) negative

Size (Extent) of DCIS:

Number of blocks with DCIS: 8

Number of blocks examined: 17

Architectural Patterns:

Cribriform

Solid

Nuclear Grade: Grade II (intermediate)

Necrosis: Present, central (expansive "comedo" necrosis)

Lobular Carcinoma in Situ: Not identified

Histologic Type of Invasive Carcinoma: Invasive ductal carcinoma (no special type or not otherwise specified)

Histologic Grade:

Glandular (Acinar)/Tubular Differentiation: Score 3

Nuclear Pleomorphism: Score 2

Mitotic Count: Score 1

Overall Grade: Grade 2

Margins:

Uninvolved by invasive carcinoma

Distance from closest margin: 1 mm, posterior, medial

Specify margins:

Distance from superior margin: >5 mm

Distance from inferior margin: > 5mm (E7)

Distance from anterior margin: 5 mm (E4)

Distance from posterior margin: 1 mm (E2)

Distance from medial margin: 3 mm (E16)

Distance from lateral margin: >5 mm

Uninvolved by DCIS

Distance from closest margin: <1 mm, inferior

Specify margins:

Distance from superior margin: >5 mm

Distance from inferior margin: <1mm (E7)

Distance from anterior margin: 5 mm (E4)

Distance from posterior margin: 2 mm (E2)

Distance from medial margin: 1 mm (E12)

Distance from lateral margin: >5 mm

Treatment Effect: Response to Presurgical Therapy:

In the breast: No known presurgical therapy

Lymph-Vascular Invasion: Not identified

Dermal Lymph-Vascular Invasion: Not identified

Lymph Nodes:

Number of sentinel lymph nodes examined: 3

Total number of lymph nodes examined (sentinel and nonsentinel): 25

Number of lymph nodes with macrometastases: 1

Number of lymph nodes with micrometastases: 0

Number of lymph nodes with isolated tumor cells: 0

Size of largest metastatic deposit: 5.0 mm

Extranodal Extension: Not identified

Method of Evaluation of Sentinel Lymph Nodes:

Hematoxylin and eosin (H&E), one level

Primary Tumor:

pT3: Tumor >50 mm in greatest dimension

Regional Lymph Nodes:

pN1a: Metastases in 1 to 3 axillary lymph nodes, at least 1 metastasis greater than 2.0 mm

Distant Metastasis: Not applicable

Ancillary Studies:

Estrogen Receptor: Performed on another specimen

Specify specimen:

Results: NEGATIVE, Less than 1% immunoreactive cells present

Progesterone Receptor: Performed on another specimen

Specify specimen:

Results: NEGATIVE, Less than 1% immunoreactive cells present

Her2: Performed on another specimen

Specify specimen:

Results: NEGATIVE, Score 0

Microcalcifications:

Present in DCIS

Present in invasive carcinoma

NOTE: Some immunohistochemical antibodies are analyte specific reagents (ASRs) validated by our laboratory. These ASRs are clinically useful indicators that do not require FDA approval. These clones are used: ID3=ER, PgR 636=PR, A485=HER2, H-11=EGFR. All immunohistochemical stains are used with formalin or molecular fixed, paraffin embedded tissue. Detection is by The results are read by a pathologist as positive or negative.

As the attending pathologist, I attest that I: (i) Examined the relevant preparation(s) for the specimen(s); and (ii) Rendered the diagnosis(es).

Intraoperative Consultation

A. Sentinel node # 1 Count Left breast: Negative for carcinoma (0/1)

B. Sentinel node # 2 count left breast: One lymph node, positive for carcinoma (1/1)

C. Sentinel node # 3 count left breast: Negative for carcinoma (0/1)

Clinical History:

Breast cancer

Operation Performed

Left partial mastectomy and left sentinel lymph node biopsy

Specimen(s) Received:

A: SENTINEL NODE # 1 COUNT 1 LEFT BREAST
B: SENTINEL NODE # 2 COUNT 1 LEFT BREAST
C: SENTINEL NODE #3 COUNT 1 LEFT BREAST
D: NON-SENTINEL LYMPH NODE LEFT BREAST
E: LEFT BREAST MASS-ONE STITCH SHORT SUPERIOR, LONG IS LATERAL
F: ADDITIONAL ANTERIOR MARGIN
G: LEFT AXILLA
H: LEFT AXILLARY CONTENTS

Gross Description:

A. Received fresh labeled "Sentinel node # 1 Count 1 - left breast". The specimen consists of a lymph node with surrounding fibroadipose tissue which measures 1.5 x 1.5 x 0.2 cm. The specimen is submitted in toto in cassette 1

B. Received fresh labeled "Sentinel node # 2 count 1 left breast". The specimen consists of a lymph node with surrounding fibroadipose tissue which measures 1.5 x 1.0 x 0.2 cm. The specimen is submitted in toto in cassette 1

C. Received fresh labeled "Sentinel node # 3 count 1 - left breast". The specimen consists of a lymph node with surrounding fibroadipose tissue which measures 1.5 x 1.2 x 0.2 cm. The specimen is submitted in toto in cassette 1

D. Received in formalin labeled "Non-sentinel lymph node - left breast". The specimen consists of a lymph node with surrounding fibroadipose tissue which measures 1.0 x 1.0 x 0.5 cm. The specimen is bisected and submitted in toto in one cassette.

E. Received fresh labeled "Left breast mass – one stitch short superior – long lateral". The specimen consists of a left lumpectomy specimen which measures 9.0 cm from medial to lateral by 6.5 cm from inferior to superior by 3.8 cm from anterior to posterior. There are two sutures; the long designating lateral and the short is designating superior. There is a firm, white, irregularly shaped and poorly defined mass located in the center of the specimen with diffuse extension to the medial and lateral margin. The extensions are surrounding by white indurated areas. The tumor appears to be less than 1mm from the superior margin less than 1mm from the posterior margin. The tumor with indurated area appears to be less than 1mm from the inferior margin. The tumor appears to be less than 1mm from the anterior margin, less than 1mm from the medial margin and less than 1mm from the lateral margin. The main part of the tumor measures 3.5 x 3.5 x 3.0 cm. But with the extensions and indurated areas the tumor measures 9.0 x 6.5 x 3.8 cm. The specimen is inked as follows:

Posterior black
Anterior yellow
Superior blue
Inferior green
Lateral orange
Medial red

A section of tumor was taken fresh from frozen section for research. Approximately 50% of the section is submitted. Sections are submitted as follows:

Cassettes #1&2 Tumor in relation to deep posterior margin

