

From.

To.

P.8/33

1510.

SENTINEL NODE, RIGHT AXILLA, SENTINEL #1, SENTINEL NODE BIOPSY -
ONE AXILLARY LYMPH NODE, NEGATIVE FOR METASTATIC TUMOR (0/1).

PART 2: LYMPH NODE, LEFT AXILLA, SENTINEL #1, SENTINEL NODE BIOPSY -
ONE AXILLARY LYMPH NODE, NEGATIVE FOR METASTATIC TUMOR (0/1).

PART 3: LYMPH NODE, LEFT AXILLA, SENTINEL #2, SENTINEL NODE BIOPSY -
ONE AXILLARY LYMPH NODE, NEGATIVE FOR METASTATIC TUMOR (0/1).

PART 4: BREAST, LEFT, SIMPLE MASTECTOMY -

- A. INVASIVE DUCTAL CARCINOMA, NO SPECIAL TYPE.
- B. NOTTINGHAM GRADE 3 (TUBULE FORMATION: 3, NUCLEAR PLEOMORPHISM: 3, MITOTIC ACTIVITY: 2; TOTAL SCORE = 8/9).
- C. THE INVASIVE TUMOR MEASURES APPROXIMATELY 2.0 CM IN LARGEST DIMENSION (FIVE CONTIGUOUS SECTIONS).
- D. THE INVASIVE CARCINOMA IS LOCATED AT THE JUNCTION OF UPPER INNER AND LOWER INNER QUADRANTS.
- E. LYMPHOVASCULAR SPACE INVASION IS IDENTIFIED.
- F. RESECTION MARGINS ARE NEGATIVE FOR CARCINOMA.
- G. THE NIPPLE IS NEGATIVE FOR TUMOR.
- H. THE SKIN IS NEGATIVE FOR TUMOR.
- I. CALCIFICATIONS ARE ASSOCIATED WITH INVASIVE CARCINOMA AND BENIGN BREAST PARENCHYMA.
- J. ATYPICAL DUCTAL HYPERPLASIA.
- K. INTRADUCTAL PAPILLOMA.
- L. THE NON-NEOPLASTIC BREAST SHOWS DUCTAL EPITHELIAL HYPERPLASIA, ADENOSIS AND FIBROCYSTIC CHANGES.
- M. PREVIOUS BIOPSY SITE CHANGES.
- N. THE INVASIVE TUMOR CELLS ARE POSITIVE FOR ESTROGEN AND PROGESTERONE RECEPTORS AND NEGATIVE FOR HER-2, AS PER PREVIOUS PATHOLOGY REPORT ("

PART 5: BREAST, RIGHT, SIMPLE MASTECTOMY -

- A. INVASIVE DUCTAL CARCINOMA, NO SPECIAL TYPE.
- B. NOTTINGHAM GRADE 2 (TUBULE FORMATION: 2, NUCLEAR PLEOMORPHISM: 2, MITOTIC ACTIVITY: 2; TOTAL SCORE = 6/9).
- C. THE INVASIVE TUMOR MEASURES 1.2 CM IN LARGEST DIMENSION.
- D. DUCTAL CARCINOMA IN SITU (DCIS), CRIBRIFORM AND SOLID TYPES WITH MINIMAL NECROSIS.
- E. THE DCIS CONSTITUTES ~10% OF THE TOTAL TUMOR MASS AND IS PRESENT ADMIXED WITH THE INVASIVE COMPONENT.
- F. LYMPHOVASCULAR SPACE INVASION IS IDENTIFIED.
- G. RESECTION MARGINS ARE NEGATIVE FOR CARCINOMA.
- H. THE INVASIVE CARCINOMA IS LOCATED AT THE UPPER OUTER QUADRANT.
- I. THE NIPPLE IS NEGATIVE FOR TUMOR.
- J. THE SKIN IS NEGATIVE FOR TUMOR.
- K. ATYPICAL DUCTAL HYPERPLASIA.
- L. THE NON-NEOPLASTIC BREAST SHOWS FIBROCYSTIC CHANGES WITH ASSOCIATED MICROCALCIFICATIONS.
- M. PREVIOUS BIOPSY SITE CHANGES.
- N. THE INVASIVE TUMOR CELLS ARE POSITIVE FOR ESTROGEN AND PROGESTERONE RECEPTORS AND NEGATIVE FOR HER-2, AS PER PREVIOUS PATHOLOGY REPORT

CASE SYNOPSIS:

SYNOPTIC - PRIMARY INVASIVE CARCINOMA OF BREAST

LATERALITY:

Left

PROCEDURE:

Simple mastectomy

LOCATION:

Upper inner quadrant

Lower inner quadrant

SIZE OF TUMOR:

Maximum dimension invasive component: 2.0 cm

MULTICENTRICITY/MULTIFOCALITY OF INVASIVE FOCI:

No

TUMOR TYPE (invasive component):

Ductal adenocarcinoma, NOS

NOTTINGHAM SCORE:

Nuclear grade: 3

Tubule formation: 3

Mitotic activity score: 2

Total Nottingham score: 8

Nottingham grade (1, 2, 3): 3

ANGIOLYMPHATIC INVASION:

Yes

DERMAL LYMPHATIC INVASION:

No

CALCIFICATION:

Yes, benign zones

Yes, malignant zones

SURGICAL MARGINS INVOLVED BY

INVASIVE COMPONENT:

No

LYMPH NODES POSITIVE:

0

LYMPH NODES EXAMINED:

2

METHOD(S) OF LYMPH NODE EXAMINATION:

H/E stain

SKIN INVOLVED (ULCERATION):

No

NON-NEOPLASTIC BREAST TISSUE: ADH, Papilloma, FCD

1 STAGE, PATHOLOGIC:

pT1c

2 STAGE, PATHOLOGIC:

pN0

3 STAGE, PATHOLOGIC:

PMX

ESTROGEN RECEPTORS:

positive

PROGESTERONE RECEPTORS:

positive

HER2/NEU:

zero or 1+

ICD-0-3

carcinoma, infiltrating ductal, NOS 8500/
Site: breast, NOS C50.9 3/13/11 JW

bilateral

UUID: C7587286-2260-41C3-9E21-91E4F52AD7EA
TCGA-BH-A0D0-01A-PR

Redacted



Criteria	Yes	No
Diagnosis Discrepancy		
Primary Tumor Site Discrepancy		
IPAA Discrepancy		
Prior Malignancy History		
Real/Synchronous Primary Noted		
See is (circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials	JW	
Date Reviewed	3/13/11	