

Cucumber Report

Nov 7, 2023, 2:52:14 PM

Start : Nov 07, 2:51:55.951 PM

End : Nov 07, 2:52:14.188 PM

Duration : 18.237 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checking Login activity of demo webshop application</u>	18.237 s	1	0	1	0	5	0	1	4

#	Feature Name	Scenario Name
1	<u>Checking Login activity of demo webshop application</u>	<u>Login with the help of valid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checking Login activity of demo webshop application</u>	1	0	1	0	18.237 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Login activity of demo webshop application</u>	<u>Login with the help of valid credentials</u>	5	0	1	4	18.233 s

Checking Login activity of demo webshop application

FAILED	DURATION - 18.237 s	Scenarios		Steps	
/ 2:51:55.951 PM // 2:52:14.188 PM /		Total - 1		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

Login with the help of valid credentials

FAILED	DURATION - 18.233 s		Steps	
/ 2:51:55.955 PM // 2:52:14.188 PM /			Total - 5	
Checking Login activity of demo webshop application			Pass - 0	
@ValidCredentials			Fail - 1	
		Skip - 4		

#	Step / Hook Details	Status	Duration
1	<p>Given user click login</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[4]/div[1]/div[2]/div[1]/ul/li[2]/a"} (Session info: MicrosoftEdge=119.0.2151.44) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [61b9ccf87faa6cea18c19dd3e87c4b0d, findElement {using=xpath, value=/html/body/div[4]/div[1]/div[2]/div[1]/ul/li[2]/a}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.44, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:58532}, msedge: {msedgedriverVersion: 119.0.2151.44 (44557a29097a...), userDataDir: C:\Users\inselvam2\AppData\Local\Microsoft\Edge\User Data\Default\Profile 1\Extensions\...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58532/devtools, se:cdpVersion: 119.0.2151.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 61b9ccf87faa6cea18c19dd3e87c4b0d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>	FAILED	10.085 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at com.logins.LoginAction.clickLoginPage(LoginAction.java:15) at com.logins.LoginDefinition.user_click_login(LoginDefinition.java:16) at ?.user click login(file:///C:/Users/nselvam2/Assessment3/com.Nirupama.TechAssessment3/src/test/resources/Features/Login.feature:7) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
2	When User enters valid email	SKIPPED	0.000 s
3	And User enters valid password	SKIPPED	0.000 s
4	And User click Login button	SKIPPED	0.000 s
5	Then User should be able to login successfully and navigates to the product page	SKIPPED	0.000 s
	AFTER - com.logins.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.590 s
	Login with the help of valid credentials		