

# Cucumber Report

Nov 7, 2023, 2:27:33 PM

Start : Nov 07, 2:27:05.691 PM

End : Nov 07, 2:27:28.114 PM

Duration : 22.423 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checking Login activity of demo webshop application</u>	22.423 s	1	0	1	0	5	0	1	4

#	Feature Name	Scenario Name
1	<u>Checking Login activity of demo webshop application</u>	<u>Login with the help of valid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checking Login activity of demo webshop application</u>	1	0	1	0	22.423 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Login activity of demo webshop application</u>	<u>Login with the help of valid credentials</u>	5	0	1	4	22.408 s

## Checking Login activity of demo webshop application

<b>FAILED</b>	<b>DURATION - 22.423 s</b>	Scenarios		Steps	
/ 2:27:05.691 PM // 2:27:28.114 PM /		Total - 1		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

## Login with the help of valid credentials

<div>FAILED</div> <div>DURATION - 22.408 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 2:27:05.706 PM // 2:27:28.114 PM /				
Checking Login activity of demo webshop application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	<p>Given user click login</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='ico-login']"} (Session info: MicrosoftEdge=119.0.2151.44) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [227418afccb54970c0871c1f7f7dd542, findElement {using=xpath, value=//a[@class='ico-login']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.44, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:57587}, msedge: {msedgedriverVersion: 119.0.2151.44 (44557a29097a..., userDataDir: C:\Users\inselvam2\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdpVersion: 119.0.2151.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 227418afccb54970c0871c1f7f7dd542</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>	<b>FAILED</b>	10.075 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source) at com.Nirupama.TechAssessment3.LoginAction.clickLoginPage(LoginAction.java:15) at com.Nirupama.TechAssessment3.LoginDefinition.user_click_login(LoginDefinition.java:16) at ?.user click login(file:///C:/Users/nselvam2/Assessment3/com.Nirupama.TechAssessment3/src/test/resources/Features/Login.feature:7) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User enters valid email	SKIPPED	0.001 s
3	And User enters valid password	SKIPPED	0.000 s
4	And User click Login button	SKIPPED	0.000 s
5	Then User should be able to login successfully and navigates to the product page	SKIPPED	0.000 s
	AFTER - com.Nirupama.TechAssessment3.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	2.414 s
	Login with the help of valid credentials		