
Cucumber Report



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Checking Login activity of demo webshop application	23.504 s	1	0	1	0	5	0	1	4

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Checking Login activity of demo webshop application	Login with the help of valid credentials


TAG		Scei	nario		Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Checking Login activity of demo webshop application	1	0	1	0	23.504 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Login activity of demo	Login with the help of valid credentials	5	0	1	4	23.500 s
	webshop application						

DETAILED SECTION -- 7 -

Checking Login activity of demo webshop application

FAILED	DURATION - 23.504 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 2:30:35.683 PM // 2	2:30:59.187 PM /	Pass - 0	1	Pass - 0	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

Login with the help of valid credentials



#	Step / Hook Details	Status	Duration
1	Given user click login	FAILED	10.106 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='icologin']"} (Session info: MicrosoftEdge=119.0.2151.44) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [94321b72b5258884910d6bc103b9eb5d, findElement {using=xpath, value=//a[@class='ico-login']]} Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.44, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:57730}, msedge: {msedgedriverVersion: 119.0.2151.44 (44557a29097a, userDataDir: C:UsersInselvam2VAppData\t}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57730/devtoo, se:cdpVersion: 119.0.2151.44, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 94321b72b5258884910d6bc103b9eb5d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.click(Unknown Source) at com.logins.LoginAction.clickLoginPage(LoginAction.java:15) at com.logins.LoginDefinition.user_click_login(LoginDefinition.java:16) at ?.user click login(file:///C:/Users/nselvam2/Assessment3/com.Nirupama.TechAssessment3/src/test/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'.		
2	When User enters valid email	SKIPPED	0.001 s
3	And User enters valid password	SKIPPED	0.000 s
4	And User click Login button	SKIPPED	0.000 s
5	Then User should be able to login successfully and navigates to the product page	SKIPPED	0.000 s
	AFTER - com.logins.HookClass.tearDown(io.cucumber.java.Scenario) Login with the help of valid credentials	PASSED	2.852 s