

Bug Report

1. UI/Functional Bug

Field	Value
Bug ID	BR-001
Bug Title	Logout button missing from navbar — users cannot sign out
Reported By	QA Intern
Reported Date	17th May 2026
Module/Feature	Logout
Environment	Browser: Chrome OS: Ubuntu 24.04.4 LTS Device: Laptop App Version: 1.0.0 Server/Environment: Staging
Severity	High
Priority	High
Preconditions	User must be logged in with valid credentials and dashboard must be accessible.
Steps to reproduce	1. Open application and navigate to the login page 2. Enter valid username and password 3. Click the sign in button 4. Verify login and dashboard page displays 5. Inspect sidebar for logout button 6. Attempt to find and click logout control
Expected Result	A logout button option should be visible in the navbar after user is logged in. Clicking the logout button should POST to the

	backend logout endpoint, clear authentication cookies, and redirect user to the sign-in page.
Actual Result	No logout button is present in the navbar. Users cannot log out through the application UI.
Test Data	Username: TestUser_1; Password: ValidPass123!
Attachments	SS
Status	New
Assigned to	Developer
Comments	Backend logout endpoint exists and functions correctly. Frontend navbar component lacks UI implementation to invoke logout. This is a critical user experience issue as users cannot securely end their sessions via the application interface.

2. Functional Bug

Field	Value
Bug ID	BR-002
Bug Title	Invalid login credentials accepted without error message — backend returns 200 on authentication failure
Reported By	QA Intern
Reported Date	17th May 2026
Module/Feature	User Authentication / Login
Environment	Browser: Chrome OS: Ubuntu 24.04.4 LTS Device: Laptop

	App Version: 1.0.0 Server/Environment: Staging
Severity	High
Priority	High
Preconditions	User must be on the login page and the backend must be running
Steps to reproduce	1. Open application and navigate to the login page 2. Enter invalid username: wronguser 3. Enter invalid password: wrongpass. 4. Click the Sign in button. 5. Observe the response and frontend behavior.
Expected Result	Login should fail with HTTP 401 Unauthorized response. Frontend should display a clear error message such as "Invalid email or password. Please try again." and user should remain on the login page.
Actual Result	Backend returns HTTP 200 OK response despite invalid credentials. No error message is displayed on the frontend. User is not redirected, but the login attempt silently fails without user feedback.
Test Data	Username: TestUser_1; Password: ValidPass123!
Status	New
Assigned to	Developer
Comments	Backend LoginView should return HTTP 401 Unauthorized when serializer validation fails for invalid credentials. This is a critical security and UX issue as users receive no feedback on failed authentication attempts, leading to confusion and potential repeated attempts with invalid data.

3. UI/Data Filtering Bug

Field	Value
Bug ID	BR-003
Bug Title	Product search filter returns no results when special characters are entered
Reported By	QA Intern
Reported Date	17th May 2026
Module/Feature	Inventory Management / Product Search
Environment	Browser: Chrome OS: Ubuntu 24.04.4 LTS Device: Laptop App Version: 1.0.0 Server/Environment: Staging
Severity	Medium
Priority	Medium
Preconditions	User must be logged in and on the Products page. At least one product with special characters in the name must exist in the database.
Steps to reproduce	1. Open application and navigate to products 2. Locate the search/filter field. 3. Enter a product name containing special characters: "USB-C @ 2.0 Cable". 4. Press Enter or click Search. 5. Observe the results displayed.
Expected Result	Search should return all products matching the query, including those with special characters. Product "USB-C @ 2.0 Cable"

	should appear in the results list.
Actual Result	Search returns "No results found" message even though matching products exist in the database. The special characters (@, &, #, etc.) cause the filter to fail silently.
Test Data	Product Name: USB-C @ 2.0 Cable; SKU: USB-C-2.0
Status	New
Assigned to	Developer
Comments	Issue occurs with characters: @ & # \$ % and others. Likely a backend query escaping issue or frontend filter validation problem.

4. Functional/Data Integrity Bug

Field	Value
Bug ID	BR-004
Bug Title	Stock quantity becomes negative after multiple concurrent sales transactions
Reported By	QA Intern
Reported Date	17th May 2026
Module/Feature	Inventory Management / Stock Control
Environment	Browser: Chrome OS: Ubuntu 24.04.4 LTS Device: Laptop App Version: 1.0.0 Server/Environment: Staging

Severity	Critical
Priority	High
Preconditions	Product must exist with stock_quantity = 10. Two or more users must have access to create sales simultaneously.
Steps to reproduce	1. Create a product with stock_quantity = 10 units. 2. User A and User B simultaneously create sales transactions for the same product. 3. User A creates sale for 8 units and clicks Create. 4. At the same time, User B creates sale for 5 units and clicks Create (before User A's transaction completes). 5. Both transactions complete. 6. Check the final stock quantity on the product.
Expected Result	Stock quantity should be $10 - 8 - 5 = -3$ (or sale should be rejected if insufficient stock). System should prevent overselling or show appropriate validation error.
Actual Result	Stock quantity becomes negative: -3 units. System allows the sale to complete even though insufficient stock exists. No validation or race condition handling prevents concurrent transaction conflicts.
Test Data	Product: Wireless Mouse; Initial Stock: 10; Sale 1: 8 units; Sale 2: 5 units
Status	New
Assigned to	Developer
Comments	Critical data integrity issue. Backend lacks transaction locking or optimistic concurrency control.

5. Functional/Integration Bug

Field	Value
Bug ID	BR-005
Bug Title	Invoice PDF generation fails when customer name contains unicode characters
Reported By	QA Intern
Reported Date	17th May 2026
Module/Feature	Sales Management / Invoice Generation
Environment	Browser: Chrome OS: Ubuntu 24.04.4 LTS Device: Laptop App Version: 1.0.0 Server/Environment: Staging
Severity	High
Priority	High
Preconditions	Sale must be created with a customer whose name contains unicode characters (e.g., Chinese, Arabic, Emoji). User must attempt to download the invoice as PDF.
Steps to reproduce	1. Create a customer with name: "محمد علي" (Arabic) or "王小明" (Chinese). 2. Create a sale for this customer with at least one item. 3. Navigate to the sale details page. 4. Click the "Download Invoice" button. 5. Observe the response.
Expected Result	PDF invoice should be generated successfully and downloaded with all customer details properly encoded. Unicode characters

	in customer name should display correctly in the PDF document.
Actual Result	API returns HTTP 500 Internal Server Error. PDF generation fails with encoding error. Invoice cannot be downloaded. Error message: "UnicodeEncodeError: 'utf-8' codec can't encode characters."
Test Data	Customer Name: محمد علي; Email: muhammad.ali@example.com; Sale Amount: \$150.00
Status	New
Assigned to	Developer
Comments	ReportLab PDF library may have encoding issues with unicode characters. Backend requires UTF-8 encoding validation and proper font support for international characters.