

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering

ASSESSMENT TOOL 1 – C Code Output Prediction

Course Code:	CSA0305	Course Title:	Data Structures
CO Assessed:	CO1 – Imitation (BL3, BL4)	Assessment:	Assessment Tool 1 – C Code Output Prediction
Weightage:	35% of CIA	Total Marks:	100
CO1 Statement:	<i>Apply suitable data structures and ADTs for efficient problem solving by analyzing time and space complexity.</i>		
Student Name:		Reg. No.:	
Section / Batch:		Date:	10/07/2026

Code of Conduct

I _____ (Name / Reg No)
certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: _____

Instructions

- This test contains 20 Debugging & Optimisation Task questions. Total: 100 Marks (20*5).
- When a student answer using Scenario-Based, in evaluation the answer should be with following five requirements: Identify the problem type and constraints, Select appropriate data structure, Design the Solution, Optimization and efficiency, Clarity of representation.
- No negative marking. Unanswered questions carry zero marks.

Section / Topic	Focus	Q Nos	Marks
Linked data structure	Basic data structure	1 - 2	20
Primitive and Non-Primitive Data Structure - Linear and Non-Linear Data Structure	Classifications of Linear data structure	3 - 4	20
Search Data Structure	Linear Search and Binary Search	5 -6	20
Recursion, Performance analysis	Recursion	7 - 8	20
Array Data Structures	Implementations Using Array data structure	9 - 10	20
GRAND TOTAL:			100 Marks

CO1_AT1_C CODE OUTPUT PREDICTION

[← Back](#)

QUESTIONS

Q1

C Code – Array Traversal
10 marks

Q2

C Code – Linear Search
10 marks

Q3

C Code – Binary Search Mid
10 marks

Q4

C Code – Pointer with Array
10 marks

Q5

C Code – Array Update
10 marks

Q6

C Code – Linked List Node
10 marks

Q7

C Code – Time Complexity Loop
10 marks

Q8

Q1 C Code – Array Traversal

10 marks

```
#include <stdio.h>
int main() {
    int arr[] = {5, 10, 15, 20};
    int i, sum = 0;
    for(i = 0; i < 4; i++)
        sum += arr[i];
    printf("%d", sum);
    return 0;
}
```

Your Answer

50

[Save Answer](#)

CO1_AT1_C CODE OUTPUT PREDICTION

[← Back](#)

QUESTIONS

Q1

C Code – Array Traversal
10 marks

Q2

C Code – Linear Search
10 marks

Q3

C Code – Binary Search Mid
10 marks

Q4

C Code – Pointer with Array
10 marks

Q5

C Code – Array Update
10 marks

Q6

C Code – Linked List Node
10 marks

Q7

C Code – Time Complexity Loop
10 marks

Q8

Q2 C Code – Linear Search

10 marks

```
#include <stdio.h>
int main() {
    int arr[] = {2,4,6,8,10};
    int key = 8;
    int i;
    for(i=0;i<5;i++){
        if(arr[i]==key){
            printf("%d",i);
            break;
        }
    }
}
```

Your Answer

3

[Save Answer](#)



SIMATS Online Programming Lab
DS PROGRAMMING

 **NIRUTHIKA SRI PRAKASH**
192511294RA

CO1_AT1_C CODE OUTPUT PREDICTION ← Back

QUESTIONS

Q1
C Code – Array Traversal
10 marks

Q2
C Code – Linear Search
10 marks

Q3
C Code – Binary Search Mid
10 marks

Q4
C Code – Pointer with Array
10 marks

Q5
C Code – Array Update
10 marks

Q6
C Code – Linked List Node
10 marks

Q7
C Code – Time Complexity Loop
10 marks

Q8

Q3 C Code – Binary Search Mid 10 marks

```
#include<stdio.h>
int main(){
int low=0,high=7;
int mid;
mid=(low+high)/2;
printf("%d",mid);
}
```

Your Answer

3

Save Answer



SIMATS Online Programming Lab
DS PROGRAMMING

 **NIRUTHIKA SRI PRAKASH**
192511294RA

CO1_AT1_C CODE OUTPUT PREDICTION ← Back

QUESTIONS

Q1
C Code – Array Traversal
10 marks

Q2
C Code – Linear Search
10 marks

Q3
C Code – Binary Search Mid
10 marks

Q4
C Code – Pointer with Array
10 marks

Q5
C Code – Array Update
10 marks

Q6
C Code – Linked List Node
10 marks

Q7
C Code – Time Complexity Loop
10 marks

Q8

Q4 C Code – Pointer with Array 10 marks

```
#include<stdio.h>
int main(){
int arr[]={10,20,30};
int *p=arr;
printf("%d",*(p+2));
}
```

Your Answer

30

Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS

- Q1
C Code - Array Traversal
10 marks
- Q2
C Code - Linear Search
10 marks
- Q3
C Code - Binary Search Mid
10 marks
- Q4
C Code - Pointer with Array
10 marks
- Q5
C Code - Array Update
10 marks
- Q6
C Code - Linked List Node
10 marks
- Q7
C Code - Time Complexity Loop
10 marks
- Q8
C Code - Time Complexity Loop
10 marks

Q5 C Code - Array Update

10 marks

```
#include <stdio.h>
int main()
{
    int arr[] = {1,2,3};
    arr[1] = arr[0] + arr[2];
    printf("%d", arr[1]);
}
```

Your Answer

4

Save Answer

CO1_AT1_C CODE OUTPUT PREDICTION

← Back

QUESTIONS

- Q1
C Code - Array Traversal
10 marks
- Q2
C Code - Linear Search
10 marks
- Q3
C Code - Binary Search Mid
10 marks
- Q4
C Code - Pointer with Array
10 marks
- Q5
C Code - Array Update
10 marks
- Q6
C Code - Linked List Node
10 marks
- Q7
C Code - Time Complexity Loop
10 marks
- Q8
C Code - Time Complexity Loop
10 marks

Q6 C Code - Linked List Node

10 marks

```
#include <stdio.h>
struct Node{
    int data;
    struct Node *next;
};
int main()
{
    struct Node n1,n2;
    n1.data=10;
    n2.data=20;
    n1.next=&n2;
    n2.next=NULL;
    printf("%d", n1.next->data);
}
```

Your Answer

20

CO1_AT1_C CODE OUTPUT PREDICTION

[← Back](#)

QUESTIONS

Q1
C Code – Array Traversal
10 marks**Q2**
C Code – Linear Search
10 marks**Q3**
C Code – Binary Search Mid
10 marks**Q4**
C Code – Pointer with Array
10 marks**Q5**
C Code – Array Update
10 marks**Q6**
C Code – Linked List Node
10 marks**Q7**
C Code – Time Complexity Loop
10 marks**Q8****Q7 C Code - Time Complexity Loop**

10 marks

```
for(i=0;i<n;i++)  
printf("%*");  
The complexity is
```

Your Answer

 $O(n)$ [Save Answer](#)

CO1_AT1_C CODE OUTPUT PREDICTION

[← Back](#)

QUESTIONS

Q1
C Code – Array Traversal
10 marks**Q2**
C Code – Linear Search
10 marks**Q3**
C Code – Binary Search Mid
10 marks**Q4**
C Code – Pointer with Array
10 marks**Q5**
C Code – Array Update
10 marks**Q6**
C Code – Linked List Node
10 marks**Q7**
C Code – Time Complexity Loop
10 marks**Q8****Q8 C Code - Nested Loop**

10 marks

```
for(i=0;i<n;i++)  
for(j=0;j<n;j++)  
printf("%*");
```

Your Answer

 $O(n^2)$ [Save Answer](#)

CO1_AT1_C CODE OUTPUT PREDICTION

[← Back](#)

QUESTIONS

- Q1**
C Code – Array Traversal
10 marks
- Q2**
C Code – Linear Search
10 marks
- Q3**
C Code – Binary Search Mid
10 marks
- Q4**
C Code – Pointer with Array
10 marks
- Q5**
C Code – Array Update
10 marks
- Q6**
C Code – Linked List Node
10 marks
- Q7**
C Code – Time Complexity Loop
10 marks
- Q8**

Q9 C Code - Binary Search Complexity

10 marks

```
while(low <= high){  
    mid = (low + high) / 2;  
}
```

Your Answer

o(log n)

[Save Answer](#)

CO1_AT1_C CODE OUTPUT PREDICTION

[← Back](#)

QUESTIONS

- Q1**
C Code – Array Traversal
10 marks
- Q2**
C Code – Linear Search
10 marks
- Q3**
C Code – Binary Search Mid
10 marks
- Q4**
C Code – Pointer with Array
10 marks
- Q5**
C Code – Array Update
10 marks
- Q6**
C Code – Linked List Node
10 marks
- Q7**
C Code – Time Complexity Loop
10 marks
- Q8**

Q10 C Code - Pointer Increment

10 marks

```
#include <stdio.h>  
int main()  
{  
    int a[] = {5, 10, 15};  
    int *p = a;  
    p++;  
    printf("%d", *p);  
}
```

Your Answer

10

[Save Answer](#)