

REF_WLC_TX15W_C1 - MP A11 15W POWER TRANSMITTER

CONTENTS	
PAGE	DESCRIPTION
01	TITLE & TABLE OF CONTENTS
02	OVERALL BLOCK DIAGRAM
03	WLC1115 CIRCUIT CONNECTION
04	REVISION HISTORY




CYPRESS SEMICONDUCTOR
AN INFINEON TECHNOLOGIES
COMPANY
SAN JOSE, CA 95134

CYPRESS SEMICONDUCTOR © 2022

SCH Title : REF_WLC_TX15W_C1 - MP A11 15W POWER TRANSMITTER

Page Title : TITLE PAGE

Size A4	Document Number 630-60628-01	Drawn By HUSA	Approved By KEDILAYA	Rev 05
Date: Monday, February 27, 2023		Sheet 1 of 4		



CYPRESS SEMICONDUCTOR
AN INFINEON TECHNOLOGIES
COMPANY
SAN JOSE, CA 95134


CYPRESS SEMICONDUCTOR © 2022

SCH Title : REF_WLC_TX15W_C1 - MP A11 15W POWER TRANSMITTER

Page Title : BLOCK DIAGRAM

Size A4	Document Number 630-60628-01	Drawn By HUSA	Approved By KEDILAYA	Rev 05
Date:	Monday, February 27, 2023		Sheet	2 of 4


TYPE C INPUT FILTER




Note: connect Crystal GND island shape to main GND plane through small traces(0.2mm)

CLOCK GENERATION


(OPTIONAL)




AUTOMATION CONNECTOR




BUCK CONVERTER




FULL BRIDGE INVERTER




NTC CKT




ASK_DEMODULATOR




Q_ESTIMATE





AUTHENTICATION CHIP



LED



PROGRAMMING CONNECTOR



5

4

3

2

1

REVISION HISTORY

Rev	DESCRIPTION	DATE
01	Initial Release	30NOV2021
02	1. Dual FETs M1, M2, M3 replaced with individual FETs M11 to M16 2. DC bus HF caps C40, C45 changed to 100nF 3. Snubber caps C31, C50 changed to 10nF 5. Optional shunt resistor R43 removed 4. L2 part changed to PA4342.682NLT 5. Connector options J6 added for external power supply connections 6. D2 part changed to MMBD1503-TP 7. Q2, R52 and R53 added in Q_ESTIMATE circuit. R12 changed to 36K 8. Signals swapped on automation connector J4 9. Through hole test point added for GND in control section 10. Optional 0E resistors R8, R13 and R16 removed and shorted	25DEC2021
03	1. Removed GND2 Testpoint 2. Changed R5 to 390 ohm 3. U3 part details updated	22FEB2022
04	1. D+ & D- net updated as per C-type connector pin.	31MAR2022
05	1. Changed R30 to 2.2K 2. Changed R29 to 62 ohm 3. Changed C21 to 100nF 50V	27FEB2023



CYPRESS SEMICONDUCTOR
AN INFINEON TECHNOLOGIES
COMPANY
SAN JOSE, CA 95134

CYPRESS SEMICONDUCTOR © 2022

SCH Title : REF_WLC_TX15W_C1 - MP A11 15W POWER TRANSMITTER

Page Title : REVISION HISTORY

Size A4	Document Number 630-60628-01	Drawn By HUSA	Approved By KEDILAYA	Rev 05
Date: Monday, February 27, 2023		Sheet 4 of 4		

5

4

3

2

1