
PN15_SID1351
chr1
100 mb
200 mb
Allele frequency
5
0
−5
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype


PN15_SID1351
chr2
50 mb
100 mb
150 mb
200 mb
Allele frequency
6
4
2
0
−2
−4
−6
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype


PN15_SID1351
chr3
50 mb
100 mb
150 mb
200 mb
Allele frequency
6
4
2
0
−2
−4
−6
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype


PN15_SID1351
chr4
50 mb
100 mb
150 mb
200 mb
Allele frequency
6
4
2
0
−2
−4
−6
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype


PN15_SID1351
chr5
50 mb
100 mb
150 mb
200 mb
Allele frequency
5
0
−5
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype


PN15_SID1351
chr6
50 mb
150 mb
100 mb
Allele frequency
6
4
2
0
−2
−4
−6
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype


PN15_SID1351
chr7
50 mb
150 mb
100 mb
Allele frequency
6
4
2
0
−2
−4
−6
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype


PN15_SID1351
chr8
50 mb
150 mb
100 mb
Allele frequency
6
4
2
0
−2
−4
−6
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype


PN15_SID1351
chr9
50 mb
150 mb
100 mb
Allele frequency
6
4
2
0
−2
−4
−6
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype


PN15_SID1351
chr10
10 mb
20 mb
30 mb
40 mb
50 mb
60 mb
70 mb
80 mb
90 mb
100 mb
110 mb
120 mb
130 mb
140 mb
Allele frequency
5
0
−5
Alternate
Reference
Allele frequency Ratio
100
50
0
−50
−100
Alternate
Reference
Genotype