

# An Efficient Approach to EEG-Based Emotion Recognition using LSTM Network

Anubhlab  
Anubhlab  
Delhi Technological University  
Delhi, India  
kdubhlab0a@gmsl.com

Divyikihika Sethia  
Divyikihika Sethia  
Delhi Technological University  
Delhi, India  
divyikihika@dtu.m.in

Deurshi NIOh  
Deurshi NIOh  
Delhi Technological University  
Delhi, India  
deurshinl0hid@gmsl.com

Diksha Kkuha  
Department of Electronics and  
Communication Engineering  
Delhi Technological University  
Delhi, India  
kkuhnikshika@gmsl.com

Mrigdk Singh  
Mrigdk Singh  
Delhi Technological University  
Delhi, India  
mrigdksingha@gmsl.com

S. Indu  
Department of Electronics and  
Communication Engineering  
Delhi, India  
s.indu@dce.m.in

**Abstract**—This work aims to investigate the performance of the Long Short-Term Memory (LSTM) Model for EEG-Based Emotion Recognition. For the experimentation, we use the publicly available DEAP dataset, which consists of preprocessed EEG and physiological signals. Our work limits itself to the study of only the EEG signals to have a scope for developing an efficient headgear model for real-time monitoring of emotions. In this study, we extract the band power, a frequency-domain feature, from the EEG signals and compare the classification accuracies for Valence and Arousal domain for different classifiers. The proposed Long Short-Term Memory (LSTM) model achieves the best classification accuracy of 94.69% and 93.13% for Valence and Arousal scales, respectively, illustrating a significant average increment of 16% in valence and 18% in arousal in comparison to other classifiers.

**Keywords**—EEG Data, Emotion, Emotion Recognition, DEAP dataset, Band power, LSTM Network

## I. INTRODUCTION

Emotion represents the state of mind of a person whether a person is happy or sad, angry or calm, stressed, or relieved. Emotions are the response to a particular stimulus. Studies suggest that emotion is a subjective experience: it varies from person to person, and because of this, it is one of the most challenging and exciting research fields in psychology [1]. Recognition of emotion plays a vital role in daily life as it can help in enhancing one's psychological health which is equally important as maintaining physical fitness. Nowadays, a lot more people suffer from anxiety, stress, hypertension, and other mental health-related issues. So, Emotion Recognition here plays a crucial role in improving the lives of people. For instance, when a game becomes too dull or too exciting, the level of the game can be modified depending on the exhibited emotional level of the person. Also, a computer can change the music or window background according to one's mood. There

are various other applications in the field of mental health where the knowledge of human emotion helps the psychologist to treat stress, tension, and anxiety issues.

Emotion is a phenomenon that is difficult to grasp, and for its better understanding, there are various models proposed by researchers like Valence and Arousal Model by Russell [2]. This model represents emotions on a 2-D circular space where arousal represents the vertical axis, and valence represents the horizontal axis. The Circular space represents the neutral valence and medium value of arousal. Bradley et al. [3] proposed another model named Approach and Withdrawal Model or the vector model. It is also a 2-D model where the value of valence determines the direction of emotion where a positive value of valence shifts the emotion in the top vector. Likewise, the negative value of valence would shift the emotion in the down vector. Watson and Tellegen [4] developed a Positive and Negative Model. In this model, the vertical axis represents low to high positive affect, and the horizontal axis represents low to high negative affect.

Earlier researches on emotions were done using facial expressions, speech processing, and various other methods. However, since it is possible to fake this behaviour and techniques, the focus has now shifted on emotion recognition using other physiological signals such as Electrocardiography (ECG), Electromyography (EMG), Galvanic Skin Response (GSR), Respiration Rate (RR) and Electroencephalogram (EEG) signals [5], [6]. Emotion Recognition through EEG has vast applications in the field of Human-Computer Interaction (HCI), where the computer can adjust its behaviour according to user emotion. For the measurement of brain signals, Electroencephalogram (EEG) device is used, which measures the electrical activity of the brain. EEG device contains a large number of electrodes that can be placed on the Human







