

# Cucumber Report

26-May-2025, 4:55:17 pm

Start : May 26, 4:54:29.963 pm

End : May 26, 4:55:16.661 pm

Duration : 46.698 s

Features



Scenarios

Steps

PASSED - 4  
FAILED - 0  
SKIPPED - 0


PASSED - 13  
FAILED - 0  
SKIPPED - 0

PASSED - 81  
FAILED - 0  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To create a new booking in restful-booker</u>	4.825 s	2	2	0	0	8	8	0	0
<u>To delete a booking in restful-booker</u>	12.816 s	2	2	0	0	22	22	0	0
<u>To update a booking in restful-booker</u>	14.356 s	3	3	0	0	24	24	0	0
<u>To view the restful-booker booking details</u>	14.685 s	6	6	0	0	27	27	0	0


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@bookerAPI	13	13	0	0	4	4	0	0
@createBookingDataTable	2	2	0	0	1	1	0	0
@createBooking	2	2	0	0	1	1	0	0
@deleteBooking	2	2	0	0	1	1	0	0
@deleteBookingIDs	1	1	0	0	1	1	0	0
@e2eTest	1	1	0	0	1	1	0	0
@updateBooking	3	3	0	0	1	1	0	0
@updateBookingDataTable	2	2	0	0	1	1	0	0
@partialUpdateBooking	1	1	0	0	1	1	0	0
@viewAllBookingIDs	1	1	0	0	1	1	0	0
@viewBooking	6	6	0	0	1	1	0	0
@viewBookingDetails	1	1	0	0	1	1	0	0
@viewByBookingDates	2	2	0	0	1	1	0	0
@viewBookingByName	1	1	0	0	1	1	0	0
@healthCheck	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>To create a new booking in restful-booker</u>	2	2	0	0	4.825 s
2	<u>To delete a booking in restful-booker</u>	2	2	0	0	12.816 s
3	<u>To update a booking in restful-booker</u>	3	3	0	0	14.356 s
4	<u>To view the restful-booker booking details</u>	6	6	0	0	14.685 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To create a new booking in restful-booker</u>	<u>To create new booking using cucumber Data Table "TC01"</u>	4	4	0	0	3.311 s
2		<u>To create new booking using cucumber Data Table "TC02"</u>	4	4	0	0	1.500 s
3	<u>To delete a booking in restful-booker</u>	<u>To delete a booking</u>	7	7	0	0	5.282 s
4		<u>To perform a CRUD operation on restful-booker</u>	15	15	0	0	7.527 s
5	<u>To update a booking in restful-booker</u>	<u>To update a booking using cucumber Data Table</u>	8	8	0	0	4.753 s
6		<u>To update a booking using cucumber Data Table</u>	8	8	0	0	4.711 s
7		<u>To partially update a booking</u>	8	8	0	0	4.889 s
8	<u>To view the restful-booker booking details</u>	<u>To view all the booking IDs</u>	4	4	0	0	1.898 s
9		<u>To view booking details</u>	5	5	0	0	3.359 s
10		<u>To view all the booking IDs by booking dates</u>	4	4	0	0	1.525 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>To view the restful-booker booking details</u>	<u>To view all the booking IDs by booking dates</u>	4	4	0	0	1.816 s
12		<u>To view all the booking IDs by booking names</u>	7	7	0	0	4.605 s
13		<u>To confirm whether the API is up and running</u>	3	3	0	0	1.472 s

## To create a new booking in restful-booker


<b>PASSED</b>	<b>DURATION - 4.825 s</b>	Scenarios		Steps	
/ 4:54:29.963 pm // 4:54:34.788 pm /		Total - 2		Total - 8	
		Pass - 2		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## To create new booking using cucumber Data Table "TC01"

<b>PASSED</b>	<b>DURATION - 3.311 s</b>		Steps	
/ 4:54:29.968 pm // 4:54:33.279 pm /			Total - 4	
To create a new booking in restful-booker			Pass - 4	
@bookerAPI @createBookingDataTable @createBooking			Fail - 0	
			Skip - 0	


#	Step / Hook Details							Status	Duration
1	Given user has access to endpoint "/booking"							PASSED	0.001 s
2	When user creates a booking							PASSED	3.051 s
	firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds		
	John	Doe	1200	true	2021-05-05	2021-05-15	Breakfast		
3	Then user should get the response code 200							PASSED	0.001 s
4	And user validates the response with JSON schema "createBookingSchema.json"							PASSED	0.243 s

## To create new booking using cucumber Data Table "TC02"




#	Step / Hook Details							Status	Duration
1	Given user has access to endpoint "/booking"							PASSED	0.001 s
2	When user creates a booking							PASSED	1.488 s
	firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds		
	Jane	Doe	2400	false	2021-06-01	2021-07-10	Dinner		
3	Then user should get the response code 200							PASSED	0.001 s
4	And user validates the response with JSON schema "createBookingSchema.json"							PASSED	0.008 s

### To delete a booking in restful-booker





### To delete a booking





#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	1.883 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.001 s
5	And user makes a request to view booking IDs	PASSED	1.940 s
6	When user makes a request to delete booking with basic auth "admin" & "password123"	PASSED	1.453 s
7	Then user should get the response code 201	PASSED	0.001 s



### To perform a CRUD operation on restful-booker

PASSED	DURATION - 7.527 s		<b>Steps</b> Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 4:54:40.084 pm // 4:54:47.611 pm /				
To delete a booking in restful-booker				
@bookerAPI @deleteBooking @e2eTest				



#	Step / Hook Details	Status	Duration														
1	Given user has access to endpoint "/auth"	PASSED	0.000 s														
2	When user creates a auth token with credential "admin" & "password123"	PASSED	1.550 s														
3	Then user should get the response code 200	PASSED	0.000 s														
4	Given user has access to endpoint "/booking"	PASSED	0.000 s														
5	When user creates a booking	PASSED	1.488 s														
	<table><tr><td>firstname</td><td>lastname</td><td>totalprice</td><td>depositpaid</td><td>checkin</td><td>checkout</td><td>additionalneeds</td></tr><tr><td>John</td><td>Doe</td><td>1200</td><td>true</td><td>2021-05-05</td><td>2021-05-15</td><td>Breakfast</td></tr></table>			firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds	John	Doe	1200	true	2021-05-05	2021-05-15	Breakfast
	firstname			lastname	totalprice	depositpaid	checkin	checkout	additionalneeds								
John	Doe	1200	true	2021-05-05	2021-05-15	Breakfast											
6	Then user should get the response code 200	PASSED	0.001 s														
7	And user validates the response with JSON schema "createBookingSchema.json"	PASSED	0.013 s														
8	And user updates the details of a booking	PASSED	1.484 s														
	<table><tr><td>firstname</td><td>lastname</td><td>totalprice</td><td>depositpaid</td><td>checkin</td><td>checkout</td><td>additionalneeds</td></tr><tr><td>John</td><td>Doe</td><td>1200</td><td>true</td><td>2021-05-05</td><td>2021-05-15</td><td>Breakfast</td></tr></table>			firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds	John	Doe	1200	true	2021-05-05	2021-05-15	Breakfast
	firstname			lastname	totalprice	depositpaid	checkin	checkout	additionalneeds								
John	Doe	1200	true	2021-05-05	2021-05-15	Breakfast											
9	And user should get the response code 200	PASSED	0.001 s														
10	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.013 s														

#	Step / Hook Details	Status	Duration
11	And user makes a request to view details of a booking ID	PASSED	1.494 s
12	And user should get the response code 200	PASSED	0.000 s
13	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.008 s
14	And user makes a request to delete booking with basic auth "admin" & "password123"	PASSED	1.466 s
15	And user should get the response code 201	PASSED	0.001 s

### To update a booking in restful-booker

PASSED	DURATION - 14.356 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
/ 4:54:47.618 pm // 4:55:01.974 pm /					



### To update a booking using cucumber Data Table

PASSED	DURATION - 4.753 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:54:47.618 pm // 4:54:52.371 pm /				
To update a booking in restful-booker  @bookerAPI @updateBooking @updateBookingDataTable				

#	Step / Hook Details	Status	Duration														
1	Given user has access to endpoint "/auth"	PASSED	0.000 s														
2	When user creates a auth token with credential "admin" & "password123"	PASSED	1.465 s														
3	Then user should get the response code 200	PASSED	0.001 s														
4	Given user has access to endpoint "/booking"	PASSED	0.000 s														
5	When user makes a request to view booking IDs	PASSED	1.846 s														
6	And user updates the details of a booking	PASSED	1.427 s														
	<table><tr><td>firstname</td><td>lastname</td><td>totalprice</td><td>depositpaid</td><td>checkin</td><td>checkout</td><td>additionalneeds</td></tr><tr><td>John</td><td>Rambo</td><td>10000</td><td>true</td><td>2021-05-15</td><td>2021-06-11</td><td>Breakfast</td></tr></table>	firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds	John	Rambo	10000	true	2021-05-15	2021-06-11	Breakfast		
firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds											
John	Rambo	10000	true	2021-05-15	2021-06-11	Breakfast											



#	Step / Hook Details	Status	Duration
7	Then user should get the response code 200	PASSED	0.001 s
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.008 s

### To update a booking using cucumber Data Table

PASSED	DURATION - 4.711 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:54:52.373 pm // 4:54:57.084 pm /				
To update a booking in restful-booker				
@bookerAPI @updateBooking @updateBookingDataTable				



#	Step / Hook Details	Status	Duration														
1	Given user has access to endpoint "/auth"	PASSED	0.001 s														
2	When user creates a auth token with credential "admin" & "password123"	PASSED	1.458 s														
3	Then user should get the response code 200	PASSED	0.000 s														
4	Given user has access to endpoint "/booking"	PASSED	0.001 s														
5	When user makes a request to view booking IDs	PASSED	1.796 s														
6	And user updates the details of a booking	PASSED	1.440 s														
	<table><tr><td>firstname</td><td>lastname</td><td>totalprice</td><td>depositpaid</td><td>checkin</td><td>checkout</td><td>additionalneeds</td></tr><tr><td>Rocky</td><td>Balboa</td><td>2006</td><td>false</td><td>2021-06-01</td><td>2021-07-10</td><td>Dinner</td></tr></table>			firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds	Rocky	Balboa	2006	false	2021-06-01	2021-07-10	Dinner
	firstname			lastname	totalprice	depositpaid	checkin	checkout	additionalneeds								
Rocky	Balboa	2006	false	2021-06-01	2021-07-10	Dinner											
7	Then user should get the response code 200	PASSED	0.000 s														
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.010 s														

### To partially update a booking



PASSED	DURATION - 4.889 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:54:57.085 pm // 4:55:01.974 pm /				
To update a booking in restful-booker				
@bookerAPI @updateBooking @partialUpdateBooking				

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	1.525 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	When user makes a request to view booking IDs	PASSED	1.871 s
6	And user makes a request to update first name "John" & Last name "Wick"	PASSED	1.480 s
7	Then user should get the response code 200	PASSED	0.001 s
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.010 s

### To view the restful-booker booking details

PASSED	DURATION - 14.685 s	Scenarios		Steps	
/ 4:55:01.976 pm // 4:55:16.661 pm /		Total - 6		Total - 27	
		Pass - 6		Pass - 27	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### To view all the booking IDs

PASSED	DURATION - 1.898 s		Steps	
/ 4:55:01.976 pm // 4:55:03.874 pm /				
To view the restful-booker booking details				
@bookerAPI @viewAllBookingIDs @viewBooking				

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.000 s
2	When user makes a request to view booking IDs	PASSED	1.889 s
3	Then user should get the response code 200	PASSED	0.000 s
4	And user should see all the booking IDs	PASSED	0.007 s

### To view booking details

<b>PASSED</b>	<b>DURATION - 3.359 s</b>		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 4:55:03.876 pm // 4:55:07.235 pm /				
To view the restful-booker booking details				
@bookerAPI @viewBookingDetails @viewBooking				

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.000 s
2	When user makes a request to view booking IDs	PASSED	1.790 s
3	And user makes a request to view details of a booking ID	PASSED	1.558 s
4	Then user should get the response code 200	PASSED	0.001 s
5	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.008 s

### To view all the booking IDs by booking dates

<b>PASSED</b>	<b>DURATION - 1.525 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:55:07.237 pm // 4:55:08.762 pm /				
To view the restful-booker booking details				
@bookerAPI @viewByBookingDates @viewBooking				

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.000 s
2	When user makes a request to view booking IDs from "2018-01-01" to "2021-12-31"	PASSED	1.520 s
3	Then user should get the response code 200	PASSED	0.001 s
4	And user should see all the booking IDs	PASSED	0.001 s

### To view all the booking IDs by booking dates

<b>PASSED</b>	<b>DURATION - 1.816 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:55:08.764 pm // 4:55:10.580 pm /				
To view the restful-booker booking details				
@bookerAPI @viewByBookingDates @viewBooking				

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.000 s
2	When user makes a request to view booking IDs from "2010-01-01" to "2020-12-31"	PASSED	1.510 s
3	Then user should get the response code 200	PASSED	0.000 s
4	And user should see all the booking IDs	PASSED	0.301 s

### To view all the booking IDs by booking names

<b>PASSED</b>	<b>DURATION - 4.605 s</b>		<b>Steps</b> Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 4:55:10.583 pm // 4:55:15.188 pm /				
To view the restful-booker booking details				
@bookerAPI @viewBooking @viewBookingByName				

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.001 s
2	When user makes a request to view booking IDs	PASSED	1.724 s
3	Then user should see all the booking IDs	PASSED	0.002 s
4	And user makes a request to view details of a booking ID	PASSED	1.445 s
5	And user makes a request to view all the booking IDs of that user name	PASSED	1.429 s
6	And user should get the response code 200	PASSED	0.000 s
7	And user should see all the booking IDs	PASSED	0.000 s

### To confirm whether the API is up and running


PASSED

DURATION - 1.472 s

/ 4:55:15.189 pm // 4:55:16.661 pm /

To view the restful-booker booking details

@bookerAPI @healthCheck @viewBooking




Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/ping"	PASSED	0.000 s
2	When user makes a request to check the health of booking service	PASSED	1.470 s
3	Then user should get the response code 201	PASSED	0.001 s