-2. W. 2. A. H. A. B. L. A. R. L. L. A. R. L. L. A. R. L.

2 AFEARRAID 2 REVEARED LANGUE PAR PAR LANGUE PAR LANGUE

212AFCA02-T 22B12AFCA02-T 22B1



BIZK

202

## DETAILS

NISARGA P

Roll Number

22BI24EC402-T

## **EXPERIMENT**

Title

SIGNATURE FOR LCM

**Description** 

Given two numbers a and b. Find the GCD and LCM of and b.

228

Input:

• Two positive integers a and b (1 <=a, b <=1000)

Output:

For GCD function, an integer representing the GCD of a 'and b

For LCM function, an integer representing the LCM of a and b

**Sample Input:** 

12 18

**Output:** 

36

**Explanation:** 

The GCD of 12 and 18 is 6. The LCM of 12 and 18 is 36. BART REBRAECARIT REBRUALCARIT R 22B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AECA02-72B12AEC 22812AECA02-T 22812AECA02-T 22812AECA

Source Code: 22812AECA02-122812A-22812AECA02-T 22812AECA02-T

```
import math

def gcd(a, b):
    return math.gcd(a, b)

def lcm(a, b):
    return (a * b) // gcd(a, b)

# Input reading
    a, b = map(int, input().split())

# Calculate GCD and LCM
    gcd_value = gcd(a, b)
    lcm_value = lcm(a, b)

print(gcd_value)
print(lcm_value)

RESULT

5/5 Test Cases Passed | 100 %
```