

Steps1:

☰

Developer Edition

☁

Search Setup

★

+

🏠

?

⚙

🔔

👤

Setup

Home

Object Manager

🔍

einstein set

▼ Einstein

▼ Einstein Generative AI

Einstein Setup

Didn't find what you're looking for?

Try using Global Search.

⚙

SETUP

Einstein Setup

Turn on Einstein

Enhance your Salesforce data with generative AI to create relevant, customized experiences for your users. [Learn more in help.](#)

✓

On

Reconnect Agents to Backend Services

To resolve connection errors, reconnect your agent and Salesforce backend services. This process briefly resets and then restores the

Reconnect

Step 2



Search Setup

★

+

Setup

Home

Object Manager

agentforce age

Einstein

Einstein Generative AI

Agentforce Studio

Agentforce Agents

Didn't find what you're looking for?
Try using Global Search.

SETUP > AGENTFORCE STUDIO

Agentforce Agents

Agentforce On

+ New Agent

Try the new Agentforce Builder!

The new Agentforce Builder is our AI-first experience for building, testing, and deploying enterprise-grade agents in Agent Script for more consistent behavior.

Let's Go

Agent Name	Type	Description	Created By	Active	Last Modified
> BalanceTransfer	AgentforceEmployee...	Collects source account, destination account, a...	nisar (agentforce1) k...	✓	Jun 29, 2026
> Case Priority Recommender...	AgentforceEmployee...	Recommends a Case Priority (High, Medium, Lo...	nisar (agentforce1) k...	✓	Jun 29, 2026
> CasePriorityChecker	Service Agent	Checks case priority via the Get_Case_Priority fl...	nisar (agentforce1) k...	✓	Jun 29, 2026

Step 3

Build

 Agents

 Tests

 Prompt Templates

 Data

 AI Models

</> Agentforce DX

Observe & Optimize

 Analytics

 Sessions & Intents

 Scorers

Beta

 Alerts


 Agents


5 items

Agent Name	Created By	Created Date	Last Mo
CasePriorityChecker	nisar (agentforce1) khan	6/29/2026, 08:22 PM	nisar (ag
BalanceTransfer	nisar (agentforce1) khan	6/29/2026, 05:40 PM	nisar (ag
Case Priority Recommender	nisar (agentforce1) khan	6/29/2026, 01:15 PM	nisar (ag
Create Support Case	nisar (agentforce1) khan	6/28/2026, 10:24 AM	nisar (ag
Soft Drink Agent	nisar (agentforce1) khan	6/26/2026, 10:10 PM	nisar (ag

Embedded Messaging to Agent Escalation Flow

Experience Cloud Site → AI Agent → Human Agent (Omni-Channel)





Step 1

Make sure the agent is ACTIVE

Step 2

Make sure the einstein service agent user have all the permissions to the objects, fields



user

Users

- Analytics Groups
- Permission Set Groups
- Permission Sets
- Profiles
- Public Groups
- Queues
- Roles
- User Management Settings
- Users**
- Feature Settings
 - Data.com
 - Prospector Users
 - Service
 - Embedded Service
 - Enhanced Chat User Verification
 - User Interface
 - Action Link Templates

SETUP > USERS > EINSTEINSERVICEAGENT USER
Users

User Details

Name	EinsteinServiceAgent User	Manager	
Title		Company Name	
Email	noreply@salesforce.com	Phone	
Address		Mobile	
About Me			

User Access Summary

See the permissions the user is assigned and the record access features the user is added to.

User Permissions Object Permissions Field Permissions Custom Permissions Tabs

11+ items Search this list...

Label	API Name	Description
Access Activities	ActivitiesAccess	Access tasks, events, calendar, and email.
Access Conversation Entries	CanAccessCE	Grants users access to Conversation Entries
Agentforce Service Agent User	AgentforceServiceAgentUser	Analyze topics and perform actions as an autonomous AI s...
Allow View Knowledge	AllowViewKnowledge	Allow user to view knowledge articles
API Enabled	ApiEnabled	Access any Salesforce.com API.
API Only User	ApiUserOnly	Access Salesforce.com only through a Salesforce.com API.
Edit Tasks	EditTask	Create, edit, and delete tasks.

Permission Sets

Update this user's assigned permission sets and permission set groups. [Learn More in Salesforce Help](#)

Permission Set Group Assignments **Permission Set Assignments** Permission Set Assignments: Activation Required Permission Set License Assignments

User Access Summary

See the permissions the user is assigned and the record access features the user is added to.

User Permissions **Object Permissions** Field Permissions Custom Permissions Tabs

9+ items										
Search this list...										
Label	Object API ...	Read	Create	Edit	Delete	View All Re...	Modify All ...	View All Fie...		
Case	Case	✓	✓	✗	✗	✗	✗	✗		
Contact	Contact	✓	✗	✓	✗	✗	✗	✗		
Facilities Request	Facilities_Reque...	✓	✓	✓	✓	✓	✓	✗		
Generative AI Prompt Template	GenAiPromptTe...	✓	✗	✗	✗	✗	✗	✗		
HR Setup Request	HR_Setup_Requ...	✓	✓	✓	✓	✓	✓	✗		
IT Support Request	IT_Support_Req...	✓	✓	✓	✓	✓	✓	✗		
Messaging Session	MessagingSessi...	✓	✗	✓	✗	✗	✗	✗		

Step 3

Make sure the admin of the user have SERVICE CLOUD access as shown in the screenshot



SETUP
Users

User Provisioning Accounts [0]

User Detail

Edit

Sharing

Change Password

View Summary

Name	nisar khan	Role	CEO
Alias	nis	User License	Salesforce
Email	nisarkhan@hotmail.com [Verified]	Profile	System Administrator
Username	nisarkhanagentforce3@agentforce.com	Active	☒
Nickname	User17845988240258939521 	Marketing User	☐
Title		Offline User	☐
Company	m2h	Knowledge User	☒
Department		Flow User	☐
Division		Service Cloud User	☒
Address		Site.com Contributor User	☐
Time Zone	(GMT-07:00) Pacific Daylight Time (America/Los_Angeles)	Site.com Publisher User	☐
Locale	English (United States)	WDC User	☐
Language	English	Mobile Push Registrations	View

Step 4

Make sure omni channel setting is enabled

Feature Settings

OmniChannel Inventory

Service

Omni-Channel

Limits

Omni-Channel Home

Omni-Channel Settings

Presence Configurations

Presence Decline

Reasons

Presence Statuses

Routing Configurations

Service Channels

Supervisor

Supervisor

Configurations



SETUP

Omni-Channel Settings

Omni-Channel Settings

Omni-Channel routes work items to your support agents. It sets agent capacity for accepting work and agent availability.

Enhanced Omni-Channel Routing automatically distributes incoming work across all channels to the most qualified available agents based on real-time skills and capacity. The unified logic streamlines lead and case management.

Enhanced Omni-Channel
Routing



= Required Information

Enable Omni-Channel



Enable Skills-Based and Direct-to-
Agent Routing



Enable Secondary Routing Priority



Enable Status-Based Capacity
Model



Step 5

Create a routing configuration setup



Search Setup

Setup

Home

Object Manager

routing con

Feature Settings

Service

Omni-Channel

Routing Configurations

Didn't find what you're looking for?
Try using Global Search.

 SETUP

number of open work items. The Most Available routing model routes to the agent with the greatest difference between work item capacity and open work items.

Save

Cancel

Basic Information

Routing Configuration Name

Onboarding Routing Co

Developer Name

Onboarding_Routing_C

Overflow Assignee

If you don't give the overflow assignee access to the object types in your queues and set an overflow assignee to ev

User

Routing Settings

The routing priority determines the order in which work items across your Omni-Channel queues get pushed to your agents. Lower-priority items are pushed first.

The routing model determines how to evenly distribute work items to your agents. It acts as a tiebreaker if two or more agents qualify to take on the same work item. items. Most Available routes to the agent with the most open capacity in proportion to their set capacity.

Routing Priority

1

Routing Model

Most Available

Push Time-Out (seconds)

Capacity Type

Inherited

Work Item Size

Step 6

Create presence statuses



Q prese

▾ Feature Settings

▾ Service

▾ Omni-Channel

Presence Configurations

Presence Decline
Reasons

Presence Statuses

Didn't find what you're looking for?
Try using Global Search.



SETUP

Presence Statuses

Let agents indicate when they're online and available to receive work items from a specific service channel, or whether they're away or offline.

Save

Cancel

Basic Information

Status Name

Developer Name

▼ Status Options

Choose whether agents are online or busy when they use this status. Online statuses let agents receive new work items. Busy statuses make your agents appear

☒ Online

☐ Busy

▼ Service Channels

Select one or more service channels to assign to this presence status. Agents logged into this presence status can receive work from the channels you select.

Available Channels

Phone

Add



Remove

Selected Channels

Messaging

Step 7

Go to the permissionsets that you have already created or going to be create and give the access to the agent and in my case it was onboarding permissionset



permission

- Users
 - Permission Set Groups
 - Permission Sets
- Custom Code
 - Custom Permissions

Didn't find what you're looking for?
Try using Global Search.



Permission Sets

Onboarding Admin

Find Settings... Clone Edit Properties Manage Assignments View Summary

Permission Set Overview

Description	API Name
License	Onboarding_Admin
Session Activation Required	Namespace Prefix
Permission Set Groups Added To	Created By
	Last Modified By

Apps

Settings that apply to Salesforce apps, such as Sales, and custom apps built on the Lightning Platform
[Learn More](#)

- Assigned Apps**
Settings that specify which apps are visible in the app menu
- Assigned Connected Apps**
Settings that specify which connected apps are visible in the app menu
- Object Settings**
Permissions to access objects and fields, and settings such as tab availability
- App Permissions**
Permissions to perform app-specific actions, such as "Manage Call Centers"
- Apex Class Access**
Permissions to execute Apex classes
- Visualforce Page Access**
Permissions to execute Visualforce pages
- External Data Source Access**
Permissions to authenticate against external data sources
- Flow Access**
Permissions to execute Flows
- Named Credential Access**
Permissions to authenticate against named credentials
- External Credential Principal Access**
Permissions to authenticate with external credential principal mappings
- Service Presence Statuses Access**
Permissions to access Service Presence Statuses
- Custom Permissions**
Permissions to access custom processes and apps
- Custom Metadata Types**
Permissions to access custom metadata types
- Custom Setting Definitions**
Permissions to access custom settings
- Organization-Wide Email Address Access**
Permissions to send email with organization-wide email address
- Standard Invocable Action Type Access**
Permissions to access invocable actions
- Agent Access**
Permissions to access Agents

System

Settings that apply across all apps, such as record and user management

- System Permissions**
Permissions to perform actions that apply across apps, such as "Modify All Data"
- Service Providers**

Assign the presence status to the permissionset



Search Setup

Setup

Home

Object Manager

permission

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for?
Try using Global Search.

 **SETUP**
Permission Sets

Permission Set

Onboarding Admin

Find Settings...

Clone

Edit Properties

Manage Assignments

View Summary

Permission Set Overview

>

Service Presence Statuses Access

Service Presence Statuses Access

SaveClose

Available Service Presence Statuses

--None--

Enabled Service Presence Statuses

Onboarding Agent Presence Status

Add

Remove

Then also management assignment the admin



Search Setup

Setup

Home

Object Manager

permission

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for?
Try using Global Search.

SETUP

Permission Sets

Permission Set

Onboarding Admin

Find Settings...

Clone

Edit Properties

Manage Assignments

View Summary

Permission Set Overview

>

Service Presence Statuses Access

Items per page: 50 Items

View: All

Service Presence Statuses Access

Edit

Service Presence Statuses Name

Onboarding Agent Presence Status

Click on add assignment



Search Setup

★

+

🔧

?

⚙️

🔔

👤

Setup

Home

Object Manager

Quick Find

Setup Home

Salesforce Go

Service Cloud Reports

Commerce Setup Assistant

Hyperforce Assistant

Release Updates

Salesforce Mobile App

Lightning Usage

AgentExchange Offers

Sales Cloud Everywhere

ADMINISTRATION

... > SETUP > PERMISSION SET 'ONBOARDING ADMIN'

 **Onboarding Admin**

Current Assignments

✎

🗑️

Add Assignment

☐ Full Name ↑	Active	Role	Profile	User License	Expires On
☐ EinsteinServiceAgent User	✓		Einstein Agent User	Einstein Agent	
☐ nisar khan	✓	CEO	System Administrator	Salesforce	

Click on the admin user and click on next button

Setup

Home

Object Manager

Quick Find

Setup Home

Salesforce Go

Service Cloud Reports

Commerce Setup Assistant

Hyperforce Assistant

Release Updates

Salesforce Mobile App

Lightning Usage

AgentExchange Offers

Sales Cloud Everywhere

ADMINISTRATION

Users

Analytics Groups

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Data

Email

PLATFORM TOOLS

Onboarding Admin

PERMISSION SET 'ONBOARDING ADMIN' > MANAGE ASSIGNMENT EXPIRATION

Select Users to Assign

All Users

1 item selected

Search this list...

	Full Name	Alias	Username	Role	Active	Profile
☐	Agentforce Guest User Agentforce Guest User	guest	agentforce_guest_user@00dg500000fmtreeav.org.force.com		☒	Agentforce Guest User Profile
☐	Chatter Expert	Chatter	chatty.00dg500000fmtreeav.jt3ap5ft3g4@chatter.salesforce.com		☒	Chatter Free User
☐	EinsteinServiceAgent User	einstein	employee_onboarding_agent@00dg500000fmtreeid651608736.ext		☒	Einstein Agent User
☐	Integration User	integ	integration@00dg500000fmtreeav.com		☒	Analytics Cloud Integration User
☒	nisar khan	nis	nisarkhanagentforce3@agentforce.com	CEO	☒	System Administrator
☐	OrgFarm EPIC	OEPI	epic.e75cbfe00063@orgfarm.salesforce.com		☒	System Administrator
☐	Security User	sec	insightssecurity@00dg500000fmtreeav.com		☒	Analytics Cloud Security User

Cancel

Next

Step 8

Create a queue now and define the messaging user and messaging session



Search: queu

- Users
- Queues**
- Environments
- Jobs
- Apex Flex Queue

Didn't find what you're looking for?
Try using Global Search.

SETUP Queues

Edit Queue Onboarding Queue

Help for this Page

Queue Edit

Save Cancel

Queue Name and Email Address

* = Required Information

Enter the name of the queue and the email address to use when sending notifications (for example, when a case has been put in the queue). The email address can be for an individual or a distribution list. When an object is assigned to a queue, only the queue members will be notified.

Label **Onboarding Queue**

Queue Name **Onboarding_Queue**

Queue Email

Send Email to Members ☐

Grant Access Using Hierarchies ☐

Queue Description

Configuration with Omni-Channel Routing

If your organization uses Omni-Channel, you can link queues to a routing configuration. This will push work from the queue to agents in the Console. See our [help](#) for more information about Routing Configurations.

Routing Configuration **Onboarding Routing Coi**

Supported Objects

Select the objects you want to assign to this queue. Individual records for those objects can then be owned by this queue.

Available Objects

- Activation Target
- Agent Work
- Alternative Payment Method
- Appointment Invitation
- Approval Submission
- Authorization Form
- Authorization Form Consent
- Authorization Form Data Use
- Business Brand
- Buyer Group
- Case
- Change Request
- Communication Subscription
- Communication Subscription Channel Type

Selected Objects

- Messaging User
- Messaging Session

Add Remove

Queue Members

To add members to this queue, select a type of member, then choose the group, role, or user from the "Available Members" and move them to the "Selected Members." If the sharing model for all objects in the Queue is Public Read/Write/Transfer, you do not need to assign users to the queue, as all users already have access to the records for those objects.

Search: Users for: Find

Available Members

- User: EinsteinServiceAgent User
- User: Integration User
- User: OrgFarm EPIC
- User: Security User

Selected Members

- nisar khan

Add Remove

Save Cancel

And note you also assign to yourself in case if the routing agent is not available

Step 9

Add to service console app the omni channel as show in the screenshot



App Settings

App Details & Branding

App Options

Utility Items (Desktop Only)

Navigation Items

Navigation Rules

User Profiles

Utility Items (Desktop Only)

Give your users quick access to productivity tools and add background utility items to your app.

Add Utility Item

Utility Bar Alignment ⓘ

Default ▾



Omni-Channel



History



Notes

PROPERTIES

Omni-Channel



Remove

▼ Utility Item Properties

Label ⓘ

Omni-Channel

Icon ⓘ

 omni_channel

Panel Width ⓘ

340

Panel Height ⓘ

480

☒ Start automatically ⓘ

Cancel

Save



Service Console

Cases



Cases



Recently Viewed ▾



0 items • Updated a few seconds ago



Omni-Channel




Offline



Inbox (0)

Step 10

Create flow omni channel flow



Route Work

* Label

Route to Onboarding Agent

* API Name

Route_to_Onboarding_Agent

Description

Set Input Values

* How Many Work Records to Route?

- ☒ Single
- ☐ Multiple

* Record ID Variable

{!recordId}

* Service Channel

Messaging

* Route To

Agentforce Service Agent

* Agentforce Service Agent

Employee Onboarding Agent

Fallback Queue

- ☒ Select Queue
- ☐ Use Variable

* Fallback Queue ID


Onboarding Queue

Set Additional Input Values

Screen Pop Collection Variable

Screen Pop Collection Variable

Search resources...



Step 11

First , lets turn on the digital experience seting

</> Developer Edition



Setup

Home

Object Manager

digital exp

Feature Settings

Digital Experiences

All Sites

CMS Base Data Kit

Pages

Salesforce CMS

Settings

Templates

Themes

Didn't find what you're looking for?
Try using Global Search.

SETUP

Settings

Settings

General Settings

Save

Cancel

Domain Name

The default domain name for digital experiences in your org is **orgfarm-73438a51f6-dev-ed.develop.my.site.com**

Your Experience Cloud sites domain

orgfarm-73438a51f6-dev-ed.develop.my.site.com

Sample Experience URLs

orgfarm-73438a51f6-dev-ed.develop.my.site.com/customers

orgfarm-73438a51f6-dev-ed.develop.my.site.com/developers

orgfarm-73438a51f6-dev-ed.develop.my.site.com/partners

Experience Management Settings

Enable Experience Workspaces

☒

i

Display warning for unsupported browsers

☒

i

Enable ExperienceBundle Metadata API

☐

i

Use Lightning web components on your record pages in Aura sites

☒

i

Enable Agentforce (Beta) in Experience Builder for enhanced LWR sites

☐

i

Agentforce for enhanced LWR sites is a pilot or beta service that is subject to the Beta Services Terms at [Agreements - Salesforce.com](#) or a written Unified Pilot Agreement if executed by Customer, and applicable terms in the [Product Terms Directory](#). Use of this pilot or beta service is at the Customer's sole discretion.

The Non-GA Services are used in conjunction with GA Services which consume paid credits or entitlements ("entitlements"). Any corresponding consumption of entitlements arising from Customer's use of the Non-GA Services shall not give rise to any refund or credit rights.

Role and User Settings

Once you enabled and then refresh the page to see the “ALL Sites”

Create any template site:



Search Setup

Setup

Home

Object Manager

Quick Find

Setup Home

Salesforce Go

Service Cloud Reports

Commerce Setup Assistant

Hyperforce Assistant

Release Updates

Salesforce Mobile App

Lightning Usage

AgentExchange Offers

Sales Cloud Everywhere

ADMINISTRATION

> Users

 **SETUP**
Settings

Digital Experiences

The list shows Experience Cloud sites in your org. Clicking on the URL takes you directly to the site. If you're not a site member, the URL isn't linked. Archived sites aren't included in this list. Check the [Digital Experience app in Lightning Experience](#) page to see Maximum number of published and unpublished sites: 100

All Sites

New

Action	Name	Description	Framework	URL
Workspaces Builder	onboarding		Aura	https://orgfarm-73438a51f6-dev-ed.develop.my.site.com

After you create the site, lets activate by going to builder and click on the administrator



Administration

onboarding

Settings

Preferences

Members

Contributors

Login & Registration

Emails

Pages

Rich Publisher Apps

URL Redirects

Settings



When a site is activated, new members receive a welcome email message. If you don't want new members to receive the email, deselect the Send welcome email checkbox in Emails.

onboarding



<https://orgfarm-73438a51f6-dev-ed.develop.my.site.com> 

Status

Preview

Activate

Template

Help Center

Change Template

NOTE: Navigate to builder and then publish the site

Step 12
Enabled the messaging



MESSAGIN

Feature Settings

Service

Messaging

Messaging Components

Messaging Settings

Didn't find what you're looking for?
Try using Global Search.



SETUP

Messaging Settings

Enhanced Messaging provides more ways to exchange i
Note: Messaging isn't required for Enhanced Chat.

Messaging



On




Channels

All Channels

SMS Channel Requests

Create new channel:



Click next and select the following:

Object Manager ▾

 **SETUP**
Messaging Settings

Enhanced Messaging provides more ways to exchange in
Note: Messaging isn't required for Enhanced Chat.

Messaging ☒ On

 **Channels**

All Channels SMS Channel Requests

Add a Channel

Channel Routing

Select and configure channel routing

Routing Type
Omni-Flow ▾

* Flow Definition
Inbound Omni Channel Flow - Route to Onboarding ×

* Fallback Queue
Onboarding Queue ×

Back ✓ — ✓ — ✓ — ○ Save

Let's setup Channels!

Ready to create your channels? Add one. Already have channels set up? Refresh this page to see them.
Channel type not available? Open a case.

After the save button you will see one more time this screen and click on save to save the page



- Setup Home
- Salesforce Go
- Service Cloud Reports
- Commerce Setup Assistant
- Hyperforce Assistant
- Release Updates
- Salesforce Mobile App
- Lightning Usage
- AgentExchange Offers
- Sales Cloud Everywhere
- ADMINISTRATION
 - Users
 - Data
 - Email
- PLATFORM TOOLS
 - Subscription Management
 - Apps
 - Feature Settings
 - Analytics
 - Approval Settings
 - Chatter
 - Commerce
 - Connect to B2C Commerce
 - Data.com



Enhanced Chat

In-App and Web

* Channel Name
onboarding

* Developer Name
onboarding

User Verification

Continue conversations across devices by securely connecting end-users to their messaging history. To use this feature, turn off Session-Based Chat.

☐ Add User Verification

* Authorization Token Expiration Time for Unverified Users ⓘ
360

Chat Button Visibility

Manage chat button visibility based on service rep availability.

☐ Show chat button only when a service rep is available

Queue Limit Type ⓘ
▼

Enter a value...

Session-Based Chat

End a conversation when the messaging session ends. To use this feature, turn off User Verification.

☐ End chat when session ends

reCAPTCHA Verification

☐ Use reCAPTCHA

* reCAPTCHA API Key Pair ⓘ
Select...

New API Key Pair

Omni-Channel Routing

Select your routing type and add queue details if required.

Routing Type
Omni-Flow ▼

* Flow Definition
Inbound Omni Channel Flow - Route to Onboarding ×

* Fallback Queue
Search Groups...

Queue Wait Time and Position

Show customers an estimated wait time or their position in the queue while they wait.

Notification
None ▼

Automated Responses

Let your customer know that their initial message was received, that an agent accepted or ended a conversation, or that a conversation was ended when the customer stopped responding. Send pre-written responses with [Messaging Components](#).

Conversation Acknowledgement ⓘ
Search Messaging Components...

Start Conversation ⓘ
Search Messaging Components...

End Conversation ⓘ
Search Messaging Components...

Inactive Conversation ⓘ
Search Messaging Components...

Messaging Consent Settings

Customize the way that customers opt out of messaging.

* Opt-Out Keywords ⓘ
cancel,stopall,stop,unsubscribe,end,quit

* Opt-Out Confirmation ⓘ
You've opted out of receiving messages from us, so we won't contact you again.

Abandoned Chats

Automatically move sessions to an inactive state when customers close their browser or tab or lose their internet connection. Sessions are removed from the agent queue after the selected timeout.

☐ Automatically remove abandoned chats

Minutes to Timeout
5

Attachments

Customers can send files to service reps by default. To turn this off, deselect the checkbox. Learn more in Help.

☒ Let customers send files to service reps

Maximum File Size (MB)
5

> Approved File Types

Transcript Downloads

Show customers the option to download a PDF transcript of a chat conversation.

☐ Let customers download their conversation transcripts

Fallback Message

In the event of a service downtime, send a message to end users with options to contact you via a different channel. Turn on Fallback Message, then craft your message with Custom Labels for your deployment. [Learn About Fallback Message in Help](#)

Step 13:

Embedded services:



Search Setup

Setup

Home

Object Manager

embed

Feature Settings

Analytics

Tableau

Tableau Embedding

Service

Embedded Service

Channel Menu

Embedded Service Deployments

Enhanced Chat User Verification

Legacy Web Chat Migration (Beta)

 **Embedded Service**



Enhanced Chat
Connect with your customers using an enhanced messaging channel for both mobile and your account executive for details. [Learn more in Salesforce Help.](#)

Embedded Service Deployments

Embedded Service Deployments

1 item

Name	Deployment Type	Client Version	Modified On
onboarding	Web	WebV1	7/21/2026, 11:10 AM

Didn't find what you're looking for?

Try using Global Search.

Open the onboarding embedded service deployment and go to settings and check this:

Always deploy after you made changes to the agent



Search Setup



Setup

Home

Object Manager ▾

embed

Feature Settings

Analytics

Tableau

Tableau Embedding

Service

Embedded Service

Channel Menu

Embedded Service
Deployments

Enhanced Chat User
Verification

Legacy Web Chat
Migration (Beta)

Didn't find what you're looking for?
Try using Global Search.



... > ONBOARDING > SETTINGS

Settings - Web (v2)

Customer User Interface

☒ Show Agentforce Footer

Display "Powered by Agentforce from salesforce" in the chat footer.

☒ Show delivery receipts

Provide a notice to customers when their message is sent to an agent.

☒ Show read receipts

Alert customers that their message was read by the agent.

Terms and Conditions

☐ Show Terms and Conditions in pre-chat

Before a chat starts, share a link to your Terms and Conditions, whether or not you're using a pre-chat form. Customize the link mes

☐ Require users to accept Terms and Conditions before chatting

Business Hours

Set business hours to receive messages when your agents are working. The messaging window is hidden outside of busine


Business Hours ⓘ

Select business hours...



Step 14:

Now go to the site and refresh the page and drag and drop the embedded messaging





Settings



General



Theme



Languages



Navigation



Mobile Publisher



SEO



CMS Connect



Advanced



Security & Privacy



Developer



Updates



Change History

General

View and edit the main properties of your site.

Site Details

Template

Partner Central (Enhanced)

Public Access 



Guest users can see and interact with the site without logging in

Site Title

agent1

Published Status

Published: <https://orgfarm-92786f9c5c-dev-ed.develop.my.site.com/s>

Guest User Profile

Configure access for guest or unauthenticated users. [Learn More](#)
[agent1 Profile](#)



Settings



General



Theme



Languages

Navigation

Mobile Publisher

SEO

CMS Connect

Advanced

Security & Privacy

Developer

Updates

Change History

General

View and edit the main properties of your site.

Site Details

Template

Partner Central (Enhanced)

Public Access



Guest users can see and interact with the site without logging in

Site Title

agent1

Published Status

Published: <https://orgfarm-92786f9c5c-dev-ed.develop.my.site.com/s>

Guest User Profile

Configure access for guest or unauthenticated users. [Learn More](#)

[agent1 Profile](#)

give access/permissions to the profile



Quick Find

Setup Home

Salesforce Go

Service Cloud Reports

Commerce Setup Assistant

Hyperforce Assistant

Release Updates

Salesforce Mobile App

Lightning Usage

AgentExchange Offers

Sales Cloud Everywhere

ADMINISTRATION

Users

Analytics Groups

Permission Set Groups

Permission Sets

Profiles

Public Groups



SETUP

Profiles

Enabled Apex Class Access

Edit

Apex Class Name	AppExchange Package Name
LeadFilter	
LeadSummary	
LeadSummaryAction	
LeadSummaryRequest	
LeadSummaryResult	

Enabled Visualforce Page Access

Edit

Visualforce Page Name	AppExchange Package Name
BandwidthExceeded	
CommunitiesLanding	
CommunitiesLogin	
CommunitiesSelfReg	
CommunitiesSelfRegConfirm	
CommunitiesTemplate	
Exception	
FileNotFound	
ForgotPassword	
ForgotPasswordConfirm	
InMaintenance	
MicrobatchSelfReg	

Step 15:
Go to cors and add the site:



Search Setup

Setup

Home

Object Manager

cors

Security

CORS

Didn't find what you're looking for?
Try using Global Search.

SETUP

CORS

Allowed Origin

CORS Allowed Origin List Detail

Origin URL Pattern	https://*.my.site.com	Edit	Delete
Created By	nisar.khan, 7/21/2026, 11:18 AM	Edit	Delete