

Nischal Shrestha

Coventry University Student ID Number: 17103446


B.Sc. (Hons.) Computing, Softwarica College of IT and E-commerce, Coventry University

Database System

Giriraj Rawat

1. Create an employees table with columns id, name, age, department, salary, email and status.

```
1 create database company;
2 use company;
3 create table employee(
4 id int auto_increment primary key,
5 name varchar(20),
6 age int,
7 department varchar(20),
8 salary double,
9 email varchar(30),
10 status boolean
11 ,
```



2. Insert the following 5 employees into the table in a single query.

```
13 • insert into employee(name,age,department,salary,email,status) values
14 ("Nischal Shrestha",18,"Software Design",1500000,"nischal@gmail.com",TRUE),
15 ("Nirjal Shrestha",20,"Data Science",150000,"nirjal@gmail.com",TRUE),
16 ("Norman Shrestha",22,"Front End",1200000,"nornaml@gmail.com",TRUE),
17 ("Nishan Shrestha",18,"Devops",1400000,"nishan@gmail.com",FALSE),
18 ("Nirjala Shrestha",21,"MLOPS",145000,"nirjala@gmail.com",FALSE)
```

3. Retrieve all employees from the employees table

```
20 • select * from employee;
```

Result Grid

Filter Rows:

Edit:

Export/Import:

	id	name	age	department	salary	email	status
▶	1	Nischal Shrestha	18	Software Design	1500000	nischal@gmail.com	1
	2	Nirjal Shrestha	20	Data Science	150000	nirjal@gmail.com	1
	3	Norman Shrestha	22	Front End	1200000	nornaml@gmail.com	1
	4	Nishan Shrestha	18	Devops	1400000	nishan@gmail.com	0
	5	Nirjala Shrestha	21	MLOPS	145000	nirjala@gmail.com	0
✱	NULL	NULL	NULL	NULL	NULL	NULL	NULL

4. Fetch only name, department and salary of employees whose salary is greater than 55000.

```
select name,department,salary from employee where salary> 55000;
```

name	department	salary
Nischal Shrestha	Software Design	1500000
Nirjal Shrestha	Data Science	150000
Norman Shrestha	Front End	1200000
Nishan Shrestha	Devops	1400000
Nirjala Shrestha	MLOPS	145000

5. Find all employees whose status is inactive.

```
23 • select * from employee where status=False;
```

[illegible]

6. Update the email of the employee where id=3.

```
24 • update employee set email="norman@gmail.com" where id=3;
```

[illegible]

7. Update the department of employee where id=4.

```
update employee set department="ML/AI" where id=4;
```

[illegible]

8. Increase the salary of all employees in the HR department by 15%.

```
update employee set salary=(salary*(1+15/100)) where department="HR";
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	id	name	age	department	salary	email	status
▶	1	Nischal Shrestha	18	Software Design	1500000	nischal@gmail.com	1
	2	Nirjal Shrestha	20	Data Science	150000	nirjal@gmail.com	1
	3	Norman Shrestha	22	Front End	1200000	norman@gmail.com	1
	4	Nishan Shrestha	18	HR	1609999.9999999998	nishan@gmail.com	0
	5	Nirjala Shrestha	21	MLOPS	145000	nirjala@gmail.com	0
•	NULL	NULL	NULL	NULL	NULL	NULL	NULL

employee 9

×

9. Set the status to inactive for all employees whose salary is less than 55000.

```
update employee set status=FALSE where salary<550000;
```

Result Grid		Filter Rows:		Edit:		Export/Import:		Wrap Cell Conte	
	id	name	age	department	salary	email	status		
▶	1	Nischal Shrestha	18	Software Design	1500000	nischal@gmail.com	1		
	2	Nirjal Shrestha	20	Data Science	150000	nirjal@gmail.com	0		
	3	Norman Shrestha	22	Front End	1200000	norman@gmail.com	1		
	4	Nishan Shrestha	18	HR	1609999.9999999998	nishan@gmail.com	0		
	5	Nirjala Shrestha	21	MLOPS	450000	nirjala@gmail.com	0		
+	NULL	NULL	NULL	NULL	NULL	NULL	NULL		

10. Delete the employee record where id=5.

```
32 • delete from employee where id=5;
```

id	name	age	department	salary	email	status
1	Nischal Shrestha	18	Software Design	1500000	nischal@gmail.com	1
2	Nirjal Shrestha	20	Data Science	150000	nirjal@gmail.com	0
3	Norman Shrestha	22	Front End	1200000	norman@gmail.com	1
4	Nishan Shrestha	18	HR	1609999.9999999998	nishan@gmail.com	0
NULL	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid Edit Export/Import						
id	name	age	department	salary	email	status
1	Nischal Shrestha	18	Software Design	1500000	nischal@gmail.com	1
3	Norman Shrestha	22	Front End	1200000	norman@gmail.com	1
NULL	NULL	NULL	NULL	NULL	NULL	NULL

[illegible]

13. Change the salary column data type DECIMAL(10,2) to DECIMAL(15,2).

```
35 • alter table employee modify column salary decimal(15,2);
```

Result Grid		Filter Rows:		Edit:			Export/Import:			Wrap Cell Content:	
	id	name	age	department	salary	email	phone_number	status			
▶	1	Nischal Shrestha	18	Software Design	1500000.00	nischal@gmail.com	NULL	1			
	3	Norman Shrestha	22	Front End	1200000.00	norman@gmail.com	NULL	1			
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL			

And rename the status column to emp_status using ALTER command.

```
22 ● alter table employee modify column salary decimal(10,4);
```

```
36 • alter table employee rename column status to emp_status;
```

[illegible]

14. Update both name and department of employee where id=4.

```
34 • update employee set name=case id when 4 then "Netra Kumar Shrstha" else name end,
```

```
35 department=case id when 4 then "Manager" else department end;
```

[illegible]

15. Update the status of employee where id=4 to active.

```
42 • update employee set emp_status=true;
```

[illegible]

16. Update salary and status of department where id= 5.sni

```
UPDATE employee
SET
    salary = CASE
        WHEN id = 4 THEN 5000
        ELSE salary
    END,
    status = CASE
        WHEN id = 4 THEN TRUE
        ELSE status
    END;
```

[illegible]

17. Update salary of all employees in Finance department to 80000.

```
update employee set salary=80000 where department="Finance";
```

18. Update name, age and email of employee where id =4.

```
33 • UPDATE employee
34 SET
35     name = "Nishan Shrestha",
36     age = 19,
37     email = "nishan_new@gmail.com"
38 WHERE id = 4;
```

Update

[illegible]

19. salary based on department. Give IT a 20% raise, Finance a 15% raise.

```
4 UPDATE employee SET salary=80000 WHERE department = 'IT';
5
6 UPDATE employee
7   SET salary = CASE
8     WHEN department = "IT" THEN salary * 1.20
9     WHEN department = "Finance" THEN salary * 1.15
10    ELSE salary
11  END;
```

[illegible]

- Since I take status as Boolean so I cant perform this task. I can change the datatype but it mess the data.

- ```
55 • UPDATE employee
56 SET salary = salary +
57 CASE emp_status
58 WHEN 1 THEN 5000
59 WHEN 0 THEN -2000
60 END;
```

[illegible]

- ```
update employee set department =case
when id=1 then 'HR'
when id=6 then "Finance" else department end;
```

[illegible]