Unnamed

Designed by

Kite skins generated by Surfplan (demo) - Wed Sep 16 22:42:51 2026

Flat kite wingspan is 1.376 (metres)

Maximum chord is 0.625 (metres)

Aspect ratio is 2.202

Centre profile name "CLARK-Y"

Wingtip profile name "CLARK-Y"

Flat kite area = 0.860 (metres squared)

Adjusted kite area (area/1.36) = 0.632 (metres squared)

Active lift area = 0.836 (metres squared)


Leading edge length = 1.385 (metres)


Trailing edge length = 1.357 (metres)


Coning AoA (centre) = 3.000 degrees


Coning AoA (tip) = 3.000 degrees

NOTE - no profile at wingtips









Bridle Dimensions


Bridled as a 4-line kite
Centre bridled at 18.0%
Tip bridled at 18.0%
Measurements given in mm

Primary Bridle


	A	B	C	(D)Brakes
Rib 1	854	847	868	968
Rib 3	912	905	930	1032


Total Primary bridle = 14.63m (+15% for knots = 16.83m)


Main towpoint seperation = 694
Brake towpoint seperation = 694





(<--Tip) Upper skin, Panel 1 (x2) - TE (Centre-->)












(<--Tip) Upper skin, Panel 1 (x2) - LE (Centre-->)



(<--Tip) Upper skin, Panel 2 (x2) - TE (Centre-->)















(<--Tip) Upper skin, Panel 2 (x2) - LE (Centre-->






(<--Tip) Upper skin, Panel 3 (x2) - TE (Centre-->)









(<--Tip) Upper skin, Panel 3 (x2) - LE (Centre-->)
(<--Tip) Lower skin, Panel 1 (x2) - TE (Centre-->)















(<--Tip) Lower skin, Panel 1 (x2) - LE (Centre-->






(<--Tip) Lower skin, Panel 2 (x2) - TE (Centre-->)









(<--Tip) Lower skin, Panel 2 (x2) - LE (Centre-->)



(<--Tip) Lower skin, Panel 3 (x2) - TE (Centre-->)












(<--Tip) Lower skin, Panel 3 (x2) - LE (Centre-->









(<--TE) Rib 2 (x2) Upper edge (LE-->)
(<--TE) Rib 2 (x2) Lower edge (LE-->)







(<--TE) Rib 3 (x2) Upper edge (LE-->)
(<--TE) Rib 3 (x2) Lower edge (LE-->)






(<--TE) Rib 4 (x1) Upper edge (LE-->)
(<--TE) Rib 4 (x1) Lower edge (LE-->)

