

Observational scales	Available versions	Authors
The Abbey Pain Scale	English, Italian, Japanese	Abbey et al., ¹ 2004
Algopius	English, French	Rat et al., ⁵³ 2011
Checklist of Nonverbal Pain Indicators (CNPI)	English, Norwegian	Feldt, 2000 ²⁸
CNA Pain Assessment Tool (CPAT)	English	Cervo et al., ¹³ 2009
Doloshort	French	Pautex et al., ⁴⁹ 2009
Doloplus-2	Chinese, Dutch, English, French, Italian, Japanese, Norwegian, Portuguese, Spanish	Levebre-Chapiro, 2001⁴³
Discomfort Scale for Dementia of the Alzheimer's Type (DS-DAT)	Dutch, English, Italian	Hurley et al., ³² 1992
Elderly Pain Caring Assessment (EPCA-2)	French	Morello et al., ⁴⁸ 2007
Mahoney Pain Scale (MPS)	English	Mahoney and Peters, 2008 ⁴⁷
Mobilization-Observation-Behavior-Intensity-Dementia (MOBID and MOBID-2)	Norwegian	Husebo et al., ³³ 2007
Noncommunicating Patient's Pain Assessment Instrument (NOPPAIN)	Brazilian, English, Italian, Portuguese	Snow et al., ⁶³ 2004
The Pain Assessment in the Cognitively Impaired (PACI)	English	Kaasalainen et al., ^{36,37} 2011
The Pain Assessment Scale for Seniors with Severe Dementia (PACSLAC)	Dutch, English, French, Japanese, Portuguese	Fuchs-Lacelle and Hadjistavropoulos, 2004³⁰
PACSLAC-D	Dutch	Zwakhalen et al., ⁷⁹ 2007
PACSLAC 2	English	Chan et al., ¹⁴ 2014
Pain Assessments in Dementing Elders (PADE)	English	Villanueva et al., ⁷⁴ 2003
The Pain Assessment in Advanced Dementia Scale (PAINAD)	Chinese, Dutch, English, German, Italian, Portuguese, Spanish	Warden et al.,⁷⁵ 2003
Pain Assessment in Noncommunicative Elderly Persons (PAINE)	English	Cohen-Mansfield, 2006 ¹⁶
Rotterdam Elderly Pain Observation Scale (REPOS)	Dutch, English	van Herk et al., ⁷² 2008

Bold denotes scales, which can be especially recommended according to others,^{60,61} and one of the present authors (S.L.).