

Table 3 PheWAS Analysis: ICD-10 Codes Associate with Both Mortality and Borderline Dysnatremia

ICD-10 codes	Association with mortality OR (IC95%)	<i>P</i> Value	Association with dysnatremia OR (IC95%)	<i>P</i> Value
Boderline Hyponatremia				
A41 Other sepsis	4.7 (3.1–6.88)	< 0.001	5.83 (4.4–7.69)	< 0.001
I20 Angina pectoris	0.23 (0.13–0.37)	< 0.001	0.67 (0.55–0.79)	< 0.001
I25 Chronic ischemic heart disease	0.47 (0.34–0.64)	< 0.001	0.53 (0.44–0.62)	< 0.001
I48 Atrial fibrillation and flutter	0.15 (0.07–0.3)	< 0.001	0.62 (0.5–0.76)	< 0.001
I71 Aortic aneurysm and dissection	2.37 (1.9–2.92)	< 0.001	0.66 (0.53–0.8)	< 0.001
J15 Bacterial pneumonia, not elsewhere classified	2.9 (1.94–4.16)	< 0.001	2.75 (2.13–3.51)	< 0.001
J80 Acute respiratory distress syndrome	30.64 (23.27–40.36)	< 0.001	3.1 (2.28–4.17)	< 0.001
J96 Respiratory failure, not elsewhere classified	6.14 (5.19–7.22)	< 0.001	2.29 (1.98–2.63)	< 0.001
K65 Peritonitis	6.53 (4.46–9.3)	< 0.001	3.19 (2.32–4.33)	< 0.001
R07 Pain in throat and chest	0.1 (0.02–0.3)	< 0.001	0.35 (0.23–0.5)	< 0.001
R57 Shock, not elsewhere classified	18.73 (15.81–22.16)	< 0.001	3.56 (3.01–4.21)	< 0.001
Z48 Encounter for other postprocedural aftercare	0.63 (0.51–0.77)	< 0.001	0.62 (0.55–0.7)	< 0.001
Z51 Encounter for other aftercare	2.46 (1.97–3.04)	< 0.001	1.95 (1.68–2.25)	< 0.001
Borderline Hypernatremia				
J69 Pneumonitis due to solids and liquids	8.3 (3.53–17.2)	< 0.001	18.12 (6.74–40.49)	< 0.001
J80 Acute respiratory distress syndrome	36.98 (26.99–50.73)	< 0.001	6.96 (3.4–12.65)	< 0.001
J96 Respiratory failure, not elsewhere classified	6.88 (5.68–8.28)	< 0.001	2.95 (1.91–4.36)	< 0.001
N17 Acute kidney failure	3.33 (2.21–4.81)	< 0.001	5.84 (3.41–9.33)	< 0.001
R57 Shock, not elsewhere classified	22.39 (18.37–27.23)	< 0.001	6.19 (4.01–9.13)	< 0.001
Z51 Encounter for other aftercare	7.05 (4.32–10.98)	< 0.001	7.93 (3.7–14.89)	< 0.001