

Taxon	Distribution pattern	Biome	Voucher	Latitude (S)	Longitude (W)
<i>Hyophila involuta</i> (Hook.) A. Jaeger (Hooker 1819: 154; Jaeger 1873: 354)	BR	AM, AT, CA, CE, PA, PP	GMGN 942 (HUESP1641)	08°49'79"	042°29'51"
* <i>Hyophiladelphus agrarius</i> (Hedw.) R.H. Zander (Hedwig 1801: 116; Zander 1995: 372)	BR	AM, AT, CA, CE	GMGN 1066 (HUESPI535)	08°49'24"	042°29'70"
* <i>Plaubelia sprengelii</i> (Schwägr.) R.H. Zander (Schwägrichen 1823: 119; Zander 1993: 176)	BR	AM, AT, CA, CE	GMGN 1068 (HUESPI536)	08°49'24"	042°29'70"
* <i>Trichostomum brachydontium</i> Bruch (Bruch 1829: 391)	MO	AM, AT, CA, CE	GMGN 696 (HUESP1645)	08°49'80"	042°29'50"
Sematophyllaceae					
* <i>Sematophyllum . adnatum</i> (Michx.) E. Britton (Michaux 1803: 310-311; Britton 1902: 65)	BR	AM, AT, CA, CE	GMGN 1074 (HUESPI538)	08°50'37"	042°33'45"
<i>Sematophyllum subsimplex</i> (Hedw.) Mitt. (Hedwig 1801: 11-14; Mitten 1869: 492)	BR	AM, AT, CA, CE, PA	GMGN 1076 (HUESPI539)	08°49'80"	042°29'50"
<i>Trichosteleum hornsuschii</i> A. Jaeger (Jaeger 1878: 484)	MO	AM, AT, CA, CE	GMGN 1077 (HUESPI541)	08°50'37"	042°33'25"
<i>Trichosteleum subdemissum</i> (Schimp. ex Besch.) A. Jaeger (Schimper 1876: 250; Jaeger 1878: 418)	BR	AM, CE, AT	GMGN 1075 (HUESPI543)	08°50'45"	042°33'25"
Splachnobryaceae					
** <i>Splachnobryum abtusum</i> (Brid.) Mull. Hal (Bridel 1806: 118; Muller 1869: 504)	MO	AM, AT, CE, PA	GMGN 889 (HUESPI654)	08°49'55"	042°32'52"
Stereophyllaceae					
<i>Entodontopsis leucostega</i> (Brid.) Buck & Irel. (Bridel 1827: 333; Buck and Ireland 1985: 103)	BR	AM, AT, CA, CE, PA	GMGN 1014 (HUESP1655)	08°49'34"	042°33'42"
** <i>Eulacophyllum cultelliforme</i> (Sull.) W.R. Buck & Ireland (Sullivant 1861: 289; Buck and Ireland 1985: 108)	BR	AM, AT, CE, PA	GMGN 797 (HUESP1656)	08°49'78"	042°33'31"