

**Table 2: Anxiety and depression scores predicted by duration and intensity of yoga practice for 763 participants**

| Measures            | Mean value (SD) | Duration of practice in months as predictor |      |                         |      |                  | Intensity of practice in minutes/day for at least 4 days/week as predictor |      |                         |      |                  |  |
|---------------------|-----------------|---------------------------------------------|------|-------------------------|------|------------------|----------------------------------------------------------------------------|------|-------------------------|------|------------------|--|
|                     |                 | F                                           | df   | Adjusted R <sup>2</sup> | β    | Tolerance values | F                                                                          | df   | Adjusted R <sup>2</sup> | β    | Tolerance values |  |
| STAI-state subscale | 35.5 (11.5)     | 11.4***                                     | 2760 | 0.03                    | -0.2 | 1.0              | 11.4*                                                                      | 2760 | 0.03                    | -0.1 | 1.0              |  |
| HAD-A               | 5.3 (4.0)       | 8.8**                                       | 2760 | 0.02                    | -0.1 | 1.0              | 8.8**                                                                      | 2760 | 0.02                    | -0.1 | 1.0              |  |
| HAD-D               | 5.3 (3.7)       | 4.6**                                       | 2760 | 0.01                    | -0.1 | 1.0              | 4.6                                                                        | 2760 | 0.01                    | 0.0  | 1.0              |  |