

Material	Method	Concentration	Subjects	Results	References
Allyl cinnamate	MAX	4% (2760 µg/cm²)...	22 male volunteers	No reactions	RIFM (1975c)
a-Amylcinnamyl a...	MAX	8% (5520 µg/cm²)...	25 male and fema...	No reactions	RIFM (1975d)
a-Amylcinnamyl al...	HRIPT	3% (3543 µg/cm²)...	31 male and 74 fe...	No reactions	RIFM (2004a)
a-Amylcinnamyl al...	MAX	8% (5520 µg/cm) i...	25 male volunteers	No reactions	RIFM (1973d)
a-Amylcinnamyl al...	Modified Draize	8% in petrolatum ...	78 volunteers	No (0/78) reaction...	Marzulli and Maib...
Benzyl cinnamate	HRIPT	4% (4720 µg/cm²)...	25 male and 76 fe...	No reactions	RIFM (2005a)
Benzyl cinnamate	MAX	8% (5520 µg/cm²)...	25 male volunteers	No reactions	RIFM (1972c)
Benzyl cinnamate	MAX	8% (5520 µg/cm²)...	25 male and fema...	No reactions	RIFM (1975d)
Butyl cinnamate	MAX	4% (2760 µg/cm²)...	25 male and fema...	No reactions	RIFM (1977b)
Cinnamyl acetate	MAX	5% (3450 µg/cm³)...	25 male volunteers	No reactions	RIFM (1972c)
Cinnamyl benzoate	MAX	5% (3450 µg/cm²)...	25 male and fema...	No reactions	RIFM (1975d)
Cinnamyl butyrate	MAX	4% (2760 µg/cm²)...	29 male volunteers	No reactions	RIFM (1976b)
Cinnamyl cinnamate	MAX	4% (2760 µg/cm²)...	25 male and fema...	No reactions	RIFM (1974d)
Cinnamyl formate	MAX	4% (2760 µg/cm²)...	25 male volunteers	No reactions	RIFM (1973d)
Cinnamyl isobutyr...	MAX	4% (2760 µg/cm²)...	31 male volunteers	No reactions	RIFM (1977c)
Cinnamyl isovaler...	MAX	2% (1380 µg/cm²)...	25 male volunteers	No reactions	RIFM (1973d)
Cinnamyl propionate	MAX	4% (2760 µg/cm²)...	25 male volunteers	No reactions	RIFM (1973d)
Cinnamyl tiglate	MAX	4% (2760 µg/cm²)...	24 male volunteers	1 questionable re...	RIFM (1975c)
Ethyl cinnamate	MAX	4% (2760 µg/cm²)...	25 male volunteers	No reactions	RIFM (1973d)
Isoamyl cinnamate	MAX	8% (5520 µg/cm²)...	25 male and fema...	No reactions	RIFM (1974d)
Isobutyl cinnamate	MAX	8% (5520 pg/cm²)...	24 male volunteers	No reactions	RIFM (1975c)
Isopropyl cinnamate	MAX	6% (4140 µg/cm²)...	28 male and fema...	No reactions	RIFM (1982b)
Linalyl cinnamate	MAX	8% (5520 µg/cm²)...	25 male volunteers	No reactions	RIFM (1973d)
Methyl cinnamate	MAX	2% (1380 µg/cm²)...	25 male volunteers	No reactions	RIFM (1970a)
Methyl cinnamate	MAX	10% (6900 µg/cm...	25 male and fema...	No reactions	RIFM (1975d)
a-Methylcinnamic ...	MAX	2% (1380 µg/cm²)...	25 male and fema...	No reactions	RIFM (1974d)
Phenethyl cinnam...	MAX	2% (1380 µg/cm²)...	25 male and fema...	No reactions	RIFM (1975d)
Phenethyl cinnam...	MAX	2% (1380 µg/cm²)...	25 male and fema...	No reactions	RIFM (1975d)